

CONTRACT NO: HY/2019/14
NEW WANG TONG RIVER BRIDGE
UNDER ENVIRONMENTAL PERMIT NO. EP-555/2018/A
QUARTERLY ENVIRONMENTAL MONITORING & AUDIT REPORT
JANUARY - MARCH 2023

CLIENTS:**Highways Department****PREPARED BY:****Lam Environmental Services Limited**

19/F Remex Centre,
42 Wong Chuk Hang Road,
Hong Kong

Telephone: (852) 2882-3939
Facsimile: (852) 2882-3331
E-mail: info@lamenviro.com
Website: <http://www.lamenviro.com>

CERTIFIED BY:

Raymond Dai
Environmental Team Leader

DATE:

12 May 2023

ANEWR

Highways Department
Works Division
7th Floor, Trade and Industry Tower
3 Concorde Road
Kowloon
Hong Kong

Your reference:

Our reference: HKHYD202/50/108784

Date: 10 May 2023

Attention: Mr Kennick Ho

BY EMAIL & POST
(email: ek3-1.wd@hyd.gov.hk)

Dear Sirs

Agreement No. WD 23/2020
Environmental Monitoring and Audit for New Wang Tong River Bridge
Quarterly Environmental Monitoring & Audit Report (January 2023 – March 2023)

We refer to emails of 25 April and 9 May 2023 attaching a Quarterly Environmental Monitoring & Audit Report (January 2023 – March 2023) prepared by the Environmental Team (ET) of the captioned.

We have no further comment and hereby verified the Quarterly Environmental Monitoring & Audit Report (January 2023 – March 2023) in accordance with Clause 1.9 of the Environmental Permit no. EP-555/2018/A.

Should you have any queries, please do not hesitate to contact the undersigned or our Mr Frankie Yuen on 2618 2831.

Yours faithfully
ANEWR CONSULTING LIMITED



James Choi
Independent Environmental Checker

CPSJ/LCCR/YCFF/lsmt

cc Highways Department – Mr Terry Chung (email: sek3.wd@hyd.gov.hk)
Lam Environmental Services Limited – Mr Raymond Dai (Fax no.: 2882 3331)

TABLE OF CONTENTS

1	INTRODUCTION	5
1.1	Scope of the Report	5
1.2	Structure of the Report.....	5
2	PROJECT BACKGROUND	6
2.1	Background.....	6
2.2	Project Organization and Contact Personnel	6
2.3	Construction Activities.....	7
3	STATUS OF REGULATORY COMPLIANCE	8
3.1	Status of Environmental Licensing and Permitting under the Project ..	8
3.2	Status of Submission under the EP-555/2018/A.....	8
3.3	Status of Submission under the EP-555/2018/A.....	9
4	MONITORING REQUIREMENTS	10
4.1	Noise Monitoring.....	10
4.2	Air Monitoring.....	11
4.3	Water Quality Monitoring	13
5	MONITORING RESULTS.....	15
5.1	Noise Monitoring Results	15
5.2	Air Monitoring Results.....	15
5.3	Water Quality Monitoring Results.....	15
5.4	Waste Management.....	17
6	COMPLIANCE AUDIT.....	19
6.1	Noise Monitoring.....	19
6.2	Air Quality Monitoring.....	19
6.3	Water Quality Monitoring	19
6.4	Summary of Exceedance.....	19
6.5	Environmental Site Audit.....	20
6.6	Review of the Reasons for and the Implications of Non-compliance .	20
6.7	Summary of action taken in the event of and follow-up on non-compliance.....	20
7	COMPLAINTS, NOTIFICATION OF SUMMONS AND PROSECUTION.....	21
8	CONCLUSION	22

LIST OF TABLES

- Table 2.2 Contact Details of Key Personnel**
Table 3.1 Summary of the current status on licences and/or permits on environmental protection pertinent to the Project
Table 3.2 Summary of submission status under EP-555/2018/A
Table 4.1 Noise Monitoring Station
Table 4.3 Action and Limit Level for Noise Monitoring
Table 4.4 Air Monitoring Station
Table 4.6 Action and Limit Level for Air Quality Monitoring
Table 4.7 Marine Water Quality Stations for Water Quality Monitoring
Table 4.9 Action and Limit Level for Water Quality Monitoring
Table 5.1 Summary of Quantities of Inert C&D Materials
Table 5.2 Summary of Quantities of C&D Wastes
Table 8.1 Cumulative Statistics on Complaints
Table 8.2 Cumulative Statistics on Successful Prosecutions

LIST OF FIGURES

- [**Figure 2.1 Project Layout**](#)
[**Figure 2.2 Project Organization Chart**](#)
[**Figure 4.1 Locations of Noise Monitoring Station**](#)
[**Figure 4.2 Locations of Air Quality Monitoring Stations**](#)
[**Figure 4.3 Locations of Water Quality Monitoring Stations**](#)

LIST OF APPENDICES

- [**Appendix 3.1 Implementation Schedule**](#)
[**Appendix 4.1 Action and Limit Level**](#)
[**Appendix 4.3 Wind data extracted fro HKO Automatic Weather Station**](#)
[**Appendix 5.2 Noise Monitoring Results and Graphical Presentations**](#)
[**Appendix 5.3 Air Quality Monitoring Results and Graphical Presentations**](#)
[**Appendix 5.4 Water Quality Monitoring Results and Graphical Presentations**](#)
[**Appendix 6.1 Event and Action Plans**](#)
[**Appendix 6.2 Summary for Notification of Exceedance**](#)
[**Appendix 8.1 Complaint Log**](#)

EXECUTIVE SUMMARY

- i. This is the Environmental Monitoring and Audit (EM&A) Quarterly Report – January 2023 to March 2023 of New Wang Tong River Bridge under Environmental Permit no. EP-555/2018/A (Hereafter as “the Project”). The construction works of the Project was commenced on 12 July 2021 and the tentative completion date is Q3 2024. This is the 7th Quarter EM&A report presenting the environmental monitoring findings and information recorded during the period of 01 January 2023 to 31 March 2023.

- ii. In the reporting month, the principal work activities conducted are as follow:

January 2023	February 2023	March 2023
• Bridge Deck construction	• Bridge Deck construction	• Bridge Deck construction

Air Quality Monitoring

- iii. 1-hour and 24-hour Total Suspended Particulates (TSP) monitoring was conducted at two monitoring station. 24-hour TSP shall be sampled at least once in every 6 days, while sampling for 1-hour TSP shall be at least 3 times in every 6 day in the reporting period.
- iv. No action or limit level exceedance was recorded in this reporting period.

Noise Monitoring

- v. Noise monitoring was conducted at one noise monitoring station once per week in the reporting period.
- vi. No action or limit level exceedance was recorded in this reporting period.

Water Quality Monitoring

- vii. Water quality monitoring was conducted at seven monitoring stations three days per week in according to the schedule in the reporting period. Details of water quality monitoring results and graphical presentation can be referred in [Appendix 5.4](#).
- viii. Owing to accessibility and safety issues, water quality monitoring at Station W3 was cancelled with verification from the IEC in November 2020 and approval from the EPD in December 2020.
- ix. Action level exceedances on SS were recorded at station W1 and W6 during mid-ebb and mid-flood respectively on 3 Jan. Investigation revealed these exceedances could be due to: Localized fluctuation around baseline SS range; no river channel blockage was observed. Exceedances are not related to project.

- x. Action level exceedances on SS were recorded at station W1 during mid-flood on 8 Feb. Investigation revealed these exceedances could be due to: Localized fluctuation around baseline SS range; no river channel blockage was observed. Exceedances are not related to project.
- xi. Action level exceedances on Turb and SS were recorded at station W2 during mid-flood on 13 Feb. Investigation revealed these exceedances could be due to: Localized fluctuation around baseline Turb and SS range; no river channel blockage was observed. Exceedances are not related to project.
- xii. Action level exceedances on Turb and SS were recorded at station W4 during mid-flood on 15 Feb. Investigation revealed these exceedances could be due to: Localized fluctuation around baseline Turb and SS range; no river channel blockage was observed. Exceedances are not related to project.
- xiii. Limit level and action level exceedances on SS were recorded at station W2 and W4 during mid-flood on 15 March respectively. Investigation revealed these exceedances could be due to: Extreme fluctuation water level may stir up the sediment of the river and cause the exceedances; no river channel blockage was observed.

Site Inspections and Audit

- xiv. During the reporting period, the Environmental Team (ET) conducted **weekly** site inspections and **monthly** landscape site inspections and IEC attended the joint site inspection **monthly**.
- xv. No non-compliance was found during the site inspection while reminders on environmental measures were recommended.

Complaints, Notifications of Summons and Successful Prosecutions

- xvi. **No** environmental complaint, notification of summons and successful prosecution regarding the construction works was recorded in the reporting period.

Reporting Changes

- xvii. There are no particular reporting changes.

1 Introduction

1.1 Scope of the Report

- 1.1.1. Lam Environmental Services Limited (LES) has been appointed to work as the Environmental Team (ET) under Environmental Permit (EP) no. EP-555/2018/A to implement the Environmental Monitoring and Audit (EM&A) programme as stipulated in the EM&A Manual of the approved Environmental Impact Assessment (EIA) Report for New Wang Tong River Bridge (Register No.: AEIAR-199/2016).
- 1.1.2. According to Section 10.6 of the Project EM&A Manual, the Quarterly EM&A Report should be submitted.

1.2 Structure of the Report

Section 1 *Introduction* – details the scope and structure of the report.

Section 2 *Project Background* – summarizes background and scope of the project, site description, project organization and contact details of key personnel during the reporting period.

Section 3 *Status of Regulatory Compliance* – summarizes the status of valid Environmental Permits / Licenses during the reporting period.

Section 4 *Monitoring Requirements* – summarizes all monitoring parameters, monitoring criteria and respective event and action plan.

Section 5 *Monitoring Results* – summarizes the monitoring results obtained in the reporting period.

Section 6 *Compliance Audit* – summarizes the auditing of monitoring results, all exceedances environmental parameters.

Section 7 *Environmental Site Audit* – summarizes the findings of weekly site inspections undertaken within the reporting period, with a review of any relevant follow-up actions within the reporting period.

Section 8 *Complaints, Notification of summons and Prosecution* – summarizes the cumulative statistics on complaints, notification of summons and prosecution

Section 9 *Conclusion*

2 Project Background

2.1 Background

- 2.1.1. Silver Mine Bay is a popular bathing beach in Mui Wo, Lantau that attracted 4,550 visitors on a peak day and over 69,000 visitors utilized the beach in 2012.
- 2.1.2. In order to relieve the overcrowding problem and the road safety concern of Wang Tong Bridge (hereafter called "Old Bridge"), two bridges (pedestrian bridge and cycle bridge) are proposed to replace the Old Bridge. The new pedestrian bridge and the new cycle bridge (hereafter called "New Bridge") are also designed to align with the future amenity development on the northern side of the Old Bridge. The location of the project site is shown in [Figure 2.1](#).
- 2.1.3. The Project consists of a designated project under Part I, Schedule 2 of the Environmental Impact Assessment Ordinance (EIAO) which is Item C.12 – (a)...a dredging operation which is less than 500m from the nearest boundary of an existing...(iii) bathing beach...
- 2.1.4. The major components of the Project under Environmental Permit (EP) (EP No. EP-555/2018/A) comprises: (i) demolition of the existing Wang Tong River Bridge; and (ii) construction of a new twin bridge with segregation for pedestrians and cyclists.

2.2 Project Organization and Contact Personnel

- 2.2.1 Highways Department is the overall project controllers for the Project. For the construction phase of the Project, Contractor(s), Environmental Team and Independent Environmental Checker are appointed to manage and control environmental issues.
- 2.2.2 The project organization and lines of communication with respect to environmental protection works are shown in [Figure 2.2](#). Key personnel and contact particulars are summarized in **Table 2.2:**

Table 2.2 Contact Details of Key Personnel

Party	Role	Post	Name	Contact No.	Contact Fax
Highways Department (HyD)	The Engineer for the Contract	Senior Engineer	Mr. Terry Chung	3903 6799	3188 3418
	Engineer's Representative	Engineer	Mr. Yeung Sui Chung	3903 6813	3188 3418
Unison Construction Engineering Limited	Contractor	Site Agent	Mr. Peter Lui	2690 2232	2363 3199
		Environmental Officer	Ms. Suki Chan		
ANewR Consulting Limited	Independent Environmental Checker (IEC)	Independent Environmental Checker (IEC)	Mr. James Choi	2618 2831	3007 8648
Lam Environmental Services Limited	Environmental Team (ET)	Environmental Team Leader (ETL)	Mr. Raymond Dai	2882 3939	2882 3331

2.3 Construction Activities

2.3.1 In the reporting period, the principal work activities conducted are as follows.

January 2023	February 2023	March 2023
• Bridge Deck construction	• Bridge Deck construction	• Bridge Deck construction

2.3.2 Overall layout showing work areas is shown in [Figure 2.1](#).

3 Status of Regulatory Compliance

3.1 Status of Environmental Licensing and Permitting under the Project

- 3.1.1. A summary of the current status on licences and/or permits on environmental protection pertinent to the Project is shown in **Table 3.1**.

Table 3.1 Summary of the current status on licences and/or permits on environmental protection pertinent to the Project

Permits and/or Licences	Permit. No. / Account No.	Valid From	Expiry Date	Status
Notification pursuant to Air Pollution Control (Construction Dust) Regulation	Form NA submitted to EPD on 25 June 2021.			
Environmental Permit	EP-555/2018/A	16 Dec 2020	N/A	Valid
Billing Account for Disposal of Construction Waste	7038550	29 Mar 2021	End of the Project	Valid
Registration as a Chemical Waste Producer	5213-962-U2333-01	28 Jun 2021	N/A	Valid
Discharge Licence	WT00040069-2021	10/1/2022	31/1/2027	Valid
Construction Noise Permit	N/A			

3.2 Status of Submission under the EP-555/2018/A

- 3.2.1. A summary of the current status on submission under EP-555/2018/A is shown in **Table 3.2**.

Table 3.2 Summary of submission status under EP-555/2018/A

EP Condition	Submission	Date of Latest Submission^ or Approval#
Condition 1.12	Notification of Commencement Date of Works	3 June 2021 ^
Condition 2.7	Submission of Management Organization of Main Construction Companies, the ET and the IEC	20 May 2021 ^
Condition 2.8	Submission of Construction Works Schedule and Location Plan	22 June 2021 #
Condition 2.9	Submission of Breeding Bird Survey Report	29 December 2020 #
Condition 3.3	Submission of Baseline Monitoring Report	24 June 2021 #
Condition 4.2	Setting up Dedicated Internet Website	28 April 2021 ^

3.3 Status of Submission under the EP-555/2018/A

- 3.3.1 Mitigation measures according to the environmental mitigation implementation schedule and the EIA were generally implemented by the Contractor as listed and shown in [Appendix 3.1.](#)

4 Monitoring Requirements

4.1 Noise Monitoring

NOISE MONITORING STATIONS

- 4.1.1. The noise monitoring stations for the Project are listed and shown in **Table 4.1** and [**Figure 4.1.**](#)

Table 4.1 Noise Monitoring Station

Monitoring Station ID	Monitoring Location	Measurement Type	Level (in terms of no. of floor)
NMS1 A	1 Tung Wan Tau Road	Free-field	G/F

Remarks A: As discussed with the lot owner, a fine adjustment of location at the boundary of 1 Tung Wan Tau Road was proposed and approved in the Baseline Monitoring Report, in order to prevent access obstruction.

NOISE MONITORING PARAMETERS, FREQUENCY AND DURATION

- 4.1.2. For daytime construction work on normal weekdays (0700-1900 Monday to Saturday), one set of 30-min measurement shall be carried out at each NMS every week. Measurement procedures shall be referred to the Noise Control Ordinance-TM. Construction noise level shall be measured in terms of the A-weighted equivalent continuous sound pressure level (L_{eq}). $L_{eq,30min}$ shall be used as the monitoring parameter. As supplementary information for data auditing, statistical results such as L_{10} and L_{90} shall also be obtained for reference.

EVENT AND ACTION PLAN

- 4.1.3. Noise Standards for Daytime Construction Activities are specified under EIAO-TM. The Action and Limit levels for construction noise are defined in **Table 4.3** and [**Appendix 4.1.**](#). Should non-compliance of the criteria occurs, action in accordance with the Event and Action Plan in [**Appendix 6.1**](#) shall be carried out.

Table 4.3 Action and Limit Level for Noise Monitoring

Monitoring Station	Action Level	Limit Level
NMS1	When one documented complaint is received	75 dB(A)

4.2 Air Monitoring

AIR QUALITY MONITORING STATIONS

- 4.2.1. The air monitoring stations for the Project are listed and shown in **Table 4.4** and [**Figure 4.3.**](#)

Table 4.4 Air Monitoring Station

Monitoring Station	Location	Level (in terms of no. of floor)
AMS1 ^A	Silvermine Beach Resort	G/F
AMS2 ^{B, C}	1 Tung Wan Tau Road	G/F

Remarks A: AMS1 recommended under EM&A manual is at the north of boundary wall of Silvermine Beach Resort. Positioning of HVS on a narrow road at the northern boundary wall would obstruct access of passengers. After liaison with the resort owner, HVS is located near the eastern boundary wall, which is representative and suitable for air quality monitoring. Thus, fine adjustment of location at the boundary of Silvermine Beach Resort was therefore proposed and approved in the Baseline Monitoring Report.

Remarks B: As discussed with the lot owner, a fine adjustment of location at the boundary of 1 Tung Wan Tau Road was proposed and approved in the Baseline Monitoring Report, in order to prevent access obstruction and to minimize noise nuisance induced from HVS operation.

Remarks C: As the agreement of ER and IEC, a fine adjustment of location at the boundary of 1 Tung Wan Tau Road was proposed and approved in the impact monitoring, in order to prevent the interruption of GI working area conducted by contractor.

AIR MONITORING PARAMETERS, FREQUENCY AND DURATION

- 4.2.2. One-hour and 24-hour TSP levels shall be measured to indicate the impacts of construction dust on air quality.
- 4.2.3. 24-hour TSP shall be sampled at least once in every 6 days, while sampling for 1-hour TSP shall be at least 3 times in every 6 days when the highest dust impact takes place.

WIND DATA

- 4.2.4. Hong Kong Observatory (HKO) meteorological information is widely accepted to be used in various environmental monitoring practices within HKSAR due to its professional quality and precision. Therefore, the daily wind data including Prevailing Wind Direction (degrees) and Mean Wind Speed (km/h) were obtained from Peng Chau Automatic Weather Station to serve as the representative data for meteorological condition during monitoring. The method was agreed by the IEC and approved by the ER on 4 December 2020. The representative wind data from Peng Chau Station were obtained covering the 1-hour and 24-hour TSP monitoring periods. The wind data were extracted and shown in [**Appendix 4.3.**](#)

EVENT AND ACTION PLAN

- 4.2.5. The Action and Limit levels for construction air quality are defined in **Table 4.6** and [**Appendix 4.1**](#). Should non-compliance of the air quality criteria occur, action in accordance with the Event and Action Plan in [**Appendix 6.1**](#) shall be carried out.

Table 4.6 Action and Limit Level for Air Quality Monitoring

Parameter	Monitoring Station	Action Level ($\mu\text{g}/\text{m}^3$)	Limit Level ($\mu\text{g}/\text{m}^3$)
24-hour TSP Level	AMS1	176.0	260.0
	AMS2	176.0	260.0
1-hour TSP Level	AMS1	276.5	500.0
	AMS2	283.7	500.0

4.3 Water Quality Monitoring

WATER QUALITY MONITORING STATIONS

- 4.3.1. Water quality monitoring shall be undertaken at 7 monitoring stations in the reporting month. The proposed water quality monitoring stations of the Project are shown in **Table 4.7** and **Figure 4.3**.

Table 4.7 Marine Water Quality Stations for Water Quality Monitoring

Station	Description	Monitoring Period	Monitoring Station	Easting	Northing
W1	Wang Tong River (Major tributary)	Mid-Flood	Impact	817747	814519
		Mid-Ebb	Control		
W2	Wang Tong River (Major tributary)	Mid-Flood	Impact	817775	814471
		Mid-Ebb	Control		
W3 *	Wang Tong River (Minor tributary to Tai Wai Yuen)	Mid-Flood	Impact	817803	814537
		Mid-Ebb	Control		
W4	Wang Tong River (Minor tributary to Tai Wai Yuen)	Mid-Flood	Impact	817825	814481
		Mid-Ebb	Control		
W5	Silvermine Bay (Near Silvermine Bay Beach)	Mid-Flood	Control	817909	814452
		Mid-Ebb	Impact		
W6	Silvermine Bay (Near Silvermine Bay Beach)	Mid-Flood	Control	818024	814447
		Mid-Ebb	Impact		
W7	Silvermine Bay (Open Water)	Mid-Flood	Control	818061	814277
		Mid-Ebb	Impact		
W8	Silvermine Bay (Open Water)	Mid-Flood	Control	818224	814444
		Mid-Ebb	Impact		

Remark *: Water quality monitoring at Station W3 was cancelled with verification from the IEC and approval from the EPD.

WATER QUALITY PARAMETERS, FREQUENCY AND DURATION

- 4.3.2. The levels of dissolved oxygen (DO), turbidity, salinity and pH shall be measured in situ while suspended solids (SS) is determined by laboratory analysis at all the designated monitoring stations.
- 4.3.3. In association with the water quality parameters, other relevant data shall also be recorded, such as monitoring location / position, time, water temperature, DO saturation, weather conditions, and any special phenomena underway near the monitoring station.
- 4.3.4. Impact Monitoring shall be carried out 3 days per week, at mid-flood and mid-ebb tides (within ± 1.75 hour of the predicted time). The interval between two sets of monitoring shall not be less than 36 hours. The monitoring period should avoid concurrent marine project in the vicinity.
- 4.3.5. The sampling frequency of at least three days per week should be undertaken when the highest dust impact occurs. Upon completion of the construction works, the monitoring exercise at the designated monitoring locations should be continued for four weeks in the same manner as the impact monitoring. In case exceedance of Action/Limit Level is recorded, the frequency shall be increased as per the Event and Action Plan.

- 4.3.6. To ensure the robustness of in-situ measurement, parameters shall be measured in duplicate. In case the difference between duplicates is larger than 25%, a third set of measurement shall be carried out.

EVENT AND ACTION PLAN

- 4.3.7. The Action and Limit levels for construction water quality are defined in **Table 4.9** and [Appendix 4.1](#). Should the monitoring results of the water quality parameters at any designated monitoring station exceed the water quality criteria, action in accordance with the Event and Action Plan in [Appendix 6.1](#) shall be carried out.

Table 4.9 Action and Limit Level for Water Quality Monitoring

Monitoring Station	Depth	DO (mg/L) +		Turbidity (NTU) ~		SS (mg/L) ~	
		Action Level	Limit Level	Action Level	Limit Level	Action Level	Limit Level
W1	Surface, Middle & Bottom	6.5	5.3	7.7 NTU or 120% of upstream control station's turbidity at the same tide of the same day, whichever is higher	12.4 NTU or 130% of upstream control station's turbidity at the same tide of the same day, whichever is higher	8.9 mg/L or 120% of upstream control station's SS at the same tide of the same day, whichever is higher	11.3 mg/L or 130% of upstream control station's SS at the same tide of the same day, whichever is higher
W2							
W4							
W5	Surface, Middle & Bottom	5.9	5.5	9.8 NTU or 120% of upstream control station's turbidity at the same tide of the same day, whichever is higher	10.5 NTU or 130% of upstream control station's turbidity at the same tide of the same day, whichever is higher	12.6 mg/L or 120% of upstream control station's SS at the same tide of the same day, whichever is higher	15.0 mg/L or 130% of upstream control station's SS at the same tide of the same day, whichever is higher
W6							
W7							
W8	Surface & Middle	5.9	5.5	Bottom	5.9	5.5	14.0 mg/L or 130% of upstream control station's SS at the same tide of the same day, whichever is higher

Remarks +: For DO, non-compliance occurs when monitoring results is lower than the limits.

Remarks ~: For SS and Turbidity, non-compliance occurs when monitoring results is larger than the limits

5 Monitoring Results

- 5.0.1 The environmental monitoring were implemented as per the environment monitoring schedules for reporting period.

5.1 Noise Monitoring Results

- 5.1.1 Noise monitoring results measured in this reporting period are reviewed and summarized. Details of noise monitoring results and graphical presentation can be referred in [Appendix 5.2.](#)
- 5.1.2 No action or limit level exceedance was recorded in this reporting period.

5.2 Air Monitoring Results

- 5.2.1 Air quality monitoring results measured in this reporting period are reviewed and summarized. Details of air monitoring results and graphical presentation can be referred in [Appendix 5.3.](#)
- 5.2.2 No action or limit level exceedance was recorded in this reporting period.

5.3 Water Quality Monitoring Results

- 5.3.1 Water quality monitoring was conducted at seven monitoring stations three days per week in according to the schedule in the reporting. Details of water quality monitoring results and graphical presentation can be referred in [Appendix 5.4.](#)
- 5.3.2 Action level exceedances on SS were recorded at station W1 and W6 during mid-ebb and mid-flood respectively on 3 Jan. Investigation revealed these exceedances could be due to: Localized fluctuation around baseline SS range; no river channel blockage was observed. Exceedances are not related to project.
- 5.3.3 Action level exceedances on SS were recorded at station W1 during mid-flood on 8 Feb. Investigation revealed these exceedances could be due to: Localized fluctuation around baseline SS range; no river channel blockage was observed. Exceedances are not related to project.
- 5.3.4 Action level exceedances on Turb and SS were recorded at station W2 during mid-flood on 13 Feb. Investigation revealed these exceedances could be due to: Localized fluctuation around baseline Turb and SS range; no river channel blockage was observed. Exceedances are not related to project.
- 5.3.5 Action level exceedances on Turb and SS were recorded at station W4 during mid-flood on 15 Feb. Investigation revealed these exceedances could be due to: Localized fluctuation around

baseline Turb and SS range; no river channel blockage was observed. Exceedances are not related to project.

- 5.3.6 Limit level and action level exceedances on SS were recorded at station W2 and W4 during mid-flood on 15 March respectively. Investigation revealed these exceedances could be due to: Extreme fluctuation water level may stir up the sediment of the river and cause the exceedances; no river channel blockage was observed.

Table 5.1 Summary of Water Quality Exceedances (January)

Station	Parameter	DO (S&M)		DO (Bottom)		Turbidity		SS		Exceedance count	
		Mid Ebb	Mid Flood	Mid Ebb	Mid Flood	Mid Ebb	Mid Flood	Mid Ebb	Mid Flood	Mid Ebb	Mid Flood
W1	Action	N/A	-	N/A	-	N/A	-	N/A	03/01/23	N/A	1
	Limit	N/A	-	N/A	-	N/A	-	N/A	-	N/A	-
W2	Action	N/A	-	N/A	-	N/A	-	N/A	-	N/A	-
	Limit	N/A	-	N/A	-	N/A	-	N/A	-	N/A	-
W4	Action	N/A	-	N/A	-	N/A	-	N/A	-	N/A	-
	Limit	N/A	-	N/A	-	N/A	-	N/A	-	N/A	-
W5	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
W6	Action	-	N/A	-	N/A	-	N/A	03/01/23	N/A	1	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
W7	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
W8 Surface	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
W8 Bottom	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
Total	Action	-	-	-	-	-	-	1	1	1	1
	Limit	-	-	-	-	-	-	-	-	-	-

Table 5.2 Summary of Water Quality Exceedances (February)

Station	Parameter	DO (S&M)		DO (Bottom)		Turbidity		SS		Exceedance count	
		Mid Ebb	Mid Flood	Mid Ebb	Mid Flood	Mid Ebb	Mid Flood	Mid Ebb	Mid Flood	Mid Ebb	Mid Flood
W1	Action	N/A	-	N/A	-	N/A	-	N/A	08/02/23	N/A	1
	Limit	N/A	-	N/A	-	N/A	-	N/A	-	N/A	-
W2	Action	N/A	-	N/A	-	N/A	13/02/23	N/A	13/02/23	N/A	2
	Limit	N/A	-	N/A	-	N/A	-	N/A	-	N/A	-
W4	Action	N/A	-	N/A	-	N/A	15/02/23	N/A	15/02/23	N/A	2
	Limit	N/A	-	N/A	-	N/A	-	N/A	-	N/A	-
W5	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
W6	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
W7	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
W8 Surface	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
W8 Bottom	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
Total	Action	-	-	-	-	-	-	2	-	3	-
	Limit	-	-	-	-	-	-	-	-	-	-

Table 5.3 Summary of Water Quality Exceedances (March)

Station	Parameter	DO (S&M)		DO (Bottom)		Turbidity		SS		Exceedance count	
		Mid Ebb	Mid Flood	Mid Ebb	Mid Flood	Mid Ebb	Mid Flood	Mid Ebb	Mid Flood	Mid Ebb	Mid Flood
W1	Action	N/A	-	N/A	-	N/A	-	N/A	-	N/A	-
	Limit	N/A	-	N/A	-	N/A	-	N/A	-	N/A	-
W2	Action	N/A	-	N/A	-	N/A	-	N/A	-	N/A	-
	Limit	N/A	-	N/A	-	N/A	-	N/A	15/03/23	N/A	1
W4	Action	N/A	-	N/A	-	N/A	-	N/A	15/03/23	N/A	1
	Limit	N/A	-	N/A	-	N/A	-	N/A	-	N/A	-
W5	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
W6	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
W7	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
W8 Surface	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
W8 Bottom	Action	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
	Limit	-	N/A	-	N/A	-	N/A	-	N/A	-	N/A
Total	Action	-	-	-	-	-	-	-	1	-	1
	Limit	-	-	-	-	-	-	-	1	-	1

5.4 Waste Management

5.4.1 The quantities of waste for disposal in the Reporting Period are summarized in **Table 5.3** and **Table 5.4**.

Table 5.3 Summary of Quantities of Inert C&D Materials

Waste Type	Quantity (this period)	Quantity (Project commencement to the end of the last quarter)	Cumulative Quantity-to-Date
Hard Rock and Large Broken Concrete (Inert) (in '000m ³)	0	0.007	0.007
Reused in this Contract (Inert) (in '000m ³)	0	0	0
Reused in other Projects (Inert) (in '000m ³)	0	0	0
Disposal as Public Fill (Inert) (in '000m ³)	0	0.393	0.393

Table 5.4 Summary of Quantities of C&D Wastes

Waste Type	Quantity (this quarter)	Quantity (Project commencement to the end of last quarter)	Cumulative Quantity-to-Date
Metals (in '000kg)	0	0	0
Paper / Cardboard Packing (in '000kg)	0	0	0
Plastics (in '000kg)	0	0.03	0.03
Chemical Wastes (in '000kg)	0	0	0
General Refuses (in '000m ³)	0.0183	0.1293	0.1476

6 Compliance Audit

6.1 Noise Monitoring.

- 6.1.1 No action or limit level exceedance was recorded in this reporting period.

6.2 Air Quality Monitoring

- 6.2.1 No action or limit level exceedance was recorded in this reporting period.

6.3 Water Quality Monitoring

- 6.3.1 Action level exceedances on SS were recorded at station W1 and W6 during mid-ebb and mid-flood respectively on 3 Jan. Investigation revealed these exceedances could be due to: Localized fluctuation around baseline SS range; no river channel blockage was observed. Exceedances are not related to project.
- 6.3.2 Action level exceedances on SS were recorded at station W1 during mid-flood on 8 Feb. Investigation revealed these exceedances could be due to: Localized fluctuation around baseline SS range; no river channel blockage was observed. Exceedances are not related to project.
- 6.3.3 Action level exceedances on Turb and SS were recorded at station W2 during mid-flood on 13 Feb. Investigation revealed these exceedances could be due to: Localized fluctuation around baseline Turb and SS range; no river channel blockage was observed. Exceedances are not related to project.
- 6.3.4 Action level exceedances on Turb and SS were recorded at station W4 during mid-flood on 15 Feb. Investigation revealed these exceedances could be due to: Localized fluctuation around baseline Turb and SS range; no river channel blockage was observed. Exceedances are not related to project.
- 6.3.5 Limit level and action level exceedances on SS were recorded at station W2 and W4 during mid-flood on 15 March respectively. Investigation revealed these exceedances could be due to: Extreme fluctuation water level may stir up the sediment of the river and cause the exceedances; no river channel blockage was observed

6.4 Summary of Exceedance

- 6.4.1 The Event Action Plan for construction noise, air quality and water quality are presented in [Appendix 6.1.](#)
- 6.4.2 The summary of exceedance is presented in [Appendix 6.2.](#)

6.5 Environmental Site Audit

- 6.5.1 During the reporting period, the Environmental Team (ET) conducted [weekly](#) site inspections and IEC attended the joint site inspection [monthly](#).
- 6.5.2 During this reporting month, monthly landscape site audits were conducted [monthly](#).
- 6.5.3 [No non-compliance](#) was found during the site inspection while reminders on environmental measures were recommended.

6.6 Review of the Reasons for and the Implications of Non-compliance

- 6.6.1 [No environmental non-compliance](#) was recorded in the reporting period.

6.7 Summary of action taken in the event of and follow-up on non-compliance

- 6.7.1 There was [no](#) particular action taken since no non-compliance was recorded in the reporting period.

7 Complaints, Notification of Summons and Prosecution

- 7.0.1. No environmental complaint, notification of summons and successful prosecution regarding construction works was recorded in the reporting period.
- 7.0.2. The details of cumulative complaint log and updated summary of complaints are presented in [Appendix 8.1](#).
- 7.0.3. Cumulative statistic on complaints and successful prosecutions are summarized in **Table 8.1** and **Table 8.2** respectively.

Table 8.1 Cumulative Statistics on Complaints

Reporting Period	No. of Complaints
January 2023 – March 2023	0
Project commencement to the end of last reporting month	-
Total	0

Table 8.2 Cumulative Statistics on Successful Prosecutions

Environmental Parameters	Cumulative No. Brought Forward	No. of Successful Prosecutions this month (Offence Date)	Cumulative No. Project-to-Date
Air	-	0	0
Noise	-	0	0
Water	-	0	0
Waste	-	0	0
Total	-	0	0


8 Conclusion

- 8.0.1. The EM&A programme was carried out in accordance with the EM&A Manual requirements, minor alterations to the programme proposed were made in response to changing circumstances.
- 8.0.2. The EM&A programme was considered effective and **no** change is anticipated as reviewed for this quarter.



Figure 2.1

Project Layout



NOTES	
1. ALL LEVELS ARE IN METRES ABOVE HONG KONG PRINCIPAL DATUM.	
2. CO-ORDINATES ARE OF HONG KONG 1980 GRID SYSTEM.	
3. ALL LEVELS ALONG KERB ARE KERB BOTTOM LEVEL.	
4. CHANNELS ARE U SHAPED EXCEPT WHERE STATED, WIDTHS ARE GIVEN.	
5. DATE OF SURVEY FOR HIGH WATER MARK : NOV 2020	
LEGEND:	
LIMIT OF WORKS SITE	
HIGH WATER MARK (AS AT NOV.2020)	
PROPOSED PILECAP AND SOCKETED H PILES	
EXCAVATION AND PILING WORKS AREA WITHIN COFFERDAM	
EXCAVATION AREAS BELOW HIGH WATER MARK	
PROPOSED BRIDGE PIERS	
EXTENT OF ABUTMENTS	
WORKS LAYOUT	
SOURCE	
PROJECT	
HY/2019/14	
NEW WANG TONG RIVER BRIDGE	
DRAWING TITLE	
LOCATION PLAN	
SCALE	1:200
A1 594X841	
DRAWING NO.	CLP-EP-01
	REV.
	-



Figure 2.2

Project Organization Chart

Project Organization Chart





Figure 4.1 to Figure 4.3


Locations of Monitoring Stations




Legend:

- Finely Adjusted Location of Noise Monitoring Station
- Original Noise Monitoring Station stated in EM&A Manual

Figure 4.1
Location of Noise Monitoring Stations







Appendix 3.1

Environmental Mitigation Implementation Schedule

Appendix 3.1 - Implementation Schedule of Recommended Mitigation Measures

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
Air Quality Impact						
Construction Phase						
A1	Good housekeeping to minimize dust generation, e.g. by properly handling and storing dusty materials	To minimize dust generation	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A2	Adopt dust control measures, such as dust suppression using water spray on exposed soil, in areas with dusty construction activities, and during material handling	To minimize dust generation due to erosion	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A3	Dust suppression shall be applied to the working area immediately before, during and immediately after site clearance, excavation or earth moving operation to keep the surface wet.	To minimize dust generation due to erosion	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A4	Use water spray to wet the remaining dusty materials on the floor after removing stockpile. The surface of roads or streets shall be free from dust	To minimize dust generation due to erosion	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A5	Storage of dusty materials and debris shall be either entirely covered by impervious sheeting or stored in a three-side and top enclosed area. Alternatively, it should be sprayed with water or a dust suppression chemical to maintain the entire surface wet	To minimize dust generation due to erosion	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A6	All demolished items (e.g. trees, vegetation, structures, debris and rubbish) that may dislodge dust particles shall be covered entirely by impervious sheeting or placed in a three-side and top enclosed area within a day of demolition.	To minimize dust generation	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A7	Store cement bags in shelter with 3 sides and the top covered by impervious materials if the stack exceeds 20 bags	To prevent leakage of cement	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A8	Cement bag shall be debagged, batched and mixed in a three-side and top enclosed area	To minimize dust generation	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A9	Maintain a reasonable height when dropping excavated materials to limit dust generation	To minimize dust generation during movement of excavated materials	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A10	Minimize exposed earth after completion of work in a certain area by hydroseeding, vegetating, soil compacting or paving	To minimize dust generation due to erosion	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
A11	Cover materials on trolleys and trucks before leaving the site to prevent debris from dropping during traffic movement or being blown away by wind	To prevent falling of debris during traffic movement and by wind	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A12	Water or a dust suppression chemical shall be continuously sprayed on the surface where any pneumatic or power-driven drilling, cutting, polishing or other mechanical breaking operation is carried out, unless the process is accompanied by the operation of an effective dust extraction and filtering device	To minimize dust emission	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A13	Regular maintenance of plant equipment to prevent black smoke emission	To minimize black smoke emission	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A14	Throttle down or switch off unused machines or machine in intermittent use	To minimize unnecessary emission	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A15	Minimize excavation area as far as possible	To minimize dust emission and potential release of odour from exposed ground	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A16	Cover open stockpiles of construction materials (e.g. aggregates, sand and fill materials) with impermeable materials such as tarpaulin during rainstorms.	To prevent soil erosion under rainstorm	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A17	Hoarding of not less than 2.4 m high shall be erected from ground level to surround the work area except for a site entrance or exit	To minimize dust emission	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO
A18	Carry out air quality monitoring throughout the construction period	To monitor construction dust level	HyD's Contractor	At representative ASRs	Prior to and throughout construction phase	EIAO-TM
A19	Carry out regular site inspection to audit the implementation of mitigation measures	To check the implementation status and effectiveness of mitigation measures	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
Noise Impact						
Construction Phase						
N1	Schedule noisy activities to minimise exposure of nearby NSRs to high levels of construction noise	To minimize construction noise level	HyD's Contractor	Whole construction site	Throughout construction phase	NCO, EIAO-TM
N2	Use hand-held plant equipment or manual equipment as far as possible	To minimize construction noise level	HyD's Contractor	Whole construction site	Throughout construction phase	NCO, EIAO-TM
N3	Use Quality Powered Mechanical Equipment (QPME) which produces lower noise level	To minimize construction noise level	HyD's Contractor	Whole construction site	Throughout construction phase	NCO, EIAO-TM
N4	In the direction of noise sensitive receivers, erect mobile barriers with 3m in height from a few metres of stationary plants, and from about 5m of more mobile plant such as hydraulic breaker to prevent direct view. The barrier should have skid footing and a small cantilevered upper portion. The minimum surface density of the movable noise barrier is 7 kg/m ² and provide with noise absorbing material.	To lower noise transmission	HyD's Contractor	Whole construction site	Throughout construction phase	NCO, EIAO-TM
N5	Position mobile noisy equipment in location and direction away from NSR	To minimize noise transmission to NSR	HyD's Contractor	Whole construction site	Throughout construction phase	NCO, EIAO-TM
N6	Use silencer or muffler on plant equipment and should be properly maintained	To minimize noise transmission	HyD's Contractor	Whole construction site	Throughout construction phase	NCO, EIAO-TM
N7	Operate noisy plant equipment such as air compressor, generator and concrete pump within enclosure	To minimize noise transmission	HyD's Contractor	Whole construction site	Throughout construction phase	NCO, EIAO-TM
N8	Cover the noisy part of piling machine with acoustic mat	To minimize noise transmission	HyD's Contractor	Whole construction site	Throughout construction phase	NCO, EIAO-TM
N9	Throttle down or switch off unused machines or machine in intermittent use between work	To minimize noise production	HyD's Contractor	Whole construction site	Throughout construction phase	NCO, EIAO-TM
N10	Avoid carrying out noisy activities at the same time	To minimize noise production	HyD's Contractor	Whole construction site	Throughout construction phase	NCO, EIAO-TM

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
N11	Reduce the percentage on-time for some noisy PMEs	To minimize noise production	HyD's Contractor	Whole construction site	Throughout construction phase	NCO, EIAO-TM
N12	Carry out noise monitoring throughout the construction period	To monitor construction noise level	HyD's Contractor	At representative NSRs	Prior to and throughout construction phase	EIAO-TM

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
Water Quality Impact						
Construction Phase						
W1	Works in the river (excavation within highwater mark and cutting of pier of Old Bridge) shall be carried out inside the watertight cofferdam. The cofferdam can only be removed after completion of work.	To prevent the excavated materials or cuttings from falling into the water and being carried into the sea	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM
W2	Install sheet piles by vibratory action.	To minimize dispersion of sand	HyD's Contractor	Whole construction site	Throughout construction phase	ProPECC PN 1/94, EIAO-TM
W3	Erect water-tight temporary working platform that can contain falling debris above Wang Tong River. The platform shall be sheltered by tarpaulin for directing rainwater away from the working platform.	To prevent falling of debris and generation of surface runoff into the river	HyD's Contractor	Whole construction site	Throughout construction phase	ProPECC PN 1/94, EIAO-TM
W4	Water removed from the cofferdam should be desilted before discharge.	To prevent discharge of silty water	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM
W5	Set up sedimentation tank for settling suspended solids in wastewater before discharge into storm drains. Sand/silt removal facilities such as sand traps, silt traps and sedimentation basin should be provided with adequate capacity.	To reduce the amount of suspended solid in wastewater	HyD's Contractor	Whole construction site	Throughout construction phase	ProPECC PN 1/94, EIAO-TM
W6	Maintain silt removal facilities, channels, manholes before and after rainstorm.	To prevent failure that may lead to flooding	HyD's Contractor	Whole construction site	Throughout construction phase	ProPECC PN 1/94, EIAO-TM
W7	Remove silt and grit from silt trap at regular interval.	To prevent blockage that may lead to flooding	HyD's Contractor	Whole construction site	Throughout construction phase	ProPECC PN 1/94, EIAO-TM
W8	Design works program carefully to minimize work areas, hence minimize soil exposure and site runoff.	To minimize surface runoff and chance of erosion	HyD's Contractor	Whole construction site	Throughout construction phase	ProPECC PN 1/94, EIAO-TM
W9	Arrange excavation works outside rainy seasons (April to September) as far as possible. If this cannot be achieved, the following measures should be implemented: - Cover temporary exposed slope surfaces with impermeable materials, e.g. tarpaulin - Protect temporary access roads by crushed stone or gravel - Carry out adequate surface protection measures well before the arrival of a rainstorm	To minimize surface runoff and chance of erosion	HyD's Contractor	Whole construction site	Throughout construction phase	ProPECC PN 1/94, EIAO-TM

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
W10	Minimize exposed earth after completion of work in a certain area by hydroseeding, vegetating, soil compacting or paving	To prevent soil erosion under rainstorm	HyD's Contractor	Whole construction site	Throughout construction phase	ProPECC PN 1/94, EIAO-TM
W11	Cover open stockpiles of construction materials (e.g. aggregates, sand and fill materials) with impermeable materials such as tarpaulin during rainstorms.	To prevent soil erosion under rainstorm	HyD's Contractor	Whole construction site	Throughout construction phase	ProPECC PN 1/94, EIAO-TM
W12	Cover and temporary seal manholes to prevent silt, construction materials or debris and surface runoff from entering foul sewers.	To prevent overloading of foul sewers	HyD's Contractor	Whole construction site	Throughout construction phase	ProPECC PN 1/94, EIAO-TM
W13	Placing equipment, materials and wastes away from Wang Tong River and Silver Mine Bay	To prevent water contamination	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM
W14	Remove waste from the site regularly.	To prevent waste accumulation	HyD's Contractor	Whole construction site	Throughout construction phase	ProPECC PN 1/94, EIAO-TM
W15	Apply discharge license for effluent discharge. Treat the discharge to comply with the requirement in TM-DSS.	To ensure compliance with effluent discharge requirement	HyD's Contractor	Whole construction site	Throughout construction phase	WPCO, TM-DSS, EIAO-TM
W16	Reuse treated effluent onsite, e.g. dust suppression and general cleaning.	To minimize wastewater generation	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal Ordinance, EIAO-TM
W17	Monitor effluent water quality.	To ensure compliance with effluent discharge requirement	HyD's Contractor	Whole construction site	Throughout construction phase	WPCO, EIAO-TM
W18	Register as chemical waste producer if chemical waste will be generated.	To control chemical waste	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal (Chemical Waste) (General) Regulation, EIAO-TM
W19	Perform maintenance of vehicles and equipment that have oil leakage and spillage potential on hard standings within a bunded area with sumps and oil interceptors.	To prevent oil leakage or spillage	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal (Chemical Waste) (General) Regulation, EIAO-TM
W20	Dispose chemical waste in accordance to Waste Disposal Ordinance. Follow the <i>Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes</i> , examples as follows: - Store chemical wastes at designated safe location with adequate space	To avoid accident in waste storage and handling	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal Ordinance, EIAO-TM
W21	Placing chemical toilet away from waterbodies as far as possible and on stable, impermeable surface	To minimize accidental leakage of sewage into waterbodies	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
W22	Carry out water quality monitoring at water sensitive receivers	To identify any water quality impact due to the project	HyD's Contractor	Whole construction site	Before, throughout and after construction phase	EIAO-TM
W23	Carry out regular site inspection to audit the implementation of mitigation measures	To check the implementation status and effectiveness of mitigation measures	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM, APCO

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
Ecological Impact						
Construction Phase						
E1	Before site clearance, the work area should be inspected by ecologist to confirm no active bird nest is present. If any active bird nest is identified, suitable size of buffer area should be established until the nest is abandoned.	To minimize direct impact on the breeding activity of Black-collared Starling	HyD's Contractor	Whole construction site	Before site clearance	EIAO-TM
E2	Erection of hoarding, fencing or provision of clear demarcation of work zones	To minimize direct impact outside work boundary	HyD's Contractor	Whole construction site	Throughout construction phase	EIAO-TM

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
Waste Management						
Construction Phase						
WM1	Allocate an area for waste sorting and storage of C&D materials into the following categories for reuse, recycle or disposal if possible. Remove waste from the Site for sorting once generated if no suitable space can be identified. - excavated material suitable for reuse - inert C&D materials for reuse/disposal offsite - non-inert C&D materials for disposal at landfills - chemical waste - general refuse	To minimize waste generation	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal Ordinance, EIAO-TM
WM2	Adopt good site practice as follows: - Provide training to workers on site cleanliness, waste management (waste reduction, reuse and recycle) and chemical handling procedures	To proper handling of waste	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal Ordinance, EIAO-TM
	- Provide sufficient waste collection points and regular removal					
	- Cover waste materials with tarpaulin or in enclosure during transportation					
	- Maintain drainage systems, sumps and oil interceptors					
	- Sort out chemical waste for proper handling and treatment onsite or offsite					
WM3	Adopt waste reduction measures as follows: - Allocate area/containers for sorting, recovering and storing waste for reuse, recycle or disposal (e.g. demolition debris and excavated materials, general refuse like aluminium cans). Remove waste from the Site for sorting once generated if no suitable space can be identified.	To minimize waste generation	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal Ordinance, EIAO-TM
	- Allocate area for proper storage of construction materials to prevent contamination					

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
WM4	Prepare and implement a site specific Waste Management Plan (WMP) as part of Environmental Management Plan (EMP) in accordance with ETWB TCW No. 19/25. Detail waste management method in the form of avoidance, reuse, recovery, recycling, storage, collection, treatment and disposal according to the recommendations on the EIA and EM&A Manual. It should be approved by the ER and regularly reviewed.	To provide guidance to waste management	HyD's Contractor	Whole construction site	Throughout construction phase	ETWB TCW No. 19/2005, EIAO-TM
WM5	Store waste materials properly as follows: - Avoid contamination by proper handling and storing waste - Prevent erosion by covering waste - Maintain and clean storage area regularly - Sort and stockpile different materials at designated location to enhance reuse	To properly store waste	HyD's Contractor	Whole construction site	Throughout construction phase	ProPECC PN 1/94, EIAO-TM
WM6	Apply for relevant waste disposal permits in accordance with the Waste Disposal Ordinance (Cap. 354), Waste Disposal (Charges for Disposal of Construction Waste) Regulation (Cap. 345) and the Land (Miscellaneous Provisions) Ordinance (Cap. 28).	To properly dispose waste	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal Ordinance (Cap. 354), Waste Disposal (Charges for Disposal of Construction Waste) Regulation (Cap. 345) and the Land (Miscellaneous Provisions) Ordinance (Cap. 28), Dumping at Sea Ordinance (Cap. 466), EIAO-TM
WM7	Implement trip-ticket system for recording the amount of waste generated, recycled and disposed, including chemical wastes	To monitor movement of waste	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal (Chemical Waste) (General) Regulation, Waste Disposal Ordinance, EIAO-TM
WM8	Reduce water content in wet spoil generated from piling work by mixing with dry materials. Only dispose treated spoil with less than 25% dry density to Public Fill Reception Facilities	To minimize load to reception facilities	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal Ordinance, EIAO-TM
WM9	Dispose dry waste or waste with less than 70% water content by weight to landfill	To minimize load to reception facilities	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal Ordinance, EIAO-TM

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
WM10	<p>Follow the <i>Code of Practice on the Packaging, Labelling and Storage of Chemical Waste</i> as follows:</p> <ul style="list-style-type: none"> - Store chemical wastes with suitable containers. Seal and maintain the container to avoid leakage or spillage during storage, handling and transport - Label chemical waste containers in both English and Chinese with instructions in accordance to Schedule 2 of the Waste Disposal (Chemical Waste) (General) Regulation - The container capacity should be smaller than 450 litres unless agreed by the EPD 	To avoid accident in waste storage and handling	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal Ordinance, EIAO-TM
W11	<p>Comply with the requirement of the chemical storage area:</p> <ul style="list-style-type: none"> - Store only chemical waste and label clearly the chemical characters of the waste - Have at least 3 sides enclosed and protected from rainfall with cover - Provide sufficient ventilation - Have impermeable floor and has bunds to contain 110% of the capacity of the largest container or 20% of the total volume of the stored waste in the area, whichever is larger - Adequately spaced incompatible materials 	To ensure proper storage of chemical waste	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal Ordinance, EIAO-TM
W12	Transfer used lubricants, waste oils and other chemicals to oil recycling companies, if possible, and empty oil drums for reuse or refill. No direct or indirect discharge is permitted	To ensure proper disposal of chemical waste	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal (Chemical Waste) (General) Regulation, EIAO-TM
W13	Hire licensed chemical waste disposal contractors for waste collection and removal. Dispose chemical waste at the approved CWTC at Tsing Yi or other licensed facility	To ensure proper disposal of chemical waste	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal (Chemical Waste) (General) Regulation, EIAO-TM
W14	Provide recycling bins for sorting out recyclables for collection by recycling companies. Non-recyclables should be removed to designated landfills every day by licensed collectors to prevent environmental and health nuisance.	To ensure proper recycling and disposal of general refuse	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal Ordinance, EIAO-TM
W15	Terminate excavation work if contaminated soil is found. Prepare Land Contamination Plan (CAP) in accordance with EPD's Guidance Note for Contaminated Land Assessment and Remediation for identifying soil and groundwater sampling locations, followed by testing and remediation where necessary.	To identify presence of contaminated soil and provide proper remediation	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal Ordinance, EIAO-TM

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
W16	<p>Marine sediment shall be cement solidified and sent to laboratory for Toxicity Characteristics Leaching Procedure (TCLP) test according to USEPA Method 1311 and 6020. The results are considered satisfactory if Universal Treatment Standards (UTS) are being met as per Table 4.6 of Practice Guide of Investigation and Remediation of Contaminated Land. The Unconfined Compressive Strength (UCS) of the solidified sediment shall also reach 1000kPa according to the above Practice Guide. If the TCLP and UCS testing results cannot meet the criteria, the sediment shall be retreated by cement solidification. After passing the tests, the solidified sediment shall be backfilled on land after the piling work (e.g. for construction of new piers and abutments). Alternatively, the solidified sediment shall be delivered to public fill reception facilities for beneficial reuse as the last resort.</p>	<p>To prevent leakage of contaminants to water.</p>	HyD's Contractor	Whole construction site	Throughout construction phase	Waste Disposal Ordinance, EIAO-TM, Practice Guide of Investigation and Remediation of Contaminated Land

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
Landscape and Visual						
Construction Phase						
CM1	The construction area and contractor's temporary works areas should be minimised to avoid impacts on adjacent landscape. (Measure for mitigating Landscape and Visual impacts)	To minimise landscape footprint and reduce potential for visual impact	HyD's Contractor	Adjacent to existing bridge	Construction Phase	To approved Detailed Design and RLA's Approval
CM2	Reduction of construction period to practical minimum. (Measure for mitigating Visual impact)	To reduce duration of impacts	HyD's Contractor	N/A	Construction Phase	To approved Detailed Design and RLA's Approval
CM3	Construction traffic (land and sea) including construction plant, construction vessels and barges should be kept to a practical minimum. (Measure for mitigating Visual impact)	To minimise temporary visual impacts	HyD's Contractor	Connecting roads to site and Silver Mine Bay	Construction Phase	To approved Detailed Design and RLA's Approval
CM4	Erection of decorative mesh screens or construction hoardings around works areas in visually unobtrusive colours. (Measure for mitigating Visual impact)	To screen works sites and plant	HyD's Contractor	Around works areas	Construction Phase	To approved Detailed Design and RLA's Approval
CM5	Avoidance of excessive height and bulk of site buildings and structures. (Measure for mitigating Visual impact)	To reduce temporary visual impacts	HyD's Contractor	Within works sites	Construction Phase	To approved Detailed Design and RLA's Approval
CM6	Control of night-time lighting by hooding all lights and through minimisation of night working periods. (Measure for mitigating Visual impact)	To reduce temporary visual impacts	HyD's Contractor	Within works sites	Construction Phase	To approved Detailed Design and RLA's Approval

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measure & Main Concerns to address	Who to Implement the measure	Location of the measure	When to implement the measure	What requirements or standard for the measure to achieve
CM7	<p>All existing trees shall be carefully protected before, during construction and after construction. A Detailed Tree Protection Specification shall be provided in the Contract Specification. Under this specification, the Contractor shall be required to submit a detailed working method statement for the protection of trees prior to undertaking any works adjacent to all retained trees or trees to be transplanted, including trees in contractor's works areas for approval by the Registered Landscape Architect (RLA). This method statement for tree protection and transplanting shall make reference to "Guidelines on Tree Preservation during Construction" and "Guidelines on Tree Transplanting" published by GLTM of the DEVB. Early preparation of trees to be transplanted shall be undertaken to increase their likely survival rate following transplanting. (Measure for mitigating Landscape impact)</p>	<p>To minimise tree impacts and maximise tree preservation</p>	HyD's Contractor	Within and adjacent to works sites	Construction Phase	To approved Detailed Design and RLA's Approval
CM8	<p>Minimisation of Impacts to Wang Tong River through minimised and carefully controlled dredging for pile/abutment removal/construction works. (Measure for mitigating Landscape impact)</p>	<p>To minimise contamination of Wang Tong River</p>	HyD's Contractor	Wang Tong River	Construction Phase	To approved Detailed Design and RLA's Approval



Appendix 4.1

Action and Limit Level

Action and Limit Level

Action and Limit Level for Noise Monitoring

Monitoring Station ID	Time Period	Parameter	Action Level	Limit Level dB(A)
NMS1	0700-1900 hrs on normal weekdays	$L_{eq, 30min}$	When one documented complaint is received	75

Baseline Level for Noise Monitoring

(For reference and calculation of Construction Noise Levels (CNLs))

Monitoring Station ID	Monitoring Station	0700-1900 hrs on normal weekdays	
		$L_{eq(30min)}, \text{dB(A)}$	
		Average	Range
NMS1	1 Tung Wan Tau Road	60.1	52.7 – 64.4

Remark:

Each of daily 30-minute sampling period includes six consecutive $L_{eq(5min)}$ readings.

Due to free-field measurement, a correction factor of +3 dB(A) is adopted.

All the Construction Noise Levels (CNLs) reported in this report were adjusted with the corresponding baseline level (i.e. Measured Leq – Baseline Leq = CNL), in order to facilitate the interpretation of the noise exceedance.

Action and Limit Level for Air Quality Monitoring

Monitoring Station ID	1-hour TSP Level		24-hour TSP Level	
	Action Level ($\mu\text{g}/\text{m}^3$)	Limit Level ($\mu\text{g}/\text{m}^3$)	Action Level ($\mu\text{g}/\text{m}^3$)	Limit Level ($\mu\text{g}/\text{m}^3$)
AMS1	276.5	500.0	176.0	260.0
AMS2	283.7	500.0	176.0	260.0

Action and Limit Level for Water Monitoring

Monitoring Station	Depth	DO (mg/L) +		Turbidity (NTU) ~		SS (mg/L) ~	
		Action Level	Limit Level	Action Level	Limit Level	Action Level	Limit Level
W1	Middle	6.5	5.3	7.7 NTU or 120% of upstream control station's turbidity at the same tide of the same day, whichever is higher	12.4 NTU or 130% of upstream control station's turbidity at the same tide of the same day, whichever is higher	8.9 mg/L or 120% of upstream control station's SS at the same tide of the same day, whichever is higher	11.3 mg/L or 130% of upstream control station's SS at the same tide of the same day, whichever is higher
W2							
W4							
W5	Middle	5.9	5.5	9.8 NTU or 120% of upstream control station's turbidity at the same tide of the same day, whichever is higher	10.5 NTU or 130% of upstream control station's turbidity at the same tide of the same day, whichever is higher	12.6 mg/L or 120% of upstream control station's SS at the same tide of the same day, whichever is higher	15.0 mg/L or 130% of upstream control station's SS at the same tide of the same day, whichever is higher
W6							
W7							
W8	Surface & Middle	5.9	5.5				
	Bottom						

Remarks +: For DO, non-compliance occurs when monitoring results is lower than the limits.


Remarks ~: For SS and Turbidity, non-compliance occurs when monitoring results is larger than the limits.




Appendix 4.3

Wind data extracted from HKO Automatic Weather Station


A. Wind Direction extracted from Peng Chau Automatic Weather




Appendix 4.3 Wind Data




Appendix 4.3 Wind Data




B. Wind Speed extracted from Peng Chau Automatic Weather Station




Appendix 4.3 Wind Data




Appendix 4.3 Wind Data




A. Wind Direction extracted from Peng Chau Automatic Weather




Appendix 4.3 Wind Data




Appendix 4.3 Wind Data




B. Wind Speed extracted from Peng Chau Automatic Weather Station




Appendix 4.3 Wind Data




Appendix 4.3 Wind Data




A. Wind Direction extracted from Peng Chau Automatic Weather




Appendix 4.3 Wind Data




Appendix 4.3 Wind Data




Appendix 4.3 Wind Data




B. Wind Speed extracted from Peng Chau Automatic Weather Station




Appendix 4.3 Wind Data



Appendix 4.3 Wind Data



Appendix 4.3 Wind Data





Appendix 5.2

Noise Monitoring Results and Graphical Presentations

Noise Monitoring Result**Day Time (0700 - 1900hrs on normal weekdays)**

Location: NMS1 - 1 Tung Wan Tau Road

Date	Weather	Time	Measurement Noise Level			Average Noise Level#	Baseline Level	Construction Noise Level	Limit Level
			L _{eq}	L ₁₀	L ₉₀				
Unit: dB(A), (30-min)									
5 Jan 2023	Sunny	10:30	55.7	59.6	45.8	55.7	60.1	<Baseline Level	75
11 Jan 2023	Sunny	10:30	58.6	62.3	47.4	58.6	60.1	<Baseline Level	75
17 Jan 2023	Sunny	10:30	62.9	66.8	50.3	62.9	60.1	65.4	75
31 Jan 2023	Sunny	10:30	61.4	65.5	50.1	61.4	60.1	<Baseline Level	75

Remark:

Due to free-field measurement, a correction factor of +3 dB(A) is adopted.

Noise Monitoring Result**Day Time (0700 - 1900hrs on normal weekdays)**

Location: NMS1 - 1 Tung Wan Tau Road

Date	Weather	Time	Measurement Noise Level			Average Noise Level#	Baseline Level	Construction Noise Level	Limit Level
			L _{eq}	L ₁₀	L ₉₀				
Unit: dB(A), (30-min)								Unit: dB(A), (30-min)	
3 Feb 2023	Sunny	10:30	53.2	56.0	41.8	53.2	60.1	<Baseline Level	75
8 Feb 2023	Sunny	10:30	57.6	61.0	46.3	57.6	60.1	<Baseline Level	75
14 Feb 2023	Sunny	10:30	64.8	68.2	50.9	64.8	60.1	65.4	75
20 Feb 2023	Sunny	10:30	54.3	58.6	45.3	54.3	60.1	<Baseline Level	75

Remark:

Due to free-field measurement, a correction factor of +3 dB(A) is adopted.


Noise Monitoring Result**Day Time (0700 - 1900hrs on normal weekdays)**

Location: NMS1 - 1 Tung Wan Tau Road

Date	Weather	Time	Measurement Noise Level			Average Noise Level#	Baseline Level	Construction Noise Level	Limit Level
			L _{eq}	L ₁₀	L ₉₀				
Unit: dB(A), (30-min)									
3 Mar 2023	Sunny	10:30	56.0	57.3	46.0	56.0	60.1	<Baseline Level	75
9 Mar 2023	Sunny	10:30	58.9	60.2	47.5	58.9	60.1	<Baseline Level	75
15 Mar 2023	Sunny	10:30	61.3	63.5	49.9	61.3	60.1	55.1	75
21 Mar 2023	Sunny	10:30	54.2	56.0	45.8	54.2	60.1	<Baseline Level	75
27 Mar 2023	Sunny	10:30	59.9	61.9	47.9	59.9	60.1	<Baseline Level	75

Remark:

Due to free-field measurement, a correction factor of +3 dB(A) is adopted.

Graphic Presentation of Noise Monitoring Result**Day Time (0700 - 1900hrs on normal weekdays)**



Appendix 5.3

Air Quality Monitoring Results and Graphical Presentations

Report on 1-hour TSP monitoring at AMS1 - Slivermine Beach Resort

Limit Level ($\mu\text{g}/\text{m}^3$) -

500.0

Date	Weather Condition	Time	TSP Level ($\mu\text{g}/\text{m}^3$)
5-Jan-23	Sunny	9:09	46.7
5-Jan-23	Sunny	10:09	40.3
5-Jan-23	Sunny	11:09	31.8
11-Jan-23	Sunny	8:50	162.5
11-Jan-23	Sunny	9:50	49.9
11-Jan-23	Sunny	10:50	71.1
17-Jan-23	Sunny	8:38	42.8
17-Jan-23	Sunny	9:38	43.7
17-Jan-23	Sunny	10:38	42.2
20-Jan-23	Sunny	9:40	20.7
20-Jan-23	Sunny	10:40	10.6
20-Jan-23	Sunny	11:40	15.4
31-Jan-23	Sunny	9:06	27.2
31-Jan-23	Sunny	10:06	22.2
31-Jan-23	Sunny	11:06	17.2

Report on 1-hour TSP monitoring at AMS2 - 1 Tung Wan Tau Road

Limit Level ($\mu\text{g}/\text{m}^3$) -

500.0

Date	Weather Condition	Time	TSP Level ($\mu\text{g}/\text{m}^3$)
5-Jan-23	Sunny	8:35	49.4
5-Jan-23	Sunny	9:35	36.3
5-Jan-23	Sunny	10:35	30.2
11-Jan-23	Sunny	9:04	42.8
11-Jan-23	Sunny	10:04	21.2
11-Jan-23	Sunny	11:04	18.8
17-Jan-23	Sunny	9:08	23.8
17-Jan-23	Sunny	10:08	23.8
17-Jan-23	Sunny	11:08	24.9
20-Jan-23	Sunny	10:00	28.6
20-Jan-23	Sunny	11:00	16.4
20-Jan-23	Sunny	12:00	105.9
31-Jan-23	Sunny	9:26	37.0
31-Jan-23	Sunny	10:26	30.2
31-Jan-23	Sunny	11:26	23.0

	Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling	Flow Rate, m³/min			Total Volume, m³	TSP Level, µg/m³
					Initial	Final	Initial	Final		Time, hr	Initial, Qsi	Final, Qsf	Average	
AMS1	04/01/23	8:00	Sunny	010416	2.7647	2.8786	3162.39	3186.39	24.00	0.54	0.78	0.66	953	119.6
AMS1	10/01/23	8:00	Sunny	010417	2.7553	2.8116	3186.39	3210.39	24.00	0.53	0.97	0.75	1081	52.1
AMS1	16/01/23	8:00	Sunny	010418	2.7635	2.8210	3210.39	3234.39	24.00	0.43	0.79	0.61	877	65.6
AMS1	19/01/23	8:00	Sunny	010419	2.7556	2.8202	3234.84	3258.84	24.00	0.52	0.83	0.67	970	66.6
AMS1	30/01/23	8:00	Sunny	009782	2.8196	2.9018	3258.84	3282.84	24.00	0.51	0.78	0.65	929	88.5
AMS2	04/01/23	8:00	Sunny	010407	2.7451	2.8504	3670.76	3694.76	24.00	1.08	1.08	1.08	1553	67.8
AMS2	10/01/23	8:00	Sunny	010408	2.7410	2.7734	3694.76	3718.76	24.00	0.85	0.85	0.85	1225	26.4
AMS2	16/01/23	8:00	Sunny	010409	2.7442	2.7788	3718.76	3742.76	24.00	0.91	0.91	0.91	1310	26.4
AMS2	19/01/23	8:00	Sunny	010410	2.7280	2.7644	3742.76	3766.76	24.00	0.85	0.85	0.85	1230	29.6
AMS2	30/01/23	8:00	Sunny	009769	2.7803	2.8450	3767.14	3791.14	24.00	0.91	0.90	0.90	1302	49.7

Remarks:

Report on 1-hour TSP monitoring at AMS1 - Slivermine Beach Resort

Limit Level ($\mu\text{g}/\text{m}^3$) -

500.0

Date	Weather Condition	Time	TSP Level ($\mu\text{g}/\text{m}^3$)
3-Feb-23	Sunny	8:39	6.8
3-Feb-23	Sunny	9:39	19.9
3-Feb-23	Sunny	10:39	11.5
8-Feb-23	Sunny	9:48	18.0
8-Feb-23	Sunny	10:48	18.2
8-Feb-23	Sunny	11:48	19.4
14-Feb-23	Sunny	9:03	5.7
14-Feb-23	Sunny	10:03	6.8
14-Feb-23	Sunny	11:03	5.6
20-Feb-23	Sunny	9:19	17.1
20-Feb-23	Sunny	10:19	41.1
20-Feb-23	Sunny	11:19	53.3
25-Feb-23	Sunny	14:26	17.2
25-Feb-23	Sunny	15:26	16.1
25-Feb-23	Sunny	16:26	14.7

Report on 1-hour TSP monitoring at AMS2 - 1 Tung Wan Tau Road

Limit Level ($\mu\text{g}/\text{m}^3$) -

500.0

Date	Weather Condition	Time	TSP Level ($\mu\text{g}/\text{m}^3$)
3-Feb-23	Sunny	9:23	31.9
3-Feb-23	Sunny	10:23	147.2
3-Feb-23	Sunny	11:23	79.9
8-Feb-23	Sunny	10:08	37.1
8-Feb-23	Sunny	11:08	38.0
8-Feb-23	Sunny	12:08	40.5
14-Feb-23	Sunny	9:23	10.6
14-Feb-23	Sunny	10:23	13.4
14-Feb-23	Sunny	11:23	12.0
20-Feb-23	Sunny	9:39	33.6
20-Feb-23	Sunny	10:39	82.6
20-Feb-23	Sunny	11:39	96.2
25-Feb-23	Sunny	14:46	32.0
25-Feb-23	Sunny	15:46	30.3
25-Feb-23	Sunny	16:46	28.1

	Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling	Flow Rate, m³/min			Total Volume, m³	TSP Level, µg/m³
					Initial	Final	Initial	Final		Time, hr	Initial, Qsi	Final, Qsf	Average	
AMS1	02/02/23	8:00	Sunny	009783	2.8124	2.8750	3282.84	3306.84	24.00	0.53	0.78	0.65	941	66.5
AMS1	07/02/23	8:00	Sunny	009784	2.7907	2.8098	3306.84	3330.84	24.00	0.54	0.78	0.66	949	20.1
AMS1	13/02/23	8:00	Sunny	009785	2.8060	2.8623	3330.84	3354.84	24.00	0.62	0.78	0.70	1003	56.1
AMS1	18/02/23	8:00	Sunny	009786	2.8006	2.8531	3354.84	3378.84	24.00	0.53	0.78	0.66	947	55.5
AMS1	24/02/23	8:00	Sunny	009787	2.7922	2.9070	3378.84	3402.84	24.00	0.56	0.78	0.67	966	118.9
AMS2	02/02/23	8:00	Sunny	009770	2.7766	2.8564	3791.14	3815.14	24.00	0.80	0.80	0.80	1153	69.2
AMS2	07/02/23	8:00	Sunny	009771	2.7841	2.8341	3815.14	3839.14	24.00	0.90	0.90	0.90	1293	38.7
AMS2	13/02/23	8:00	Sunny	009772	2.7817	2.8321	3839.14	3863.14	24.00	0.89	0.89	0.89	1287	39.2
AMS2	18/02/23	8:00	Sunny	009773	2.7943	2.8990	3863.14	3887.14	24.00	0.90	0.90	0.90	1298	80.7
AMS2	24/02/23	8:00	Sunny	009774	2.7986	2.8784	3767.14	3791.14	24.00	0.90	0.90	0.90	1292	61.7

Remarks:

Report on 1-hour TSP monitoring at AMS1 - Slivermine Beach Resort

Limit Level ($\mu\text{g}/\text{m}^3$) -

500.0

Date	Weather Condition	Time	TSP Level ($\mu\text{g}/\text{m}^3$)
3-Mar-23	Sunny	14:43	40.2
3-Mar-23	Sunny	15:43	39.4
3-Mar-23	Sunny	16:43	50.9
9-Mar-23	Sunny	9:49	94.5
9-Mar-23	Sunny	10:49	24.7
9-Mar-23	Sunny	11:49	11.5
15-Mar-23	Sunny	9:46	75.2
15-Mar-23	Sunny	10:46	42.0
15-Mar-23	Sunny	11:46	35.3
21-Mar-23	Rainy	14:25	17.8
21-Mar-23	Rainy	15:25	12.6
21-Mar-23	Rainy	16:25	14.5
27-Mar-23	Rainy	10:22	12.5
27-Mar-23	Rainy	11:22	7.2
27-Mar-23	Rainy	12:22	8.8

Report on 1-hour TSP monitoring at AMS2 - 1 Tung Wan Tau Road

Limit Level ($\mu\text{g}/\text{m}^3$) -


500.0

Date	Weather Condition	Time	TSP Level ($\mu\text{g}/\text{m}^3$)
3-Mar-23	Sunny	14:03	72.8
3-Mar-23	Sunny	15:03	76.3
3-Mar-23	Sunny	16:03	91.6
9-Mar-23	Sunny	9:08	153.0
9-Mar-23	Sunny	10:08	71.7
9-Mar-23	Sunny	11:08	79.9
15-Mar-23	Sunny	10:05	56.2
15-Mar-23	Sunny	11:05	31.7
15-Mar-23	Sunny	12:05	26.8
21-Mar-23	Rainy	14:44	38.1
21-Mar-23	Rainy	15:44	25.1
21-Mar-23	Rainy	16:44	29.0
27-Mar-23	Rainy	10:41	22.7
27-Mar-23	Rainy	11:41	15.0
27-Mar-23	Rainy	12:41	17.5



	Date	Sampling Time	Weather Condition	Filter paper no.	Filter Weight, g		Elapse Time, hr		Sampling	Flow Rate, m³/min			Total Volume, m³	TSP Level, µg/m³
					Initial	Final	Initial	Final		Time, hr	Initial, Qsi	Final, Qsf	Average	
AMS1	02/03/23	8:00	Sunny	009788	2.8022	2.9011	3402.85	3426.85	24.00	0.66	1.16	0.91	1314	75.3
AMS1	08/03/23	8:00	Sunny	009789	2.7979	2.8820	3426.85	3450.85	24.00	0.80	1.15	0.97	1404	59.9
AMS1	14/03/23	8:00	Sunny	009790	2.7843	2.8784	3450.85	3474.85	24.00	0.70	1.16	0.93	1337	70.4
AMS1	20/03/23	8:00	Sunny	009791	2.8029	2.8418	3474.85	3498.85	24.00	0.84	1.15	0.99	1432	27.2
AMS1	25/03/23	8:00	Sunny	009792	2.7976	2.8073	3498.85	3522.85	24.00	0.73	1.30	1.02	1466	6.6
AMS1	31/03/23	8:00	Sunny	009793	2.7967	2.8150	3522.85	3546.85	24.00	0.72	1.15	0.94	1349	13.6
AMS2	02/03/23	8:00	Sunny	009775	2.7944	2.8747	3911.14	3935.14	24.00	1.61	1.61	1.61	2314	34.7
AMS2	08/03/23	8:00	Sunny	009776	2.8024	2.8732	3935.14	3959.14	24.00	1.44	1.45	1.44	2080	34.0
AMS2	14/03/23	8:00	Sunny	009777	2.7843	2.8599	3959.14	3983.14	24.00	1.60	1.60	1.60	2306	32.8
AMS2	20/03/23	8:00	Sunny	009778	2.8011	2.8515	3983.14	4007.14	24.00	1.59	1.59	1.59	2290	22.0
AMS2	25/03/23	8:00	Sunny	009779	2.7975	2.8200	4007.14	4031.14	24.00	1.59	1.60	1.59	2295	9.8
AMS2	31/03/23	8:00	Sunny	009780	2.7945	2.8380	4031.14	4055.14	24.00	1.45	1.45	1.45	2086	20.9

Remarks:

Graphic Presentation of TSP Result



Graphic Presentation of TSP Result





Appendix 5.4

Water Quality Monitoring Results and Graphical Presentations

Water Quality Monitoring at Station W1 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS						
						°C		-		ppt		%		mg/L		NTU		mg/L						
						m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average				
W1 Wang Tong River (Major tributary)	3/1/2023	Cloudy	9:30	0.50	Middle	0.25	15.00	15.00	15.0	6.30	6.30	6.3	9.72	9.72	9.7	82.30	81.70	82.0	8.09	8.04	8.1	6.99	6.99	7.0
			9:35	0.50		0.25	15.00	15.00	15.0	6.30	6.30	6.3	9.72	9.72	9.7	82.30	81.70	82.0	8.09	8.04	8.1	6.99	6.99	7.0
	9/1/2023	Sunny	13:30	0.50		0.25	18.60	18.60	18.6	8.03	7.99	8.0	13.49	13.48	13.5	54.60	59.20	56.9	4.68	5.77	5.2	4.99	5.64	5.3
			13:35	0.50		0.25	18.60	18.60	18.6	8.03	7.99	8.0	13.49	13.48	13.5	54.60	59.20	56.9	4.68	5.77	5.2	4.99	5.64	5.3
	11/11/2023	Sunny	14:30	0.50		0.25	18.80	18.80	18.8	7.74	7.73	7.7	3.49	3.45	3.5	82.60	81.90	82.3	7.32	7.35	7.3	9.83	9.50	9.7
			14:35	0.50		0.25	18.80	18.80	18.8	7.74	7.73	7.7	3.49	3.45	3.5	82.60	81.90	82.3	7.32	7.35	7.3	9.83	9.50	9.7
	13/1/2023	Cloudy	15:45	0.50		0.25	20.10	20.10	20.1	8.59	8.58	8.6	1.06	1.06	1.1	82.00	81.60	81.8	7.77	7.72	7.7	21.10	21.10	21.1
			15:50	0.50		0.25	20.10	20.10	20.1	8.59	8.58	8.6	1.06	1.06	1.1	82.00	81.60	81.8	7.77	7.72	7.7	21.10	21.10	21.1
	16/1/2023	Cloudy	6:15	0.50		0.25	14.50	14.50	14.5	7.10	7.10	7.1	0.44	0.44	0.4	91.00	90.50	90.8	9.84	9.79	9.8	3.05	3.05	3.1
			6:20	0.50		0.25	14.50	14.50	14.5	7.10	7.10	7.1	0.44	0.44	0.4	91.00	90.50	90.8	9.84	9.79	9.8	3.05	3.05	2.0
	18/1/2023	Sunny	8:30	0.50		0.25	12.60	12.60	12.6	7.52	7.52	7.5	0.45	0.45	0.5	94.20	93.80	94.0	9.62	9.57	9.6	3.79	3.79	3.8
			8:35	0.50		0.25	12.60	12.60	12.6	7.52	7.52	7.5	0.45	0.45	0.5	94.20	93.80	94.0	9.62	9.57	9.6	3.79	3.79	2.0
	20/1/2023	Sunny	10:15	0.50		0.25	15.10	15.10	15.1	6.79	6.79	6.8	3.49	3.49	3.5	84.90	84.50	84.7	8.55	8.50	8.5	1.68	1.68	1.7
			10:20	0.50		0.25	15.10	15.10	15.1	6.79	6.79	6.8	3.49	3.49	3.5	84.90	84.50	84.7	8.55	8.50	8.5	1.68	1.68	2.0
	30/1/2023	Sunny	6:00	0.50		0.25	11.50	11.50	11.5	7.10	7.10	7.1	0.56	0.56	0.6	91.50	91.10	91.3	9.58	9.53	9.6	2.20	2.20	2.2
			6:05	0.50		0.25	11.50	11.50	11.5	7.10	7.10	7.1	0.56	0.56	0.6	91.50	91.10	91.3	9.58	9.53	9.6	2.20	2.20	2.0

Remarks: WQM on 6 Jan was cancelled due to COVID positive from water sampling worker.

WQM from 21 to 29 Jan was suspended due to site closed from Chinese New Year holiday.

Water Quality Monitoring at Station W1 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS						
						°C		-		ppt		%		mg/L		NTU		mg/L						
						m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average				
W1 Wang Tong River (Major tributary)	3/1/2023	Cloudy	14:45	0.50	Middle	0.25	17.20	17.20	17.2	7.77	7.77	7.8	16.29	16.29	16.3	87.20	86.70	87.0	7.91	7.85	7.9	7.00	7.00	10.50
			14:50	0.50		0.25	17.20	17.20	17.2	7.77	7.77	7.8	16.29	16.29	16.3	87.20	86.70	87.0	7.91	7.85	7.9	7.00	7.00	8.60
	9/1/2023	Sunny	8:00	0.50		0.25	17.90	17.90	17.9	6.68	6.77	6.7	5.96	5.98	6.0	61.00	64.70	62.9	6.63	6.60	6.6	6.49	6.49	6.5
			8:05	0.50		0.25	17.90	17.90	17.9	6.68	6.77	6.7	5.96	5.98	6.0	61.00	64.70	62.9	6.63	6.60	6.6	6.49	6.49	2.0
	11/1/2023	Cloudy	8:45	0.50		0.25	17.50	17.50	17.5	6.43	6.49	6.5	6.62	6.64	6.6	61.50	59.60	60.6	6.56	7.11	6.8	5.49	5.37	5.4
			8:50	0.50		0.25	17.50	17.50	17.5	6.43	6.49	6.5	6.62	6.64	6.6	61.50	59.60	60.6	6.56	7.11	6.8	5.49	5.37	2.0
	13/1/2023	Cloudy	10:45	0.50		0.25	19.30	19.30	19.3	6.78	6.78	6.8	5.37	5.37	5.4	72.40	72.00	72.2	6.80	6.75	6.8	5.85	5.85	5.9
			10:50	0.50		0.25	19.30	19.30	19.3	6.78	6.78	6.8	5.37	5.37	5.4	72.40	72.00	72.2	6.80	6.75	6.8	5.85	5.85	5.2
	16/1/2023	Cloudy	12:15	0.50		0.25	13.10	13.10	13.1	8.94	8.94	8.9	0.41	0.41	0.4	89.70	89.30	89.5	9.34	9.29	9.3	2.79	2.79	2.8
			12:20	0.50		0.25	13.10	13.10	13.1	8.94	8.94	8.9	0.41	0.41	0.4	89.70	89.30	89.5	9.34	9.29	9.3	2.79	2.79	2.0
	18/1/2023	Sunny	13:15	0.50		0.25	13.80	13.80	13.8	8.91	8.91	8.9	0.29	0.29	0.3	93.60	93.10	93.4	9.91	9.87	9.9	2.78	2.78	2.8
			13:20	0.50		0.25	13.80	13.80	13.8	8.91	8.91	8.9	0.29	0.29	0.3	93.60	93.10	93.4	9.91	9.87	9.9	2.78	2.78	2.0
	20/1/2023	Sunny	15:00	0.50		0.25	18.30	18.30	18.3	8.06	8.06	8.1	6.38	6.38	6.4	89.60	89.20	89.4	8.41	8.36	8.4	3.70	3.70	3.7
			15:05	0.50		0.25	18.30	18.30	18.3	8.06	8.06	8.1	6.38	6.38	6.4	89.60	89.20	89.4	8.41	8.36	8.4	3.70	3.70	3.50
	30/1/2023	Sunny	12:15	0.50		0.25	17.10	17.10	17.1	7.44	7.44	7.4	1.51	1.51	1.5	94.87	94.40	94.6	9.51	9.47	9.5	3.13	3.13	3.1
			12:20	0.50		0.25	17.10	17.10	17.1	7.44	7.44	7.4	1.51	1.51	1.5	94.87	94.40	94.6	9.51	9.47	9.5	3.13	3.13	2.00

Remarks: WQM on 6 Jan was cancelled due to COVID positive from water sampling worker.

WQM from 21 to 29 Jan was suspended due to site closed from Chinese New Year holiday.

General Note: Additional data of temperature, pH, salinity, DO saturation, DO and turbidity were obtained in each duplicate set for better representativeness.

Water Quality Monitoring at Station W2 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS				
							°C		-		ppt		%		mg/L		NTU		Value				
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average		
W2 Wang Tong River (Major tributary)	3/1/2023	Cloudy	9:45	0.50	Middle	0.25	15.20	15.20	15.2	6.76	6.76	6.8	5.82	5.82	5.8	90.00	89.30	89.7	8.88	8.83	8.9	6.16	6.16
			9:50	0.50		0.25	15.20	15.20		6.76	6.76		5.82	5.82		90.00	89.30		8.88	8.83		6.16	6.16
	9/1/2023	Sunny	13:40	0.50		0.25	18.30	18.30	18.3	7.86	7.84	7.9	14.02	14.06	14.0	67.30	73.40	70.4	5.72	6.21	6.0	6.65	6.15
			13:45	0.50		0.25	18.30	18.30		7.86	7.84		14.02	14.06		67.30	73.40		5.72	6.21		6.65	6.15
	11/11/2023	Sunny	14:40	0.50		0.25	18.60	18.60	18.6	7.47	7.47	7.5	6.57	6.61	6.6	70.80	84.00	77.4	6.30	6.45	6.4	6.37	6.28
			14:45	0.50		0.25	18.60	18.60		7.47	7.47		6.57	6.61		70.80	84.00		6.30	6.45		6.37	6.28
	13/1/2023	Cloudy	16:00	0.50		0.25	20.20	20.20	20.2	8.13	8.13	8.1	2.24	2.24	2.2	79.80	79.40	79.6	7.55	7.51	7.5	13.48	13.48
			16:05	0.50		0.25	20.20	20.20		8.13	8.13		2.24	2.24		79.80	79.40		7.55	7.51		13.48	13.48
	16/1/2023	Cloudy	6:30	0.50		0.25	14.10	14.10	14.1	6.76	6.76	6.8	1.62	1.62	1.6	89.50	89.10	89.3	9.47	9.42	9.4	4.67	4.67
			6:35	0.50		0.25	14.10	14.10		6.76	6.76		1.62	1.62		89.50	89.10		9.47	9.42		4.67	4.67
	18/1/2023	Sunny	8:45	0.50		0.25	11.70	11.70	11.7	7.08	7.08	7.1	1.73	1.73	1.7	93.60	93.20	93.4	9.78	9.71	9.7	3.84	3.83
			8:50	0.50		0.25	11.70	11.70		7.08	7.08		1.73	1.73		93.60	93.20		9.78	9.71		3.84	3.83
	20/1/2023	Sunny	10:30	0.50	Middle	0.25	14.80	14.80	14.8	6.84	6.84	6.8	3.95	3.96	4.0	87.38	87.40	87.4	8.90	8.81	8.9	2.10	2.10
			10:35	0.50		0.25	14.80	14.80		6.84	6.84		3.95	3.96		87.38	87.40		8.90	8.81		2.10	2.10
	30/1/2023	Sunny	6:15	0.50		0.25	11.50	11.50	11.5	6.73	6.73	6.7	2.89	2.89	2.9	92.50	92.10	92.3	9.55	9.51	9.5	0.80	2.79
			6:20	0.50		0.25	11.50	11.50		6.73	6.73		2.89	2.89		92.50	92.10		9.55	9.51		0.80	2.79

Remarks: WQM on 6 Jan was cancelled due to COVID positive from water sampling worker.

WQM from 21 to 29 Jan was suspended due to site closed from Chinese New Year holiday.

Water Quality Monitoring at Station W2 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS				
							°C		-		ppt		%		mg/L		NTU		Value				
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average		
W2 Wang Tong River (Major tributary)	3/1/2023	Cloudy	15:00	0.50	Middle	0.25	16.50	16.50	16.5	7.97	7.97	8.0	8.57	8.56	8.6	90.00	89.50	89.8	8.68	8.61	8.6	6.11	6.11
			15:05	0.50		0.25	16.50	16.50		7.97	7.97		8.57	8.56		90.00	89.50		8.68	8.61		6.11	6.11
	9/1/2023	Sunny	8:15	0.50		0.25	17.90	17.90	17.9	6.51	6.53	6.5	23.90	23.91	23.9	60.10	59.40	59.8	6.69	6.62	6.7	5.85	5.85
			8:20	0.50		0.25	17.90	17.90		6.51	6.53		23.90	23.91		60.10	59.40		6.69	6.62		5.85	5.85
	11/1/2023	Cloudy	9:00	0.50		0.25	17.30	17.30	17.3	6.44	6.51	6.5	20.90	21.00	21.0	59.30	56.80	58.1	6.96	6.78	6.9	5.38	5.49
			9:05	0.50		0.25	17.30	17.30		6.44	6.51		20.90	21.00		59.30	56.80		6.96	6.78		5.38	5.49
	13/1/2023	Cloudy	11:00	0.50	Middle	0.25	19.30	19.30	19.3	7.00	7.00	7.0	3.47	3.47	3.5	77.80	77.40	77.6	7.34	7.30	7.3	7.10	7.10
			11:05	0.50		0.25	19.30	19.30		7.00	7.00		3.47	3.47		77.80	77.40		7.34	7.30		7.10	7.10
	16/1/2023	Cloudy	12:30	0.50		0.25	12.80	12.80	12.8	8.30	8.30	8.3	1.88	1.88	1.9	87.50	87.10	87.3	9.40	9.35	9.4	3.77	3.77
			12:35	0.50		0.25	12.80	12.80		8.30	8.30		1.88	1.88		87.50	87.10		9.40	9.35		3.77	3.77
	18/1/2023	Sunny	13:30	0.50		0.25	13.80	13.80	13.8	8.34	8.33	8.3	1.06	1.06	1.1	92.50	92.00	92.3	9.69	9.62	9.7	2.65	2.65
			13:35	0.50		0.25	13.80	13.80		8.34	8.33		1.06	1.06		92.50	92.00		9.69	9.62		2.65	2.65
	20/1/2023	Sunny	15:15	0.50	Middle	0.25	17.60	17.60	17.6	7.74	7.74	7.7	12.47	12.47	12.5	96.10	95.70	95.9	9.01	8.96	9.0	6.09	6.09
			15:20	0.50		0.25	17.60	17.60		7.74	7.74		12.47	12.47		96.10	95.70		9.01	8.96		6.09	6.09
	30/1/2023	Sunny	12:30	0.50		0.25	16.60	16.60	16.6	8.43	8.43	8.4	8.89	8.89	8.9	93.20	92.80	93.0	9.25	9.20	9.2	6.84	6.84
			12:35	0.50		0.25	16.60	16.60		8.43	8.43		8.89	8.89		93.20	92.80		9.25	9.20		6.84	6.84

Remarks: WQM on 6 Jan was cancelled due to COVID positive from water sampling worker.

WQM from 21 to 29 Jan was suspended due to site closed from Chinese New Year holiday.

General Note: Additional data of temperature, pH, salinity, DO saturation, DO and turbidity were obtained in each duplicate set for better representativeness.

Water Quality Monitoring at Station W4 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W4 Wang Tong River (Minor tributary to Tai Wai Yuen)	3/1/2023	Cloudy	10:00	0.50	Middle	0.25	15.40	15.40	15.4	6.73	6.73	6.7	8.22	8.22	8.2	89.30	88.80	89.1	8.65	8.61	8.6	4.25	4.25	4.3	2.20	2.3
			10:05	0.50			0.25	15.40	15.40	6.73	6.73	6.7	8.22	8.22	8.2	89.30	88.80	89.1	8.65	8.61	8.6	4.25	4.25	4.3	2.40	2.3
	9/1/2023	Sunny	13:50	0.50		0.25	18.60	18.60	18.6	7.52	7.50	7.5	22.98	22.95	23.0	52.40	60.50	56.5	4.15	4.77	4.5	5.72	5.37	5.5	2.70	2.8
			13:55	0.50			0.25	18.60	18.60	7.52	7.50	7.5	22.98	22.95	23.0	52.40	60.50	56.5	4.15	4.77	4.5	5.72	5.37	5.5	2.80	2.8
	11/1/2023	Sunny	14:50	0.50		0.25	18.60	18.60	18.6	7.43	7.42	7.4	7.13	7.14	7.1	75.40	84.50	80.0	6.61	7.32	7.0	6.12	6.05	6.1	3.90	3.8
			14:55	0.50			0.25	18.60	18.60	7.43	7.42	7.4	7.13	7.14	7.1	75.40	84.50	80.0	6.61	7.32	7.0	6.12	6.05	6.1	3.60	3.8
	13/1/2023	Cloudy	16:15	0.50		0.25	20.10	20.10	20.1	7.67	7.67	7.7	5.71	5.71	5.7	74.70	74.30	74.5	7.07	7.03	7.1	9.37	9.37	9.4	7.90	7.8
			16:20	0.50			0.25	20.10	20.10	7.67	7.67	7.7	5.71	5.71	5.7	74.70	74.30	74.5	7.07	7.03	7.1	9.37	9.37	9.4	7.60	7.8
	16/1/2023	Cloudy	6:45	0.50		0.25	13.90	13.90	13.9	6.79	6.79	6.8	2.64	2.64	2.6	89.10	88.60	88.9	9.31	9.27	9.3	3.68	3.68	3.7	2.00	2.0
			6:50	0.50			0.25	13.90	13.90	6.79	6.79	6.8	2.64	2.64	2.6	89.10	88.60	88.9	9.31	9.27	9.3	3.68	3.68	3.7	2.00	2.0
	18/1/2023	Sunny	9:00	0.50		0.25	12.10	12.10	12.1	7.09	7.09	7.1	2.63	2.63	2.6	80.00	79.50	79.8	8.42	8.38	8.4	5.72	5.72	5.7	2.00	2.0
			9:05	0.50			0.25	12.10	12.10	7.09	7.09	7.1	2.63	2.63	2.6	80.00	79.50	79.8	8.42	8.38	8.4	5.72	5.72	5.7	2.00	2.0
	20/1/2023	Sunny	10:45	0.50		0.25	14.70	14.70	14.7	6.59	6.59	6.6	10.99	10.99	11.0	82.40	81.90	82.2	8.31	8.25	8.3	3.99	3.99	4.0	2.30	2.3
			10:50	0.50			0.25	14.70	14.70	6.59	6.59	6.6	10.99	10.99	11.0	82.40	81.90	82.2	8.31	8.25	8.3	3.99	3.99	4.0	2.20	2.3
	30/1/2023	Sunny	6:30	0.50		0.25	11.90	11.90	11.9	6.60	6.60	6.6	11.15	11.55	11.4	80.00	79.50	79.8	8.45	8.41	8.4	4.95	4.95	5.0	2.10	2.2
			6:35	0.50			0.25	11.90	11.90	6.60	6.60	6.6	11.15	11.55	11.4	80.00	79.50	79.8	8.45	8.41	8.4	4.95	4.95	5.0	2.20	2.2

Remarks: WQM on 6 Jan was cancelled due to COVID positive from water sampling worker.

WQM from 21 to 29 Jan was suspended due to site closed from Chinese New Year holiday.

Water Quality Monitoring at Station W4 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average					
W4 Wang Tong River (Minor tributary to Tai Wai Yuen)	3/1/2023	Cloudy	15:15	0.50	Middle	0.25	16.50	16.50	16.5	7.87	7.87	7.9	9.00	9.00	9.0	89.20	88.60	88.9	8.41	8.37	8.4	5.37	5.37	5.4	3.30	3.0
			15:20	0.50			0.25	16.50	16.50	7.87	7.87	7.9	9.00	9.00	9.0	89.20	88.60	88.9	8.41	8.37	8.4	5.37	5.37	5.4	3.30	3.0
	9/1/2023	Sunny	8:25	0.50		0.25	17.70	17.70	17.7	7.09	7.09	7.1	7.49	7.49	7.3	56.10	59.60	57.9	6.86	6.26	6.6	5.81	5.66	5.7	2.00	2.0
			8:30	0.50			0.25	17.70	17.70	7.09	7.09	7.1	7.49	7.49	7.3	56.10	59.60	57.9	6.86	6.26	6.6	5.81	5.66	5.7	2.00	2.0
	11/1/2023	Cloudy	9:15	0.50		0.25	17.10	17.10	17.1	6.70	6.72	6.7	18.91	18.86	18.9	50.30	57.30	53.8	6.26	6.83	6.5	4.83	4.72	4.8	2.00	2.0
			9:20	0.50			0.25	17.10	17.10	6.70	6.72	6.7	18.91	18.86	18.9	50.30	57.30	53.8	6.26	6.83	6.5	4.83	4.72	4.8	2.00	2.0
	13/1/2023	Cloudy	11:15	0.50		0.25	19.40	19.40	19.4	6.84	6.84	6.8	5.99	5.99	6.0	79.10	78.70	78.9	7.22	7.18	7.2	6.71	6.71	6.7	7.50	7.7
			11:20	0.50			0.25	19.40	19.40	6.84	6.84	6.8	5.99	5.99	6.0	79.10	78.70	78.9	7.22	7.18	7.2	6.71	6.71	6.7	7.50	7.7
	16/1/2023	Cloudy	12:45	0.50		0.25	12.20	12.20	12.2	8.35	8.35	8.4	1.34	1.34	1.3	90.00	89.60	89.8	9.90	9.86	9.9	2.80	2.80	2.8	2.00	2.0
			12:50	0.50			0.25	12.20	12.20	8.35	8.35	8.4	1.34	1.34	1.3	90.00	89.60	89.8	9.90	9.86	9.9	2.80	2.80	2.8	2.00	2.0
	18/1/2023	Sunny	13:45	0.50		0.25	14.00	14.00	14.0	8.16	8.16	8.2	1.59	1.59	1.6	92.20	91.80	92.0	9.80	9.75	9.8	2.51	2.51	2.5	2.00	2.0
			13:50	0.50			0.25	14.00	14.00	8.16	8.16	8.2	1.59	1.59	1.6	92.20	91.80	92.0	9.80	9.75	9.8	2.51	2.51	2.5	2.00	2.0
	20/1/2023	Sunny	15:20	0.50		0.25	18.10	19.80	108.1	7.66	7.66	7.7	14.48	14.48	14.5	81.70	81.30	81.5	7.69	7.60	7.6	4.60	4.60	4.6	3.70	3.6
			15:25	0.50			0.25	18.10	19.80	7.66	7.66	7.7	14.48	14.48	14.5	81.70	81.30	81.5	7.69	7.60	7.6	4.60	4.60	4.6	3.70	3.6
	30/1/2023	Sunny	12:45	0.50		0.25	18.10	18.10	18.1	8.15	8.15	8.2	14.15	14.15	14.2	87.60	87.20	87.4	7.93	7.88	7.9	6.07	6.07	6.1	5.00	4.8
			12:50	0.50			0.25	18.10	18.10	8.15	8.15	8.2	14.15	14.15	14.2	87.60	87.20	87.4	7.93	7.88	7.9	6.07	6.07	6.1	4.60	4.8

Water Quality Monitoring at Station W5 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS		
						°C		-		ppt		%		mg/L		NTU		mg/L		
						m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average		
W5 Silvermine Bay (Near Silvermine Bay Beach)	3/1/2023	Cloudy	10:15	0.50	Middle	0.25	15.30	15.30	15.3	6.96	6.96	7.0	6.72	6.72	6.7	88.10	87.70	87.9	5.71	5.71
			10:20	0.50		0.25	15.30	15.30		6.96	6.96		6.72	6.72		88.10	87.70		5.71	5.71
	9/1/2023	Sunny	14:00	0.50		0.25	18.60	18.60	18.6	7.83	7.80	7.8	10.21	10.23	10.2	73.00	80.40	76.7	6.35	6.91
			14:05	0.50		0.25	18.60	18.60		7.83	7.80		10.21	10.23		73.00	80.40		6.35	6.91
	11/11/2023	Sunny	15:00	0.50		0.25	18.80	18.80	18.8	7.13	7.18	7.2	16.19	16.28	16.2	71.50	80.00	75.8	5.92	6.62
			15:05	0.50		0.25	18.80	18.80		7.13	7.18		16.19	16.28		71.50	80.00		5.92	6.62
	13/1/2023	Cloudy	16:30	0.50		0.25	20.30	20.30	20.3	7.64	7.64	7.6	5.82	5.82	5.8	83.10	82.80	83.0	7.63	7.59
			16:35	0.50		0.25	20.30	20.30		7.64	7.64		5.82	5.82		83.10	82.80		7.63	7.59
	16/1/2023	Cloudy	7:00	0.50		0.25	13.90	13.90	13.9	6.85	6.85	6.9	3.68	3.68	3.7	88.60	88.10	88.4	9.25	9.20
			7:05	0.50		0.25	13.90	13.90		6.85	6.85		3.68	3.68		88.60	88.10		9.25	9.20
	18/1/2023	Sunny	9:15	0.50		0.25	12.40	12.40	12.4	7.35	7.35	7.4	1.55	1.55	1.6	98.30	97.80	98.1	9.71	9.65
			9:20	0.50		0.25	12.40	12.40		7.35	7.35		1.55	1.55		98.30	97.80		9.71	9.65
	20/1/2023	Sunny	11:00	0.50		0.25	14.70	14.70	14.7	6.96	6.96	7.0	6.53	6.53	6.5	85.30	85.00	85.2	8.71	8.68
			11:05	0.50		0.25	14.70	14.70		6.96	6.96		6.53	6.53		85.30	85.00		8.71	8.68
	30/1/2023	Sunny	6:45	0.50		0.25	11.70	11.70	11.7	7.11	7.11	7.1	4.35	4.35	4.4	87.90	87.50	87.7	8.41	8.37
			6:50	0.50		0.25	11.70	11.70		7.11	7.11		4.35	4.35		87.90	87.50		8.41	8.37

Remarks: WQM on 6 Jan was cancelled due to COVID positive from water sampling worker.

WQM from 21 to 29 Jan was suspended due to site closed from Chinese New Year holiday.

Water Quality Monitoring at Station W5 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS		
						°C		-		ppt		%		mg/L		NTU		mg/L		
						m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
W5 Silvermine Bay (Near Silvermine Bay Beach)	3/1/2023	Cloudy	15:30	0.50	Middle	0.25	16.40	16.40	16.4	8.08	8.08	8.1	5.17	5.17	5.2	88.40	88.00	88.2	8.52	8.47
			15:35	0.50		0.25	16.40	16.40		8.08	8.08		5.17	5.17		88.40	88.00		8.52	8.47
	9/1/2023	Sunny	8:35	0.50		0.25	18.00	18.00	18.0	6.97	6.99	7.0	21.10	21.19	21.1	66.80	73.50	70.2	5.64	5.90
			8:40	0.50		0.25	18.00	18.00		6.97	6.99		21.10	21.19		66.80	73.50		5.64	5.90
	11/1/2023	Cloudy	9:30	0.50		0.25	17.20	17.20	17.2	6.82	6.84	6.8	18.22	18.22	18.2	57.30	68.30	62.8	4.90	5.62
			9:35	0.50		0.25	17.20	17.20		6.82	6.84		18.22	18.22		57.30	68.30		4.90	5.62
	13/1/2023	Cloudy	11:30	0.50		0.25	19.50	19.50	19.5	6.87	6.87	6.9	7.51	7.51	7.5	76.70	76.20	76.5	7.15	7.12
			11:35	0.50		0.25	19.50	19.50		6.87	6.87		7.51	7.51		76.70	76.20		7.15	7.12
	16/1/2023	Cloudy	13:00	0.50		0.25	12.20	12.20	12.2	8.10	8.10	8.1	2.28	2.28	2.3	98.10	97.60	97.9	9.61	9.55
			13:05	0.50		0.25	12.20	12.20		8.10	8.10		2.28	2.28		98.10	97.60		9.61	9.55
	18/1/2023	Sunny	14:00	0.50		0.25	14.40	14.40	14.4	8.02	8.02	8.0	2.49	2.49	2.5	94.70	94.30	94.5	9.63	9.58
			14:05	0.50		0.25	14.40	14.40		8.02	8.02		2.49	2.49		94.70	94.30		9.63	9.58
	20/1/2023	Sunny	15:45	0.50		0.25	17.60	17.60	17.6	7.93	7.93	7.9	6.85	6.85	6.9	89.30	88.70	89.0	8.62	8.57
			15:50	0.50		0.25	17.60	17.60		7.93	7.93		6.85	6.85		89.30	88.70		8.62	8.57
	30/1/2023	Sunny	13:00	0.50		0.25	17.70	17.70	17.7	8.08	8.08	8.1	17.70	17.70	17.7	90.00	89.60	89.8	8.44	8.40
			13:05	0.50		0.25	17.70	17.70		8.08	8.08		17.70	17.70		90.00	89.60		8.44	8.40

Remarks: WQM on 6 Jan was cancelled due to COVID positive from water sampling worker.

WQM from 21 to 29 Jan was suspended due to site closed from Chinese New Year holiday.

General Note: Additional data of temperature, pH, salinity, DO saturation, DO and turbidity were obtained in each duplicate set for better representativeness.

Water Quality Monitoring at Station W6 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS								
							°C		-		ppt		%		mg/L		NTU		mg/L								
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average						
W6 Silvermine Bay (Near Silvermine Bay Beach)	3/1/2023	Cloudy	10:30	1.70	Middle		0.85	16.40	16.40	16.4	6.62	6.62	6.6	33.27	33.27	33.3	88.50	88.10	88.3	7.49	7.43	7.5	9.11	9.11	9.1	12.60	12.9
			10:35	1.70			0.85	16.40	16.40	16.4	6.62	6.62	6.6	33.27	33.27	33.3	88.50	88.10	88.3	7.49	7.43	7.5	9.11	9.11	9.1	13.20	12.9
	9/1/2023	Sunny	14:00	1.70			0.85	18.20	18.30	18.3	7.63	7.86	7.7	33.39	33.41	33.4	65.50	64.00	64.8	6.01	5.89	6.0	9.76	9.00	9.4	8.20	7.6
			14:05	1.70			0.85	18.20	18.30	18.3	7.63	7.86	7.7	33.39	33.41	33.4	65.50	64.00	64.8	6.01	5.89	6.0	9.76	9.00	9.4	6.90	7.6
	11/11/2023	Sunny	15:15	1.70			0.85	18.10	18.10	18.1	7.16	7.29	7.2	33.36	33.38	33.4	77.10	85.00	81.1	5.89	6.35	6.1	6.35	6.18	6.3	2.50	2.4
			15:20	1.70			0.85	18.10	18.10	18.1	7.16	7.29	7.2	33.36	33.38	33.4	77.10	85.00	81.1	5.89	6.35	6.1	6.35	6.18	6.3	2.20	2.4
	13/1/2023	Cloudy	16:45	1.60			0.80	19.60	19.60	19.6	7.23	7.23	7.2	32.09	32.09	32.1	85.00	84.40	84.7	6.96	6.90	6.9	6.37	6.37	6.4	4.40	4.5
			16:50	1.60			0.80	19.60	19.60	19.6	7.23	7.23	7.2	32.09	32.09	32.1	85.00	84.40	84.7	6.96	6.90	6.9	6.37	6.37	6.4	4.60	4.5
	16/1/2023	Cloudy	7:15	1.80			0.90	14.80	14.80	14.8	6.72	6.72	6.7	32.78	32.78	32.8	89.30	88.80	89.1	7.68	7.62	7.7	4.22	4.22	4.2	3.60	3.8
			7:20	1.80			0.90	14.80	14.80	14.8	6.72	6.72	6.7	32.78	32.78	32.8	89.30	88.80	89.1	7.68	7.62	7.7	4.22	4.22	4.2	3.90	3.8
	18/1/2023	Sunny	9:30	1.80			0.90	14.10	14.00	14.1	7.07	7.07	7.1	32.86	32.86	32.9	82.80	82.40	82.6	7.36	7.30	7.3	5.72	5.72	5.7	7.80	7.7
			9:35	1.80			0.90	14.10	14.00	14.1	7.07	7.07	7.1	32.86	32.86	32.9	82.80	82.40	82.6	7.36	7.30	7.3	5.72	5.72	5.7	7.60	7.7
	20/1/2023	Sunny	11:15	1.70			0.85	15.70	15.70	15.7	7.23	7.23	7.2	32.93	32.93	32.9	85.40	85.00	85.2	7.24	7.21	7.2	8.31	8.31	8.3	12.60	11.9
			11:20	1.70			0.85	15.70	15.70	15.7	7.23	7.23	7.2	32.93	32.93	32.9	85.40	85.00	85.2	7.24	7.21	7.2	8.31	8.31	8.3	11.20	11.9
	30/1/2023	Sunny	7:00	1.60			0.80	13.50	13.50	13.5	6.94	6.94	6.9	32.53	32.53	32.5	88.70	88.40	88.6	7.91	7.85	7.9	3.37	3.37	3.4	3.80	3.6
			7:05	1.60			0.80	13.50	13.50	13.5	6.94	6.94	6.9	32.53	32.53	32.5	88.70	88.40	88.6	7.91	7.85	7.9	3.37	3.37	3.4	3.40	3.6

Remarks: WQM on 6 Jan was cancelled due to COVID positive from water sampling worker.

WQM from 21 to 29 Jan was suspended due to site closed from Chinese New Year holiday.

Water Quality Monitoring at Station W6 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS								
							°C		-		ppt		%		mg/L		NTU		mg/L								
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average						
W6 Silvermine Bay (Near Silvermine Bay Beach)	3/1/2023	Cloudy	15:45	2.00	Middle		1.00	16.80	16.80	16.8	7.37	7.37	7.4	32.88	32.88	32.9	90.40	90.00	90.2	7.55	7.50	7.5	12.85	12.85	12.9	12.80	13.3
			15:50	2.00			1.00	16.80	16.80	16.8	7.37	7.37	7.4	32.88	32.88	32.9	90.40	90.00	90.2	7.55	7.50	7.5	12.85	12.85	12.8	13.80	13.3
	9/1/2023	Sunny	9:00	2.00			1.00	18.70	18.80	18.8	7.47	7.54	7.5	33.33	33.33	33.3	74.00	64.50	69.3	5.51	4.89	5.2	9.60	9.10	9.4	2.40	2.5
			9:05	2.00			1.00	18.70	18.80	18.8	7.47	7.54	7.5	33.33	33.33	33.3	74.00	64.50	69.3	5.51	4.89	5.2	9.60	9.10	9.4	2.60	2.5
	11/1/2023	Cloudy	9:45	2.00			1.00	17.40	17.40	17.4	7.12	7.31	7.2	33.49	33.46	33.5	69.80	78.40	74.1	5.40	5.94	5.7	11.50	11.23	11.4	5.00	5.2
			9:50	2.00			1.00	17.40	17.40	17.4	7.12	7.31	7.2	33.49	33.46	33.5	69.80	78.40	74.1	5.40	5.94	5.7	11.50	11.23	11.4	5.40	5.2
	13/1/2023	Cloudy	11:45	1.80			0.90	19.00	19.00	19.0	6.73	6.73	6.7	32.35	32.35	32.4	79.50	79.00	79.3	6.38	6.33	6.4	7.99	7.99	8.0	4.70	4.9
			11:50	1.80			0.90	19.00	19.00	19.0	6.73	6.73	6.7	32.35	32.35	32.4	79.50	79.00	79.3	6.38	6.33	6.4	7.99	7.99	8.0	5.10	4.9
	16/1/2023	Cloudy	13:15	2.00			1.00	14.60	14.60	14.6	7.26	7.26	7.3	32.47	32.47	32.5	87.40	86.90	87.2	7.76	7.70	7.7	5.89	5.89	5.9	5.60	5.8
			13:20	2.00			1.00	14.60	14.60	14.6	7.26	7.26	7.3	32.47	32.47	32.5	87.40	86.90	87.2	7.76	7.70	7.7	5.89	5.89	5.9	5.90	5.8
	18/1/2023	Sunny	14:15	2.00			1.00	15.30	15.30	15.3	7.33	7.33	7.3	32.56	32.56	32.6	91.80	91.40	91.6	8.00	7.96	8.0	5.38	5.27	5.3	4.00	3.9
			14:20	2.00			1.00	15.30	15.30	15.3	7.33	7.33	7.3	32.56	32.56	32.6	91.80	91.40	91.6	8.00	7.96	8.0	5.38	5.27	5.3	4.00	3.9
	20/1/2023	Sunny	16:00	2.00			1.00	17.90	17.90	17.9	7.64	7.64	7.6	32.89	32.89	32.9	89.10	88.50	88.8	7.26	7.20	7.2	8.60	8.60	8.6	6.00	6.1
			16:05	2.00			1.00	17.90	17.90	17.9	7.64	7.64	7.6	32.89	32.89	32.9	89.10	88.50	88.8	7.26	7.20	7.2	8.60	8.60	8.6	6.10	6.1
	30/1/2023	Sunny	13:15	2.20			1.10	16.60	16.60	16.6	8.01	8.01	8.0	33.23	33.23	33.2	84.70	84.30	84.5	7.94							

Water Quality Monitoring at Station W7 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W7 Silvermine Bay (Open Water)	3/1/2023	Cloudy	10:45	2.70	Middle	1.35	16.30	16.30	16.3	7.09	7.09	7.1	33.72	33.72	33.7	90.10	89.60	89.9	7.44	7.40	7.4	9.08	9.08	9.1	11.30	11.1
			10:50	2.70		1.35	16.30	16.30		7.09	7.09		33.72	33.72		90.10	89.60		7.44	7.40		9.08	9.08		10.80	
	9/1/2023	Sunny	14:15	2.70		1.35	18.20	18.20	18.2	7.94	7.96	8.0	33.48	33.49	33.5	63.20	60.80	62.0	6.81	6.66	6.7	9.37	9.21	9.3	7.60	7.4
			14:20	2.70		1.35	18.20	18.20		7.94	7.96		33.48	33.49		63.20	60.80		6.81	6.66		9.37	9.21		7.10	
	11/11/2023	Sunny	15:25	2.70		1.35	18.00	18.00	18.0	7.53	7.64	7.6	33.90	33.88	33.9	75.60	70.80	73.2	6.73	6.41	6.6	5.97	5.94	6.0	3.90	4.1
			15:30	2.70		1.35	18.00	18.00		7.53	7.64		33.90	33.88		75.60	70.80		6.73	6.41		5.97	5.94		4.30	
	13/1/2023	Cloudy	17:00	2.60		1.30	19.60	19.60	19.6	7.52	7.52	7.5	33.07	33.07	33.1	85.10	84.50	84.8	6.67	6.83	6.9	5.88	5.88	5.9	4.10	4.0
			17:05	2.60		1.30	19.60	19.60		7.52	7.52		33.07	33.07		85.10	84.50		6.67	6.83		5.88	5.88		3.80	
	16/1/2023	Cloudy	7:30	2.80		1.40	14.50	14.50	14.5	7.23	7.23	7.2	33.65	33.65	33.7	78.90	78.50	78.7	7.09	7.05	7.1	3.84	3.84	3.8	4.00	3.9
			7:35	2.80		1.40	14.50	14.50		7.23	7.23		33.65	33.65		78.90	78.50		7.09	7.05		3.84	3.84		3.80	
	18/1/2023	Sunny	9:45	2.80		1.40	14.30	14.30	14.3	7.28	7.28	7.3	33.70	33.70	33.7	91.70	91.30	91.5	7.94	7.89	7.9	4.82	4.82	4.8	5.40	5.7
			9:50	2.80		1.40	14.30	14.30		7.28	7.28		33.70	33.70		91.70	91.30		7.94	7.89		4.82	4.82		5.90	
	20/1/2023	Sunny	11:30	2.70		1.35	15.70	15.70	15.7	7.43	7.43	7.4	33.43	33.43	33.4	89.14	88.70	88.9	7.64	7.55	7.6	4.00	4.00	4.0	10.50	10.7
			11:35	2.70		1.35	15.70	15.70		7.43	7.43		33.43	33.43		89.14	88.70		7.64	7.55		4.00	4.00		10.90	
	30/1/2023	Sunny	7:15	2.60		1.30	14.00	14.00	14.0	8.15	8.15	8.2	33.46	33.46	33.5	92.40	92.00	92.2	8.13	8.09	8.1	1.95	1.95	2.0	5.50	5.7
			7:20	2.60		1.30	14.00	14.00		8.15	8.15		33.46	33.46		92.40	92.00		8.13	8.09		1.95	1.95		5.90	

Remarks: WQM on 6 Jan was cancelled due to COVID positive from water sampling worker.

WQM from 21 to 29 Jan was suspended due to site closed from Chinese New Year holiday.

Water Quality Monitoring at Station W7 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Depth	Sampling Level	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average					
W7 Silvermine Bay (Open Water)	3/1/2023	Cloudy	16:00	3.00	Middle	1.50	16.70	16.70	16.7	7.58	7.58	7.6	33.90	33.90	33.9	95.00	94.30	94.7	7.58	7.52	7.6	12.57	12.57	12.6	11.70	12.4
			16:05	3.00		1.50	16.70	16.70		7.58	7.58		33.90	33.90		95.00	94.30		7.58	7.52		12.57	12.57		13.10	
	9/1/2023	Sunny	9:15	3.00		1.50	18.40	18.50	18.5	7.67	7.73	7.7	28.60	28.56	28.6	71.00	72.20	71.6	5.85	6.01	5.9	10.60	10.36	10.5	2.20	2.4
			9:20	3.00		1.50	18.40	18.50		7.67	7.73		28.60	28.56		71.00	72.20		5.85	6.01		10.60	10.36		2.50	
	11/1/2023	Cloudy	10:00	3.00		1.50	17.40	17.40	17.4	7.50	7.56	7.5	33.63	33.65	33.6	77.60	80.60	79.1	5.96	6.13	6.0	7.36	7.45	7.4	4.00	4.0
			10:05	3.00		1.50	17.40	17.40		7.50	7.56		33.63	33.65		77.60	80.60		5.96	6.13		7.36	7.45		4.00	
	13/1/2023	Cloudy	12:00	2.80		1.40	19.00	19.00	19.0	7.20	7.20	7.2	33.65	33.65	33.7	84.80	84.40	84.6	6.91	6.86	6.9	6.84	6.84	6.8	5.80	
			12:05	2.80		1.40	19.00	19.00		7.20	7.20		33.65	33.65		84.80	84.40		6.91	6.86		6.84	6.84		6.10	
	16/1/2023	Cloudy	13:30	3.00		1.50	14.70	14.70	14.7	7.57	7.57	7.6	33.66	33.66	33.7	91.20	90.90	91.1	7.69	7.65	7.7	5.94	5.93	5.9	5.00	4.9
			13:35	3.00		1.50	14.70	14.70		7.57	7.57		33.66	33.66		91.20	90.90		7.69	7.65		5.94	5.93		4.70	
	18/1/2023	Sunny	14:30	3.00		1.50	16.10	16.00	16.1	7.56	7.56	7.6	33.66	33.66	33.7	89.30	88.70	89.0	7.51	7.50	7.5	5.36	5.36	5.4	4.00	4.3
			14:35	3.00		1.50	16.10	16.00		7.56	7.56		33.66	33.66		89.30	88.70		7.51	7.50		5.36	5.36		4.50	
	20/1/2023	Sunny	16:15	3.00		1.50	17.10	17.10	17.1	7.76	7.76	7.8	33.70	33.70	33.7	90.80	90.20	90.5	7.60	7.55	7.6	4.62	4.62	4.6	6.00	6.1
			16:20	3.00		1.50	17.10	17.10		7.76	7.76		33.70	33.70		90.80	90.20		7.60	7.55		4.62	4.62		6.20	
	30/1/2023	Sunny	13:30	3.20		1.60	15.80	15.80	15.8	8.22	8.22	8.2	33.62	33.62	33.6	93.60	93.10	93.4	8.32	8.27	8.3	1.89	1.89	1.9	6.10	6.3
			13:35	3.20		1.60	15.80	15.80		8.22	8.22		33.62	33.62		93.60	93.10		8.32	8.27		1.89	1.89		6.40	

Remarks: WQM on 6 Jan was cancelled due to COVID positive from water sampling worker.

WQM from 21 to 29 Jan was suspended due to site closed from Chinese New Year holiday.

General Note: Additional data of temperature, pH, salinity, DO saturation, DO and turbidity were obtained in each duplicate set for better representativeness.

Water Quality Monitoring at Station W8 (Surface) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature			pH			Salinity			DO Saturation			DO			Turbidity			SS				
							°C		-	Value		Average	Value		Average	ppt		Average	Value		Average	mg/L		Value		Average		mg/L	
							m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	
W8 Silvermine Bay (Open Water)	3/1/2023	Cloudy	11:00	3.70	Surface		1.00	16.30	16.30	16.3	7.33	7.33	7.3	33.96	33.96	34.0	89.30	88.90	89.1	7.38	7.33	7.4	9.06	9.06	9.1	8.80	9.7		
			11:05	3.70			1.00	16.30	16.30	16.3	7.33	7.33	7.3	33.96	33.96	34.0	89.30	88.90	89.1	7.38	7.33	7.4	9.06	9.06	9.1	10.50	9.7		
	9/1/2023	Sunny	14:30	3.70			1.00	18.10	18.10	18.1	8.00	8.01	8.0	33.89	33.88	33.9	66.00	78.50	72.3	5.94	5.92	5.9	6.89	6.76	6.8	2.90	3.0		
			14:35	3.70			1.00	18.10	18.10	18.1	8.00	8.01	8.0	33.89	33.88	33.9	66.00	78.50	72.3	5.94	5.92	5.9	6.89	6.76	6.8	3.10	3.0		
	11/11/2023	Sunny	15:35	3.70			1.00	18.10	18.10	18.1	7.72	7.75	7.7	33.88	33.88	33.9	76.90	88.30	82.6	6.76	6.48	6.6	5.99	6.03	6.0	4.40	4.6		
			15:40	3.70			1.00	18.10	18.10	18.1	7.72	7.75	7.7	33.88	33.88	33.9	76.90	88.30	82.6	6.76	6.48	6.6	5.99	6.03	6.0	4.80	4.6		
	13/1/2023	Cloudy	17:15	3.60			1.00	19.70	19.70	19.7	7.67	7.67	7.7	32.32	32.32	32.3	88.70	88.30	88.5	7.03	6.98	7.0	5.10	5.10	5.1	4.50	4.3		
			17:20	3.60			1.00	19.70	19.70	19.7	7.67	7.67	7.67	32.32	32.32	32.3	88.70	88.30	88.5	7.03	6.98	7.0	5.10	5.10	5.1	4.10	4.3		
	16/1/2023	Cloudy	7:45	3.80			1.00	14.70	14.70	14.7	7.43	7.43	7.4	33.67	33.67	33.7	91.10	90.70	90.9	7.79	7.75	7.8	3.70	3.70	3.7	5.50	5.3		
			7:50	3.80			1.00	14.70	14.70	14.7	7.43	7.43	7.43	33.67	33.67	33.7	91.10	90.70	90.9	7.79	7.75	7.8	3.70	3.70	3.7	5.00	5.3		
	18/1/2023	Sunny	10:00	3.80			1.00	14.30	14.30	14.3	7.45	7.45	7.5	33.73	33.73	33.7	92.00	91.60	91.8	7.90	7.81	7.9	3.56	3.56	3.6	5.00	4.9		
			10:05	3.80			1.00	14.30	14.30	14.3	7.45	7.45	7.45	33.73	33.73	33.7	92.00	91.60	91.8	7.90	7.81	7.9	3.56	3.56	3.6	4.70	4.9		
	20/1/2023	Sunny	11:45	3.70			1.00	15.90	15.90	15.9	7.56	7.56	7.6	33.69	33.69	33.7	91.40	91.00	91.2	7.71	7.66	7.7	3.07	3.07	3.1	10.80	10.6		
			11:50	3.70			1.00	15.90	15.90	15.9	7.56	7.56	7.56	33.69	33.69	33.7	91.40	91.00	91.2	7.71	7.66	7.7	3.07	3.07	3.1	10.40	10.6		
	30/1/2023	Sunny	7:30	3.60			1.00	13.90	13.90	13.9	8.17	8.17	8.2	33.49	33.49	33.5	91.70	91.40	91.6	8.03	7.98	8.0	1.58	1.58	1.6	3.90	3.7		
			7:35	3.60			1.00	13.90	13.90	13.9	8.17	8.17	8.17	33.49	33.49	33.5	91.70	91.40	91.6	8.03	7.98	8.0	1.58	1.58	1.6	3.50	3.7		

Remarks: WQM on 6 Jan was cancelled due to COVID positive from water sampling worker.

WQM from 21 to 29 Jan was suspended due to site closed from Chinese New Year holiday.

Water Quality Monitoring at Station W8 (Surface) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature			pH			Salinity			DO Saturation			DO			Turbidity			SS				
							°C		-	Value		Average	Value		Average	ppt		Average	Value		Average	mg/L		Value		Average		mg/L	
							m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	m	
W8 Silvermine Bay (Open Water)	3/1/2023	Cloudy	16:15	4.00	Surface		1.00	16.80	16.80	16.8	7.70	7.70	7.7	33.96	33.96	34.0	94.80	94.20	94.5	7.51	7.45	7.5	12.39	12.39	12.4	11.00	10.9		
			16:20	4.00			1.00	16.80	16.80	16.8	7.70	7.70	7.70	33.96	33.96	34.0	94.80	94.20	94.5	7.51	7.45	7.5	12.39	12.39	12.4	10.80	10.9		
	9/1/2023	Sunny	9:30	4.00			1.00	18.40	18.40	18.4	7.78	7.80	7.8	30.41	30.49	30.5	66.10	61.30	63.7	5.10	4.78	4.9	9.30	9.62	9.5	2.10	2.2		
			9:35	4.00			1.00	18.40	18.40	18.4	7.78	7.80	7.80	30.41	30.49	30.5	66.10	61.30	63.7	5.10	4.78	4.9	9.30	9.62	9.5	2.30	2.2		
	11/1/2023	Cloudy	10:15	4.00			1.00	17.30	17.30	17.3	7.67	7.71	7.7	33.74	33.72	33.7	73.70	79.20	76.5	5.62	6.02	5.8	5.50	5.49	5.5	3.80	3.6		
			10:20	4.00			1.00	17.30	17.30	17.3	7.67	7.71	7.71	33.74	33.72	33.7	73.70	79.20	76.5	5.62	6.02	5.8	5.50	5.49	5.5	3.30	3.6		
	13/1/2023	Cloudy	12:15	3.90	Surface		1.00	19.10	19.10	19.1	7.42	7.42	7.4	33.31	33.31	33.3	88.20	87.90	88.1	7.01	6.98	7.0	4.87	4.86	4.9	5.40	5.6		
			12:20	3.90			1.00	19.10	19.10	19.1	7.42	7.42	7.42	33.31	33.31	33.3	88.20	87.90	88.1	7.01	6.98	7.0	4.87	4.86	4.9	5.80	5.6		
	16/1/2023	Cloudy	13:45	4.00			1.00	14.90	14.80	14.9	7.68	7.68	7.7	33.68	33.68	33.7	90.30	90.00	90.2	7.57	7.51	7.5	5.30	5.30	5.3	5.40	5.3		
			13:50	4.00			1.00	14.90	14.80	14.9	7.68	7.68	7.68	33.68	33.68	33.7	90.30	90.00	90.2	7.57	7.51	7.5	5.30	5.30	5.3	5.20	5.3		
	18/1/2023	Sunny	14:45	4.00			1.00	15.70	15.70	15.7	7.70	7.70	7.7	33.77	33.77	33.8	90.10	89.70	89.9	7.62	7.58	7.6	4.37	4.37	4.4	3.70	3.6		
			14:50	4.00			1.00	15.70	15.70	15.7	7.70	7.70	7.70	33.77	33.77	33.8	90.10	89.70	89.9	7.62	7.58	7.6	4.37	4.37	4.4	3.50	3.6		
	20/1/2023	Sunny	16:30	4.00			1.00	17.10	17.10	17.1	7.83	7.83	7.8	33.70	33.70	33.7	91.10	90.20	90.7	7.54	7.50	7.5	4.10	4.10	4.1	4.20	4.5		
			16:35	4.00			1.00	17.10	17.10	17.1	7.83	7.83	7.83	33.70	33.70	33.7	91.10	90.20	90.7	7.54	7.50	7.5	4.10	4.10	4.1	4.70	4.5		
	30/1/2023	Sunny	13:45	4.20			1.00	15.90	15.90	15.9	8.25	8.26	8.3	33.59	33.59	33.6	91.80	91.40	91.6										

Water Quality Monitoring at Station W8 (Bottom) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS								
						°C		-		ppt		%		mg/L		NTU		Value		mg/L						
						m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average						
W8 Silvermine Bay (Open Water)	3/1/2023	Cloudy	11:10	3.70	Bottom	2.70	16.50	16.50	16.5	7.49	7.49	7.5	33.93	33.93	33.9	89.00	88.40	88.7	7.42	7.36	7.4	8.00	8.00	8.0	10.50	10.1
			11:15	3.70		2.70	16.50	16.50		7.49	7.49		33.93	33.93		89.00	88.40		7.42	7.36		8.00	8.00		9.70	
	9/1/2023	Sunny	14:40	3.70		2.70	18.10	18.20	18.2	8.02	8.03	8.0	33.89	33.87	33.9	70.50	65.40	68.0	6.36	5.99	6.2	6.66	6.72	6.7	3.30	3.5
			14:45	3.70		2.70	18.10	18.20		8.02	8.03		33.89	33.87		70.50	65.40		6.36	5.99		6.66	6.72		3.60	
	11/11/2023	Sunny	15:45	3.70		2.70	18.00	18.00	18.0	7.81	7.83	7.8	33.90	33.89	33.9	73.30	82.20	77.8	6.61	6.20	6.4	6.72	6.83	6.8	4.00	4.2
			15:50	3.70		2.70	18.00	18.00		7.81	7.83		33.90	33.89		73.30	82.20		6.61	6.20		6.72	6.83		4.30	
	13/1/2023	Cloudy	17:25	3.60		2.60	19.60	19.60	19.6	7.75	7.75	7.8	33.45	33.45	33.5	88.50	88.10	88.3	7.02	6.97	7.0	5.63	5.63	5.6	6.40	6.6
			17:30	3.60		2.60	19.60	19.60		7.75	7.75		33.45	33.45		88.50	88.10		7.02	6.97		5.63	5.63		6.80	
	16/1/2023	Cloudy	7:55	3.80		2.80	14.70	14.70	14.7	7.58	7.58	7.6	33.71	33.71	33.7	89.50	89.00	89.3	7.70	7.65	7.7	3.99	3.99	4.0	5.00	5.0
			8:00	3.80		2.80	14.70	14.70		7.58	7.58		33.71	33.71		89.50	89.00		7.70	7.65		3.99	3.99		5.00	
	18/1/2023	Sunny	10:10	3.80		2.80	14.40	14.30	14.4	7.57	7.57	7.6	33.71	33.71	33.7	92.20	91.80	92.0	7.89	7.83	7.9	3.17	3.17	3.2	3.20	3.4
			10:15	3.80		2.80	14.40	14.30		7.57	7.57		33.71	33.71		92.20	91.80		7.89	7.83		3.17	3.17		3.60	
	20/1/2023	Sunny	1:55	3.70		2.70	16.00	16.00	16.0	7.66	7.66	7.7	33.68	33.68	33.7	87.80	87.40	87.6	7.41	7.36	7.4	3.03	3.03	3.0	10.30	10.6
			2:00	3.70		2.70	16.00	16.00		7.66	7.66		33.68	33.68		87.80	87.40		7.41	7.36		3.03	3.03		10.90	
	30/1/2023	Sunny	7:40	3.60		2.60	13.90	13.90	13.9	8.18	8.18	8.2	33.49	33.49	33.5	92.30	91.80	92.1	8.00	7.96	8.0	1.59	1.59	1.6	3.30	3.5
			7:45	3.60		2.60	13.90	13.90		8.18	8.18		33.49	33.49		92.30	91.80		8.00	7.96		1.59	1.59		3.60	

Remarks: WQM on 6 Jan was cancelled due to COVID positive from water sampling worker.

WQM from 21 to 29 Jan was suspended due to site closed from Chinese New Year holiday.

Water Quality Monitoring at Station W8 (Bottom) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS								
						°C		-		ppt		%		mg/L		NTU		Value		mg/L						
						m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average						
W8 Silvermine Bay (Open Water)	3/1/2023	Cloudy	16:25	4.00	Bottom	3.00	16.80	16.80	16.8	7.80	7.80	7.8	33.97	33.97	34.0	89.40	89.10	89.3	7.30	7.25	7.3	10.11	10.11	10.1	9.90	9.4
			16:30	4.00		3.00	16.80	16.80		7.80	7.80		33.97	33.97		89.40	89.10		7.30	7.25		10.11	10.11		8.80	
	9/1/2023	Sunny	9:40	4.00		3.00	18.30	18.40	18.4	7.84	7.84	7.8	33.73	33.74	33.7	71.50	65.00	68.3	5.36	4.92	5.1	8.19	8.49	8.3	2.00	2.0
			9:45	4.00		3.00	18.30	18.40		7.84	7.84		33.73	33.74		71.50	65.00		5.36	4.92		8.19	8.49		2.00	
	11/1/2023	Cloudy	10:30	4.00		3.00	17.50	17.50	17.5	7.78	7.80	7.8	33.85	33.86	33.9	71.30	86.50	78.9	5.46	6.52	6.0	6.55	6.59	6.6	2.90	4.2
			10:35	4.00		3.00	17.50	17.50		7.78	7.80		33.85	33.86		71.30	86.50		5.46	6.52		6.55	6.59		5.50	
	13/1/2023	Cloudy	12:25	3.90		2.90	19.00	19.00	19.0	7.56	7.56	7.6	33.64	33.64	33.6	85.70	85.20	85.5	7.00	6.95	7.0	5.85	5.85	5.9	4.80	
			12:30	3.90		2.90	19.00	19.00		7.56	7.56		33.64	33.64		85.70	85.20		7.00	6.95		5.85	5.85		5.20	
	16/1/2023	Cloudy	13:55	4.00		3.00	14.90	14.90	14.9	7.76	7.76	7.8	33.71	33.71	33.7	89.50	89.00	89.3	7.66	7.60	7.6	5.49	5.49	5.5	5.00	4.9
			14:00	4.00		3.00	14.90	14.90		7.76	7.76		33.71	33.71		89.50	89.00		7.66	7.60		5.49	5.49		4.80	
	18/1/2023	Sunny	14:55	4.00		3.00	15.70	15.60	15.7	7.77	7.77	7.8	33.74	33.74	33.7	89.80	89.40	89.6	7.51	7.47	7.5	4.66	4.66	4.7	4.90	4.7
			15:00	4.00		3.00	15.70	15.60		7.77	7.77		33.74	33.74		89.80	89.40		7.51	7.47		4.66	4.66		4.50	
	20/1/2023	Sunny	16:40	4.00		3.00	16.90	16.90	16.9	7.88	7.88	7.9	33.74	33.74	33.7	89.50	89.00	89.3	7.41	7.37	7.4	4.04	4.04	4.0	5.20	5.5
			16:45	4.00		3.00	16.90	16.90		7.88	7.88		33.74	33.74		89.50	89.00		7.41	7.37		4.04	4.04		5.70	
	30/1/2023	Sunny	13:55	4.20		3.20	15.70	15.70	15.7	8.25	8.25	8.3	33.61	33.61	33.6	89.40	88.80	89.1	7.92	7.84	7.9	2.12	2.12	2.1	5.20	5.4
			14:00	4.20		3.20	15.70	15.70		8.25	8.25		33.61	33.61		89.40	88.80		7.92	7.84		2.12	2.12		5.60	

General Note: Additional data of temperature, pH, salinity, DO saturation, DO and turbidity were obtained in each duplicate set for better representativeness.

Water Quality Monitoring at Station W1 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W1 Wang Tong River (Major tributary)	1/2/2023	Sunny	21:30	0.50	Middle	0.25	20.50	20.50	20.5	8.37	8.37	8.4	5.24	5.24	5.2	97.20	96.70	97.0	9.19	9.12	9.2	6.49	6.49	6.5	3.80	3.3
			21:35	0.50		0.25	20.50	20.50		8.37	8.37		5.24	5.24		97.20	96.70		9.19	9.12		6.49	6.49		2.80	
	4/2/2023	Cloudy/ Rain	11:00	0.50		0.25	17.40	17.40	17.4	8.46	8.46	8.5	3.40	3.40	3.4	92.70	92.50	92.6	8.97	8.93	9.0	2.65	2.65	2.7	2.00	2.0
			11:05	0.50		0.25	17.40	17.40		8.46	8.46		3.40	3.40		92.70	92.50		8.97	8.93		2.65	2.65		2.00	
	6/2/2023	Cloudy/ Sunny	12:00	0.50		0.25	19.30	19.30	19.3	8.26	8.26	8.3	4.35	4.35	4.4	95.60	95.20	95.4	8.82	8.77	8.8	2.78	2.78	2.8	3.20	3.5
			12:05	0.50		0.25	19.30	19.30		8.26	8.26		4.35	4.35		95.60	95.20		8.82	8.77		2.78	2.78		3.20	
	8/2/2023	Cloudy/ Sunny	13:00	0.50		0.25	18.60	18.60	18.6	8.49	8.49	8.5	2.60	2.60	2.6	93.30	92.90	93.1	8.67	8.62	8.6	2.40	2.40	2.4	2.70	2.7
			13:05	0.50		0.25	18.60	18.60		8.49	8.49		2.60	2.60		93.30	92.90		8.67	8.62		2.40	2.40		2.60	
	10/2/2023	Sunny	14:30	0.50		0.25	21.60	21.60	21.6	8.27	8.27	8.3	2.48	2.48	2.5	94.70	94.30	94.5	9.40	9.35	9.4	3.57	3.57	3.6	2.50	2.5
			14:35	0.50		0.25	21.60	21.60		8.27	8.27		2.48	2.48		94.70	94.30		9.40	9.35		3.57	3.57		2.40	
	13/2/2023	Sunny	17:00	0.50		0.25	22.90	22.90	22.9	8.21	8.21	8.2	0.95	0.95	1.0	71.10	70.60	70.9	6.37	6.32	6.3	8.85	8.85	8.9	3.80	4.6
			17:05	0.50		0.25	22.90	22.90		8.21	8.21		0.95	0.95		71.10	70.60		6.37	6.32		8.85	8.85		5.30	
	15/2/2023	Sunny	19:15	0.50		0.25	18.00	18.00	18.0	7.82	7.82	7.8	18.14	18.14	18.1	90.10	89.70	89.9	8.05	8.00	8.0	6.99	6.99	7.0	2.00	2.0
			19:20	0.50		0.25	18.00	18.00		7.82	7.82		18.14	18.14		90.10	89.70		8.05	8.00		6.99	6.99		2.00	
	18/2/2023	Sunny/ Cloudy	10:15	0.50		0.25	18.50	18.50	18.5	6.71	6.71	6.7	3.25	3.25	3.3	83.60	83.20	83.4	8.05	8.00	8.0	3.53	3.53	3.5	2.00	2.0
			10:20	0.50		0.25	18.50	18.50		6.71	6.71		3.25	3.25		83.60	83.20		8.05	8.00		3.53	3.53		2.00	
	20/2/2023	Sunny	12:00	0.50		0.25	19.80	19.80	19.8	8.20	8.20	8.2	5.45	5.45	5.5	85.10	84.70	84.9	7.75	7.70	7.7	5.09	5.09	5.1	3.20	3.4
			12:05	0.50		0.25	19.80	19.80		8.20	8.20		5.45	5.45		85.10	84.70		7.75	7.70		5.09	5.09		3.60	
	22/2/2023	Sunny	13:15	0.50		0.25	18.00	18.00	18.0	8.45	8.45	8.5	3.18	3.18	3.2	85.00	84.60	84.8	8.03	7.98	8.0	5.59	5.59	5.6	3.10	3.3
			13:20	0.50		0.25	18.00	18.00		8.45	8.45		3.18	3.18		85.00	84.60		8.03	7.98		5.59	5.59		3.40	
	24/2/2023	Sunny	14:30	0.50		0.25	21.50	21.50	21.5	7.83	7.83	7.8	7.02	7.02	7.0	90.30	89.70	90.0	7.95	7.90	7.9	13.06	13.06	13.1	3.10	3.3
			14:35	0.50		0.25	21.50	21.50		7.83	7.83		7.02	7.02		90.30	89.70		7.95	7.90		13.06	13.06		3.40	
	27/2/2023	Sunny	17:30	0.50		0.25	17.50	17.50	17.5	7.76	7.76	7.8	7.87	7.87	7.9	86.00	85.60	85.8	8.45	8.41	8.4	8.43	8.43	8.4	2.00	2.0
			17:35	0.50		0.25	17.50	17.50		7.76	7.76		7.87	7.87		86.00	85.60		8.45	8.41		8.43	8.43		2.00	

Remarks:

Water Quality Monitoring at Station W1 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W1 Wang Tong River (Major tributary)	1/2/2023	Sunny	14:30	0.50	Middle	0.25	19.50	19.50	19.5	6.85	6.85	6.9	2.21	2.21	2.2	86.90	85.90	86.4	8.84	8.80	8.8	3.04	3.04	3.0	2.00	2.0
			14:35	0.50		0.25	19.50	19.50		6.85	6.85		2.21	2.21		86.90	85.90		8.84	8.80		3.04	3.04		2.00	
	4/2/2023	Cloudy/ Rain	6:30	0.50		0.25	17.30	17.30	17.3	6.88	6.88	6.9	4.69	4.69	4.7	83.40	83.00	83.2	7.93	7.88	7.9	2.51	2.51	2.5	2.00	2.2
			6:35	0.50		0.25	17.30	17.30		6.88	6.88		4.69	4.69		83.40	83.00		7.93	7.88		2.51	2.51		2.40	
	6/2/2023	Cloudy	7:00	0.50		0.25	17.80	17.80	17.8	6.60	6.60	6.6	6.19	6.19	6.2	76.00	75.60	75.8	7.19	7.14	7.2	1.67	1.67	1.7	2.80	3.3
			7:05	0.50		0.25	17.80	17.80		6.60	6.60		6.19	6.19		76.00	75.60		7.19	7.14		1.67	1.67		3.70	
	8/2/2023	Cloudy	7:45	0.50		0.25	18.20	18.20	18.2	7.03	7.03	7.0	2.98	2.98	3.0	84.90	84.40	84.7	8.54	8.50	8.5	3.57	3.57	3.6	9.20	9.1
			7:50	0.50		0.25	18.20	18.20		7.03	7.03		2.98	2.98		84.90	84.40		8.54	8.50		3.57	3.57		8.90	
	10/2/2023	Cloudy/ Sunny	8:45	0.50		0.25	19.70	19.70	19.7	6.92	6.92	6.9	4.29	4.29	4.3	80.40	80.00	80.2	7.75	7.70	7.7	2.46	2.46	2.5	2.30	2.2
			8:50	0.50		0.25	19.70	19.70		6.92	6.92		4.29	4.29		80.40	80.00		7.75	7.70		2.46	2.46		2.10	
	13/3/2023	Sunny	10:00	0.50		0.25	21.40	21.40	21.4	7.14	7.14	7.1	0.81	0.81	0.8	91.30	90.80	91.1	8.56	8.51	8.5	3.65	3.65	3.7	2.00	2.0
			10:05	0.50		0.25	21.40	21.40		7.14	7.14		0.81	0.81		91.30	90.80		8.56	8.51		3.65	3.65		2.00	
	15/2/2023	Sunny	11:45	0.50		0.25	17.60	17.60	17.6	7.14	7.14	7.1	1.37	1.37	1.4	97.10	96.70	96.9	9.65	9.61	9.6	4.01	4.00	4.0	2.00	2.0
			11:50	0.50		0.25	17.60	17.60																		

Water Quality Monitoring at Station W2 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W2 Wang Tong River (Major tributary)	1/2/2023	Sunny	21:45	0.50	Middle	0.25	20.50	20.20	20.4	7.93	7.93	7.9	17.59	17.59	17.6	94.10	93.70	93.9	8.23	8.18	8.2	9.38	9.38	9.4	3.10	5.4
			21:50	0.50		0.25	20.50	20.20		7.93	7.93		17.59	17.59		94.10	93.70		8.23	8.18		9.38	9.38		7.60	
	4/2/2023	Cloudy/ Rain	11:15	0.50		0.25	17.30	17.30	17.3	7.96	7.96	8.0	7.17	7.17	7.2	88.60	88.10	88.4	8.61	8.55	8.6	6.99	6.99	7.0	6.80	7.2
			11:20	0.50		0.25	17.30	17.30		7.96	7.96		7.17	7.17		88.60	88.10		8.61	8.55		6.99	6.99		7.60	
	6/2/2023	Cloudy/ Sunny	12:15	0.50		0.25	19.10	19.10	19.1	7.94	7.94	7.9	6.79	6.79	6.8	91.00	90.60	90.8	8.54	8.50	8.5	3.84	3.84	3.8	3.70	5.0
			12:20	0.50		0.25	19.10	19.10		7.94	7.94		6.79	6.79		91.00	90.60		8.54	8.50		3.84	3.84		6.20	
	8/2/2023	Cloudy/ Sunny	13:15	0.50		0.25	18.50	18.50	18.5	8.00	8.00	8.0	5.46	5.46	5.5	87.10	86.70	86.9	8.44	8.36	8.4	6.57	6.57	6.6	7.80	8.0
			13:20	0.50		0.25	18.50	18.50		8.00	8.00		5.46	5.46		87.10	86.70		8.44	8.36		6.57	6.57		8.20	
	10/2/2023	Sunny	14:45	0.50		0.25	21.60	21.60	21.6	7.84	7.84	7.8	7.28	7.28	7.3	94.10	93.70	93.9	9.21	9.16	9.2	12.00	12.00	12.0	12.50	13.7
			14:50	0.50		0.25	21.60	21.60		7.84	7.84		7.28	7.28		94.10	93.70		9.21	9.16		12.00	12.00		14.90	
	13/2/2023	Sunny	17:15	0.50		0.25	24.20	24.20	24.2	7.82	7.82	7.8	2.31	2.31	2.3	85.90	85.40	85.7	7.54	7.49	7.5	19.28	19.28	19.3	17.10	17.8
			17:20	0.50		0.25	24.20	24.20		7.82	7.82		2.31	2.31		85.90	85.40		7.54	7.49		19.28	19.28		18.50	
	15/2/2023	Sunny	19:30	0.50		0.25	17.80	17.80	17.8	7.82	7.82	7.8	21.56	21.56	21.6	89.20	88.80	89.0	7.80	7.75	7.8	6.70	6.70	6.7	7.00	5.4
			19:35	0.50		0.25	17.80	17.80		7.82	7.82		21.56	21.56		89.20	88.80		7.80	7.75		6.70	6.70		3.80	
	18/2/2023	Sunny/ Cloudy	10:30	0.50		0.25	18.50	18.50	18.5	6.55	6.55	6.6	11.44	11.44	11.4	80.00	79.60	79.8	7.54	7.50	7.5	4.96	4.96	5.0	2.70	2.9
			10:35	0.50		0.25	18.50	18.50		6.55	6.55		11.44	11.44		80.00	79.60		7.54	7.50		4.96	4.96		3.00	
	20/2/2023	Sunny	12:15	0.50		0.25	19.60	19.60	19.6	7.69	7.69	7.7	11.67	11.67	11.7	81.10	80.70	80.9	7.64	7.60	7.6	5.49	5.49	5.5	4.30	4.5
			12:20	0.50		0.25	19.60	19.60		7.69	7.69		11.67	11.67		81.10	80.70		7.64	7.60		5.49	5.49		4.70	
	22/2/2023	Sunny	13:30	0.50		0.25	17.70	17.70	17.7	7.75	7.75	7.8	13.21	13.21	13.2	86.50	86.10	86.3	7.96	7.90	7.9	5.26	5.26	5.3	3.00	3.2
			13:35	0.50		0.25	17.70	17.70		7.75	7.75		13.21	13.21		86.50	86.10		7.96	7.90		5.26	5.26		3.40	
	24/2/2023	Sunny	14:45	0.50		0.25	21.10	21.10	21.1	7.49	7.49	7.5	14.38	14.38	14.4	86.40	86.00	86.2	7.20	7.15	7.2	9.24	9.24	9.2	3.00	3.2
			14:50	0.50		0.25	21.10	21.10		7.49	7.49		14.38	14.38		86.40	86.00		7.20	7.15		9.24	9.24		3.40	
	27/2/2023	Sunny	17:45	0.50		0.25	17.50	17.50	17.5	7.47	7.47	7.5	18.95	18.95	19.0	88.10	87.70	87.9	7.90	7.86	7.9	6.49	6.49	6.5	5.00	5.3
			17:50	0.50		0.25	17.50	17.50		7.47	7.47		18.95	18.95		88.10	87.70		7.90	7.86		6.49	6.49		5.60	

Remarks:

Water Quality Monitoring at Station W2 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average					
W2 Wang Tong River (Major tributary)	1/2/2023	Sunny	14:45	0.50	Middle	0.25	19.80	19.80	19.8	6.96	6.96	7.0	2.47	2.47	2.5	81.50	81.10	81.3	8.65	8.61	8.6	2.60	2.60	2.6	2.00	2.0
			14:50	0.50		0.25	19.80	19.80		6.96	6.96		2.47	2.47		81.50	81.10		8.65	8.61		2.60	2.60		2.00	
	4/2/2023	Cloudy/ Rain	6:45	0.50		0.25	17.20	17.20	17.2	6.74	6.74	6.7	9.35	9.35	9.4	73.30	72.80	73.1	7.20	7.15	7.2	2.93	2.93	2.9	2.40	2.4
			6:50	0.50		0.25	17.20	17.20		6.74	6.74		9.35	9.35		73.30	72.80		7.20	7.15		2.93	2.93		2.40	
	6/2/2023	Cloudy	7:15	0.50		0.25	17.80	17.80	17.8	6.55	6.55	6.6	15.69	15.69	15.7	71.00	70.60	70.8	7.02	6.95	7.0	2.51	2.51	2.5	2.80	2.9
			7:20	0.50		0.25	17.80	17.80		6.55	6.55		15.69	15.69		71.00	70.60		7.02	6.95		2.51	2.51		2.90	
	8/2/2023	Cloudy	8:00	0.50		0.25	18.20	18.20	18.2	6.82	6.82	6.8	7.30	7.30	7.3	76.70	76.20	76.5	7.23	7.16	7.2	3.11	3.11	3.1	3.50	3.3
			8:05	0.50		0.25	18.20	18.20		6.82	6.82		7.30	7.30		76.70	76.20		7.23	7.16		3.11	3.11		3.10	
	10/2/2023	Cloudy/ Sunny	9:00	0.50		0.25	19.60	19.60	19.6	6.80	6.80	6.8	9.78	9.78	9.8	74.10	73.70	73.9	6.78	6.72	6.8	5.06	5.06	5.1	6.70	5.5
			9:05	0.50		0.25	19.60	19.60		6.80	6.80		9.78	9.78		74.10	73.70		6.78	6.72		5.06	5.06		4.30	
	13/3/2023	Sunny	10:15	0.50		0.25	21.60	21.60	21.6	6.92	6.92	6.9	3.62	3.62	3.6	77.70	77.20	77.5	7.08	7.02	7.1	14.80	14.80	14.8	13.10	13.9
			10:20	0.50		0.25	21.60	21.60		6.92	6.92		3.62	3.62		77.70	77.20		7.08	7.02		14.80	14.80		14.70	
	15/2/2023	Sunny	12:05	0.50		0.25	18.40	18.40	18.4	7.30	7.30	7.3	19.67	19.67	19.7	87.20	86.80	87.0	7.51	7.47	7.5	6.54	6.54	6.5	5.60	5.5

Water Quality Monitoring at Station W4 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W4 Wang Tong River (Minor tributary to Tai Wai Yuen)	1/2/2023	Sunny	22:00	0.50	Middle	0.25	20.00	20.00	20.0	7.95	7.95	8.0	24.32	24.32	24.3	93.40	92.98	93.2	8.02	7.94	8.0	7.73	7.73	7.7	4.30	5.4
			22:05	0.50		0.25	20.00	20.00		7.95	7.95		24.32	24.32		93.40	92.98		8.02	7.94		7.73	7.73		6.40	
	4/2/2023	Cloudy/ Rain	11:30	0.50		0.25	17.30	17.30	17.3	7.69	7.69	7.7	10.24	10.24	10.2	80.30	79.80	80.1	7.69	7.62	7.7	4.72	4.72	4.7	3.60	3.8
	6/2/2023	Cloudy/ Sunny	12:30	0.50		0.25	17.30	17.30		7.69	7.69		10.24	10.24		80.30	79.80		7.69	7.62		4.72	4.72		4.00	
	8/2/2023	Cloudy/ Sunny	13:30	0.50		0.25	18.60	18.60	18.6	7.78	7.78	7.8	7.17	7.17	7.2	85.30	84.90	85.1	8.13	8.08	8.1	5.98	5.97	6.0	6.50	6.4
	8/2/2023	Cloudy/ Sunny	13:35	0.50		0.25	18.60	18.60		7.78	7.78		7.17	7.17		85.30	84.90		8.13	8.08		5.98	5.97		6.20	
	10/2/2023	Sunny	15:00	0.50		0.25	22.20	22.20	22.2	7.67	7.67	7.7	9.58	9.58	9.6	92.40	92.00	92.2	8.45	8.40	8.4	14.81	14.80	14.8	14.80	14.5
	10/2/2023	Sunny	15:05	0.50		0.25	22.20	22.20		7.67	7.67		9.58	9.58		92.40	92.00		8.45	8.40		14.81	14.80		14.20	
	13/2/2023	Sunny	17:30	0.50		0.25	24.50	24.50	24.5	7.84	7.84	7.8	2.52	2.52	2.5	89.00	88.70	88.9	7.88	7.83	7.9	19.28	19.28	19.3	13.50	12.2
	13/2/2023	Sunny	17:35	0.50		0.25	24.50	24.50		7.84	7.84		2.52	2.52		89.00	88.70		7.88	7.83		19.28	19.28		10.80	
	15/2/2023	Sunny	19:45	0.50		0.25	17.30	17.30	17.3	7.91	7.91	7.9	19.25	19.25	19.3	91.10	90.60	90.9	8.05	8.01	8.0	8.22	8.22	8.2	6.20	6.4
	15/2/2023	Sunny	19:50	0.50		0.25	17.30	17.30		7.91	7.91		19.25	19.25		91.10	90.60		8.05	8.01		8.22	8.22		6.50	
	18/2/2023	Sunny/ Cloudy	10:45	0.50		0.25	18.60	18.60	18.6	6.76	6.76	6.8	17.91	17.91	17.9	73.90	73.50	73.7	6.30	6.25	6.3	11.37	11.37	11.4	5.70	5.5
	18/2/2023	Sunny/ Cloudy	10:50	0.50		0.25	18.60	18.60		6.76	6.76		17.91	17.91		73.90	73.50		6.30	6.25		11.37	11.37		5.30	
	20/2/2023	Sunny	12:30	0.50		0.25	20.30	20.30	20.3	7.38	7.38	7.4	19.81	19.81	19.8	76.50	76.10	76.3	6.22	6.19	6.2	8.52	8.52	8.5	5.50	5.4
	20/2/2023	Sunny	12:35	0.50		0.25	20.30	20.30		7.38	7.38		19.81	19.81		76.50	76.10		6.22	6.19		8.52	8.52		5.20	
	22/2/2023	Sunny	13:45	0.50		0.25	18.20	18.20	18.2	7.64	7.64	7.6	16.15	16.15	16.2	85.10	84.70	84.9	7.57	7.52	7.5	5.49	5.49	5.5	2.20	2.5
	22/2/2023	Sunny	13:50	0.50		0.25	18.20	18.20		7.64	7.64		16.15	16.15		85.10	84.70		7.57	7.52		5.49	5.49		2.70	
	24/2/2023	Sunny	15:00	0.50		0.25	21.70	21.70	21.7	7.46	7.46	7.5	17.46	17.46	17.5	89.50	89.00	89.3	7.40	7.32	7.4	12.00	12.00	12.0	2.20	2.5
	24/2/2023	Sunny	15:05	0.50		0.25	21.70	21.70		7.46	7.46		17.46	17.46		89.50	89.00		7.40	7.32		12.00	12.00		2.20	
	27/2/2023	Sunny	18:00	0.50		0.25	18.00	18.00	18.0	7.52	7.52	7.5	25.38	25.37	25.4	86.10	85.80	86.0	7.51	7.45	7.5	5.10	5.10	5.1	2.00	
	27/2/2023	Sunny	18:05	0.50		0.25	18.00	18.00		7.52	7.52		25.38	25.37		86.10	85.80		7.51	7.45		5.10	5.10		2.00	

Remarks:

Water Quality Monitoring at Station W4 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W4 Wang Tong River (Minor tributary to Tai Wai Yuen)	1/2/2023	Sunny	15:00	0.50	Middle	0.25	20.00	20.00	20.0	6.95	6.95	7.0	11.70	11.70	11.7	81.00	80.50	80.8	6.79	6.74	6.8	4.98	4.98	5.0	7.40	6.8
	1/2/2023	Sunny	15:05	0.50		0.25	20.00	20.00		6.95	6.95		11.70	11.70		81.00	80.50		6.79	6.74		4.98	4.98		6.10	
	4/2/2023	Cloudy/ Rain	7:00	0.50		0.25	17.10	17.10	17.1	6.70	6.70	6.7	14.37	14.37	14.4	75.60	75.10	75.4	7.00	6.96	7.0	3.65	3.65	3.7	7.10	6.2
	4/2/2023	Cloudy/ Rain	7:05	0.50		0.25	17.10	17.10		6.70	6.70		14.37	14.37		75.60	75.10		7.00	6.96		3.65	3.65		5.20	
	6/2/2023	Cloudy	7:30	0.50		0.25	18.10	18.10	18.1	6.92	6.92	6.9	17.14	17.14	17.1	71.40	71.00	71.2	8.39	8.25	8.3	2.78	2.78	2.8	2.30	2.5
	6/2/2023	Cloudy	7:35	0.50		0.25	18.10	18.10		6.92	6.92		17.14	17.14		71.40	71.00		8.39	8.25		2.78	2.78		2.60	
	8/2/2023	Cloudy	8:15	0.50		0.25	18.00	18.00	18.0	6.82	6.82	6.8	12.71	12.71	12.7	74.80	74.40	74.6	6.55	6.51	6.5	3.27	3.27	3.3	3.00	2.9
	8/2/2023	Cloudy	8:20	0.50		0.25	18.00	18.00		6.82	6.82		12.71	12.71		74.80	74.40		6.55	6.51		3.27	3.27		3.27	
	10/2/2023	Cloudy/ Sunny	9:15	0.50		0.25	19.70	19.70	19.7	6.88	6.88	6.9	11.74	11.74	11.7	71.10	70.60	70.9	6.55	6.50	6.5	5.73	5.73	5.7	7.20	6.8
	10/2/2023	Cloudy/ Sunny	9:20	0.50		0.25	19.70	19.70		6.88	6.88		11.74	11.74		71.10	70.60		6.55	6.50		5.73	5.73		6.40	
	13/3/2023	Sunny	10:30	0.50		0.25	22.00	22.00	22.0	7.05	7.05	7.1	3.50	3.50	3.5	70.30	70.00	70.2	6.55	6.50	6.5	13.56	13.56	13.6	10.00	10.9
	13/3/2023	Sunny	10:35	0.50		0.25	22.00	22.00		7.05	7.05		3.50	3.50		70.30	70.00		6.55	6.50		13.56	13.56		11.80	
	15/2/2023	Sunny	12:15	0.50		0.25	18.40	18.40	18.4	7.59	7.59	7.6	11.32	11.32	11.3	88.00	87.60	87.8	8.10	8.05	8.1	12.00	12.00	12.0	10.00	10.2
	15/2/2023	Sunny	12:20	0.50		0.25	18.40	18.40		7.59	7.59		11.32	11.32		88.00	87.60		8.10	8.05		12.00	12.00		10.4	

Water Quality Monitoring at Station W5 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		Value		mg/L					
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average					
W5 Silvermine Bay (Near Silvermine Bay Beach)	1/2/2023	Sunny	22:15	0.50	Middle	0.25	19.40	19.40	19.4	8.05	8.05	8.1	26.63	26.63	26.6	89.50	89.10	89.3	7.27	7.20	7.2	7.89	7.89	7.9	9.00	11.1
			22:20	0.50		0.25	19.40	19.40		8.05	8.05		26.63	26.63		89.50	89.10		7.27	7.20		7.89	7.89		13.20	
	4/2/2023	Cloudy/ Rain	11:45	0.50		0.25	17.20	17.20	17.2	7.65	7.65	7.7	9.92	9.92	9.9	81.40	81.00	81.2	7.67	7.60	7.6	7.82	7.82	7.8	4.30	3.9
	6/2/2023	Cloudy/ Sunny	12:45	0.50		0.25	17.20	17.20		7.65	7.65		9.92	9.92		81.40	81.00		7.67	7.60		7.82	7.82		3.50	
	8/2/2023	Cloudy/ Sunny	13:45	0.50		0.25	18.60	18.60	18.6	7.64	7.64	7.6	9.14	9.14	9.1	81.70	81.40	81.6	7.66	7.60	7.6	6.49	6.49	6.5	8.10	7.9
	10/2/2023	Sunny	15:15	0.50		0.25	22.00	22.00	22.0	7.61	7.61	7.6	11.32	11.32	11.3	89.10	88.60	88.9	7.92	7.88	7.9	8.39	8.38	8.4	12.00	11.6
			15:20	0.50		0.25	22.00	22.00		7.61	7.61		11.32	11.32		89.10	88.60		7.92	7.88		8.39	8.38		11.10	
	13/2/2023	Sunny	17:45	0.50		0.25	24.10	24.10	24.1	7.85	7.85	7.9	2.53	2.53	2.5	91.50	91.10	91.3	8.18	8.12	8.2	16.84	16.84	16.8	14.50	14.2
			17:50	0.50		0.25	24.10	24.10		7.85	7.85		2.53	2.53		91.50	91.10		8.18	8.12		16.84	16.84		13.80	
	15/2/2023	Sunny	20:00	0.50		0.25	17.30	17.30	17.3	7.84	7.84	7.8	24.84	24.84	24.8	88.50	88.10	88.3	7.63	7.59	7.6	7.09	7.09	7.1	3.80	4.0
			20:05	0.50		0.25	17.30	17.30		7.84	7.84		24.84	24.84		88.50	88.10		7.63	7.59		7.09	7.09		4.20	
	18/2/2023	Sunny/ Cloudy	11:00	0.50		0.25	18.70	18.70	18.7	6.90	6.90	6.9	17.67	17.67	17.7	72.40	72.00	72.2	6.32	6.26	6.3	8.50	8.50	8.5	3.10	3.0
			11:05	0.50		0.25	18.70	18.70		6.90	6.90		17.67	17.67		72.40	72.00		6.32	6.26		8.50	8.50		2.80	
	20/2/2023	Sunny	12:45	0.50		0.25	20.30	20.30	20.3	7.35	7.35	7.4	28.84	28.84	28.8	70.50	70.00	70.3	5.91	5.90	5.9	6.72	6.72	6.7	3.70	3.6
			12:50	0.50		0.25	20.30	20.30		7.35	7.35		28.84	28.84		70.50	70.00		5.91	5.90		6.72	6.72		3.40	
	22/2/2023	Sunny	14:00	0.50		0.25	18.70	18.70	18.7	7.51	7.51	7.5	28.61	28.61	28.6	83.70	83.30	83.5	7.20	7.15	7.2	9.50	9.50	9.5	6.00	5.9
			14:05	0.50		0.25	18.70	18.70		7.51	7.51		28.61	28.61		83.70	83.30		7.20	7.15		9.50	9.50		5.80	
	24/2/2023	Sunny	15:15	0.50		0.25	21.70	21.70	21.7	7.50	7.50	7.5	22.76	22.76	22.8	88.80	88.40	88.6	7.05	7.01	7.0	9.71	9.71	9.7	6.00	5.9
			15:20	0.50		0.25	21.70	21.70		7.50	7.50		22.76	22.76		88.80	88.40		7.05	7.01		9.71	9.71		5.80	
	27/2/2023	Sunny	18:15	0.50		0.25	17.70	17.70	17.7	7.72	7.72	7.7	17.38	17.38	17.4	88.20	87.60	87.9	7.95	7.91	7.9	4.83	4.83	4.8	2.30	2.2
			18:20	0.50		0.25	17.70	17.70		7.72	7.72		17.38	17.38		88.20	87.60		7.95	7.91		4.83	4.83		2.10	

Remarks:

Water Quality Monitoring at Station W5 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		Value		mg/L					
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average					
W5 Silvermine Bay (Near Silvermine Bay Beach)	1/2/2023	Sunny	15:15	0.50	Middle	0.25	20.10	20.10	20.1	7.12	7.12	7.1	10.20	10.20	10.2	80.00	79.60	79.8	7.20	7.16	7.2	3.22	3.22	3.2	2.90	3.1
			15:20	0.50		0.25	20.10	20.10		7.12	7.12		10.20	10.20		80.00	79.60		7.20	7.16		3.22	3.22		3.20	
	4/2/2023	Cloudy/ Rain	7:15	0.50		0.25	17.10	17.10	17.1	6.91	6.91	6.9	14.62	14.62	14.6	73.20	73.00	73.1	6.96	6.91	6.9	3.32	3.32	3.3	5.40	6.0
			7:20	0.50		0.25	17.10	17.10		6.91	6.91		14.62	14.62		73.20	73.00		6.96	6.91		3.32	3.32		3.60	
	6/2/2023	Cloudy	7:45	0.50		0.25	18.10	18.10	18.1	6.94	6.94	6.9	18.19	18.19	18.2	67.20	66.80	67.0	6.01	5.96	6.0	2.99	2.99	3.0	4.40	7.0
			7:50	0.50		0.25	18.10	18.10		6.94	6.94		18.19	18.19		67.20	66.80		6.01	5.96		2.99	2.99		9.50	
	8/2/2023	Cloudy	8:30	0.50		0.25	18.10	18.10	18.1	6.97	6.97	7.0	12.85	12.85	12.9	73.50	73.10	73.3	6.70	6.63	6.7	3.57	3.57	3.6	5.40	5.2
			8:35	0.50		0.25	18.10	18.10		6.97	6.97		12.85	12.85		73.50	73.10		6.70	6.63		3.57	3.57		5.00	
	10/2/2023	Cloudy/ Sunny	9:30	0.50		0.25	19.70	19.70	19.7	6.95	6.95	7.0	11.83	11.83	11.8	73.50	73.00	73.3	6.30	6.25	6.3	5.79	5.79	5.8	6.90	7.3
			9:35	0.50		0.25	19.70	19.70		6.95	6.95		11.83	11.83		73.50	73.00		6.30	6.25		5.79	5.79		7.60	
	13/3/2023	Sunny	10:45	0.50		0.25	22.00	22.00	22.0	7.08	7.08	7.1	3.74	3.74	5.7	70.30	70.00	70.2	6.57	6.52	6.5	12.00	12.00	12.0	10.10	10.9
			10:50	0.50		0.25	22.00	22.00		7.08	7.08		3.74	3.74		70.30	70.00		6.57	6.52		12.00	12.00		11.60	
	15/2/2023	Sunny	12:30	0.50		0.25	18.40	18.40	18.4	7.51	7.51	7.5	22.98	22.98	23.0	84.80	84.40	84.6	7.37	7.33	7.4	9.37	9.37	9.4	7.50	7.6
			12:35	0.50		0.25	18.40	18.40		7.51	7.51		22.98	22.98		84.80	84.40		7.37	7.33		9.37	9.37		7.60	
	18/2/2023	Sunny	15:45	0.50		0.25	21.50	21.50	21.5	7.30	7.30	7.3	16.17	16.17	16.2	84.00	83.70	83.9	7.16	7.10	7.1	10.21	10.21	10.2	8.50	8.7
			15:50	0.50		0.25	21.50	21.50																		

Water Quality Monitoring at Station W6 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		% ‰		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average					
W6 Silvermine Bay (Near Silvermine Bay Beach)	1/2/2023	Sunny	22:30	1.70	Middle		0.85	19.00	19.00	8.15	8.15	8.2	33.24	33.24	33.2	96.20	95.60	95.9	7.65	7.61	7.6	4.86	4.86	4.9	3.30	3.7
			22:35	1.70			0.85	19.00	19.00	8.15	8.15	8.2	33.24	33.24	33.2	96.20	95.60	95.9	7.65	7.61	7.6	4.86	4.86	4.00		
	4/2/2023	Cloudy/ Rain	12:00	1.70			0.85	17.00	17.00	7.68	7.68	7.7	32.35	32.35	32.4	90.10	89.70	89.9	7.53	7.48	7.5	2.51	2.51	2.5	2.20	2.7
			12:05	1.70			0.85	17.00	17.00	7.68	7.68	7.6	32.35	32.35	32.4	90.10	89.70	89.9	7.53	7.48	7.5	2.51	2.51	2.5	3.20	
	6/2/2023	Cloudy/ Sunny	13:00	1.60			0.80	18.50	18.50	7.57	7.57	7.6	32.49	32.49	32.5	93.20	92.80	93.0	7.58	7.54	7.6	3.18	3.18	3.2	3.90	4.2
			13:05	1.60			0.80	18.50	18.50	7.57	7.57	7.6	32.49	32.49	32.5	93.20	92.80	93.0	7.58	7.54	7.6	3.18	3.18	3.2	4.40	
	8/2/2023	Cloudy/ Sunny	14:00	1.80			0.90	18.30	18.30	7.60	7.60	7.6	32.24	32.24	32.2	90.40	89.90	90.2	7.44	7.38	7.4	5.49	5.48	5.5	7.20	7.4
			14:05	1.80			0.90	18.30	18.30	7.60	7.60	7.6	32.24	32.24	32.2	90.40	89.90	90.2	7.44	7.38	7.4	5.49	5.48	5.5	7.50	
	10/2/2023	Sunny	15:30	1.80			0.90	20.20	20.20	7.56	7.56	7.6	32.86	32.86	32.9	91.20	90.80	91.0	7.15	7.10	7.1	3.54	3.54	3.5	3.80	3.7
			15:35	1.80			0.90	20.20	20.20	7.56	7.56	7.6	32.86	32.86	32.9	91.20	90.80	91.0	7.15	7.10	7.1	3.54	3.54	3.5	3.60	
	13/2/2023	Sunny	18:00	1.90			0.95	21.90	21.90	7.37	7.37	7.4	32.35	32.35	32.4	86.10	85.70	85.9	6.74	6.70	6.7	2.18	2.18	2.2	2.90	3.1
			18:05	1.90			0.95	21.90	21.90	7.37	7.37	7.4	32.35	32.35	32.4	86.10	85.70	85.9	6.74	6.70	6.7	2.18	2.18	2.2	3.20	
	15/2/2023	Sunny	20:15	2.00			1.00	17.10	17.10	7.83	7.83	7.8	32.80	32.80	32.8	90.50	90.10	90.3	7.24	7.20	7.2	7.72	7.72	7.7	6.80	7.0
			20:20	2.00			1.00	17.10	17.10	7.83	7.83	7.8	32.80	32.80	32.8	90.50	90.10	90.3	7.24	7.20	7.2	7.72	7.72	7.7	7.20	
	18/2/2023	Sunny/ Cloudy	11:15	1.90			0.95	19.00	19.00	7.20	7.20	7.2	32.88	32.88	32.9	84.30	84.00	84.2	6.76	6.70	6.7	7.58	7.58	7.6	4.30	4.5
			11:20	1.90			0.95	19.00	19.00	7.20	7.20	7.2	32.88	32.88	32.9	84.30	84.00	84.2	6.76	6.70	6.7	7.58	7.58	7.6	4.70	
	20/2/2023	Sunny	13:00	1.90			0.95	19.60	19.60	7.60	7.60	7.6	33.72	33.72	33.7	86.90	86.40	86.7	6.70	6.65	6.7	6.06	6.06	6.1	4.20	4.2
			13:05	1.90			0.95	19.60	19.60	7.60	7.60	7.6	33.72	33.72	33.7	86.90	86.40	86.7	6.70	6.65	6.7	6.06	6.06	6.1	4.20	
	22/2/2023	Sunny	14:15	2.90			1.45	18.90	18.90	7.70	7.70	7.7	33.35	33.35	33.4	86.50	86.10	86.3	6.90	6.85	6.9	9.52	9.52	9.5	6.60	6.4
			14:20	2.90			1.45	18.90	18.90	7.70	7.70	7.7	33.35	33.35	33.4	86.50	86.10	86.3	6.90	6.85	6.9	9.52	9.52	9.5	6.60	
	24/2/2023	Sunny	15:30	1.90			0.95	20.40	20.40	7.63	7.63	7.6	33.71	33.70	33.7	87.20	86.80	87.0	6.80	6.75	6.8	4.92	4.92	4.9	6.60	6.4
			15:35	1.90			0.95	20.40	20.40	7.63	7.63	7.6	33.71	33.70	33.7	87.20	86.80	87.0	6.80	6.75	6.8	4.92	4.92	4.9	6.60	
	27/2/2023	Sunny	18:30	1.90			0.95	18.00	18.00	7.60	7.60	7.6	33.63	33.63	33.6	89.30	89.00	89.2	7.15	7.11	7.1	6.37	6.65	6.5	3.80	3.9
			18:35	1.90			0.95	18.00	18.00	7.60	7.60	7.6	33.63	33.63	33.6	89.30	89.00	89.2	7.15	7.11	7.1	6.37	6.65	6.5	4.00	

Remarks:

Water Quality Monitoring at Station W6 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS								
							°C		-		ppt		% ‰		mg/L		NTU		mg/L								
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average						
W6 Silvermine Bay (Near Silvermine Bay Beach)	1/2/2023	Sunny	15:30	2.10	Middle		1.05	19.60	19.60	19.6	7.43	7.43	7.4	32.80	32.80	32.8	96.80	96.40	96.6	7.76	7.71	7.7	2.51	2.51	2.5	5.30	6.0
			15:35	2.10			1.05	19.60	19.60	19.6	7.43	7.43	7.4	32.80	32.80	32.8	96.80	96.40	96.6	7.76	7.71	7.7	2.51	2.51	2.5	6.70	
	4/2/2023	Cloudy/ Rain	7:30	1.90			0.95	17.00	17.00	7.11	7.11	7.1	31.88	31.88	31.9	91.00	90.60	90.8	7.48	7.45	7.5	3.29	3.29	3.3	6.20	7.3	
			7:35	1.90			0.95	17.00	17.00	7.11	7.11	7.1	31.88	31.88	31.9	91.00	90.60	90.8	7.48	7.45	7.5	3.29	3.29	3.3	8.40		
	6/2/2023	Cloudy	8:00	1.80			0.90	17.50	17.50	7.35	7.35	7.4	32.82	32.82	32.8	88.40	87.80	88.1	7.41	7.37	7.4	3.18	3.18	3.2	4.10		
			8:05	1.80			0.90	17.50	17.50	7.35	7.35	7.4	32.82	32.82	32.8	88.40	87.80	88.2	7.41	7.37	7.4	3.18	3.18	3.2	4.10		
	8/2/2023	Cloudy	8:45	2.00			1.00	18.10	18.10	7.40	7.40	7.4	32.36	32.36	32.4	86.40	86.00	86.2	7.05	7.01	7.0	4.64	4.64	4.6	7.20	7.5	
			8:50	2.00			1.00	18.10	18.10	7.40	7.40	7.4	32.36	32.36	32.4	86.40	86.00	86.2	7.05	7.01	7.0	4.64	4.64	4.6	7.80		
	10/2/2023	Cloudy/ Sunny	9:45	2.10			1.05	19.20	19.20	7.20	7.20	7.2	32.46	32.46	32.5	91.0											

Water Quality Monitoring at Station W7 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS								
							°C		-		ppt		%		mg/L		NTU		mg/L								
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average						
W7 Silvermine Bay (Open Water)	1/2/2023	Sunny	22:45	2.70	Middle		1.35	18.30	18.30	18.3	8.27	8.27	8.3	33.58	33.58	33.6	96.80	96.20	96.5	7.88	7.80	7.8	2.12	2.12	2.1	2.50	3.0
			22:50	2.70			1.35	18.30	18.30		8.27	8.27		33.58	33.58		96.80	96.20		7.88	7.80		2.12	2.12		3.40	
	4/2/2023	Cloudy/ Rain	12:15	2.70			1.35	16.90	16.90	16.9	7.95	7.95	8.0	33.05	33.05	33.1	91.10	90.70	90.9	7.55	7.50	7.5	3.57	3.57	3.6	3.90	4.1
			12:20	2.70			1.35	16.90	16.90		7.95	7.95		33.05	33.05		91.10	90.70		7.55	7.50		3.57	3.57		4.30	
	6/2/2023	Cloudy/ Sunny	13:15	2.60			1.30	18.40	18.40	18.4	7.95	7.95	8.0	33.44	33.44	33.4	87.20	86.20	86.7	7.52	7.48	7.5	3.84	3.84	3.8	3.60	3.6
			13:20	2.60			1.30	18.40	18.40		7.95	7.95		33.44	33.44		87.20	86.20		7.52	7.48		3.84	3.84		3.60	
	8/2/2023	Cloudy/ Sunny	14:15	2.80			1.40	18.40	18.40	18.4	7.95	7.95	8.0	33.12	33.12	33.1	90.20	89.80	90.0	7.42	7.38	7.4	4.05	4.05	4.1	4.40	4.2
			14:20	2.80			1.40	18.40	18.40		7.95	7.95		33.12	33.12		90.20	89.80		7.42	7.38		4.05	4.05		4.40	
	10/2/2023	Sunny	15:45	2.80			1.40	20.40	20.40	20.4	7.84	7.84	7.8	33.26	33.26	33.3	84.70	84.40	84.6	6.98	6.95	7.0	4.61	4.60	4.6	3.10	3.8
			15:50	2.80			1.40	20.40	20.40		7.84	7.84		33.26	33.26		84.70	84.40		6.98	6.95		4.61	4.60		4.40	
	13/2/2023	Sunny	18:15	2.90			1.45	21.20	21.20	21.2	7.76	7.76	7.8	33.08	33.08	33.1	79.70	79.20	79.5	6.84	6.80	6.8	3.66	3.66	3.7	3.30	3.3
			18:20	2.90			1.45	21.20	21.20		7.76	7.76		33.08	33.08		79.70	79.20		6.84	6.80		3.66	3.66		3.30	
	15/2/2023	Sunny	20:30	3.00			1.50	17.10	17.10	17.1	7.92	7.92	7.9	33.19	33.19	33.2	88.00	87.60	87.8	7.16	7.10	7.1	6.09	6.09	6.1	5.20	5.2
			20:35	3.00			1.50	17.10	17.10		7.92	7.92		33.19	33.19		88.00	87.60		7.16	7.10		6.09	6.09		5.20	
	18/2/2023	Sunny/ Cloudy	11:30	2.90			1.45	18.50	18.50	18.5	7.53	7.53	7.5	33.41	33.41	33.4	81.00	80.60	80.8	6.84	6.80	6.8	6.58	6.58	6.6	5.10	5.4
			11:35	2.90			1.45	18.50	18.50		7.53	7.53		33.41	33.41		81.00	80.60		6.84	6.80		6.58	6.58		5.60	
	20/2/2023	Sunny	13:15	2.90			1.45	19.20	19.20	19.2	7.81	7.81	7.8	33.78	33.78	33.8	84.60	84.20	84.4	7.04	7.00	7.0	7.37	7.37	7.4	6.40	6.6
			13:20	2.90			1.45	19.20	19.20		7.81	7.81		33.78	33.78		84.60	84.20		7.04	7.00		7.37	7.37		6.40	
	22/2/2023	Sunny	14:30	2.90			1.45	18.40	18.40	18.4	7.85	7.85	7.9	33.84	33.84	33.8	85.60	85.10	85.4	7.14	7.09	7.1	6.55	6.55	6.6	5.80	5.8
			14:35	2.90			1.45	18.40	18.40		7.85	7.85		33.84	33.84		85.60	85.10		7.14	7.09		6.55	6.55		5.80	
	24/2/2023	Sunny	15:45	2.90			1.45	19.90	19.90	19.9	7.81	7.81	7.8	33.76	33.76	33.8	85.10	84.80	85.0	6.98	6.95	7.0	6.63	6.63	6.6	5.80	6.2
			15:50	2.90			1.45	19.90	19.90		7.81	7.81		33.76	33.76		85.10	84.80		6.98	6.95		6.63	6.63		6.60	
	27/2/2023	Sunny	18:45	2.80			1.40	17.70	17.70	17.7	7.78	7.78	7.8	33.79	33.79	33.8	89.50	87.10	88.3	7.34	7.29	7.3	7.06	7.06	7.1	4.80	4.7
			18:50	2.80			1.40	17.70	17.70		7.78	7.78		33.79	33.79		89.50	87.10		7.34	7.29		7.06	7.06		4.80	

Remarks:

Water Quality Monitoring at Station W7 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS								
							°C		-		ppt		%		mg/L		NTU		mg/L								
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average						
W7 Silvermine Bay (Open Water)	1/2/2023	Sunny	15:45	3.10	Middle		1.55	19.00	19.00	19.0	7.78	7.78	7.8	33.52	33.52	33.5	95.60	95.10	95.4	8.21	8.17	8.2	2.43	2.43	2.4	3.20	3.0
			15:50	3.10			1.55	19.00	19.00		7.78	7.78		33.52	33.52		95.60	95.10		8.21	8.17		2.43	2.43		2.80	
	4/2/2023	Cloudy/ Rain	7:45	2.90			1.45	17.20	17.20	17.2	7.64	7.64	7.6	33.40	33.40	33.4	94.00	93.60	93.8	7.76	7.72	5.8	2.51	2.51	2.5	3.60	3.7
			7:50	2.90			1.45	17.20	17.20		7.64	7.64		33.40	33.40		94.00	93.60		-	7.72		2.51	2.51		3.80	
	6/2/2023	Cloudy	8:15	2.80			1.40	17.50	17.50	17.5	7.75	7.75	7.8	33.42	33.42	33.4	90.70	90.20	90.5	7.63	7.58	7.6	3.27	3.27	3.3	5.70	5.2
			8:20	2.80			1.40	17.50	17.50		7.75	7.75		33.42	33.42		90.70	90.20		7.63	7.58		3.27	3.27		5.70	
	8/2/2023	Cloudy	9:00	3.00			1.50	18.10	18.10	18.1	7.81	7.81	7.8	33.53	33.53	33.5	89.00	88.80	88.9	7.31	7.27	7.3	3.79	3.79	3.8	5.70	5.9
			9:05	3.00			1.50	18.10	18.10		7.81	7.81		33.53	33.53		89.00	88.80		7.31	7.27		3.79	3.79		6.00	
	10/2/2023	Cloudy/ Sunny	10:00	3.10			1.55	19.10	19.10	19.1	7.64	7.64	7.6	33.24	33.24	33.2	88.80	88.30	88.6	7.07	7.01	7.0	3.18	3.18	3.2	3.60	3.8
			10:05	3.10			1.55</td																				

Water Quality Monitoring at Station W8 (Surface) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W8 Silvermine Bay (Open Water)	1/2/2023	Sunny	23:00	3.70	Surface	1.00	18.40	18.40	18.4	8.32	8.32	8.3	33.55	33.55	33.6	88.80	88.20	88.5	7.74	7.69	7.7	2.08	2.08	2.1	2.70	3.4
			23:05	3.70			1.00	18.40	18.40	8.32	8.32	8.3	33.55	33.55	33.6	88.80	88.20	88.5	7.74	7.69	7.7	2.08	2.08	2.0	4.00	3.4
	4/2/2023	Cloudy/ Rain	12:30	3.70		1.00	17.00	16.90	17.0	8.10	8.10	8.1	33.50	33.50	33.5	95.10	94.70	94.9	7.87	7.82	7.8	2.00	2.00	2.0	2.60	3.3
			12:35	3.70			1.00	17.00	16.90	8.10	8.10	8.1	33.50	33.50	33.5	95.10	94.70	94.9	7.87	7.82	7.8	2.00	2.00	2.0	4.00	3.3
	6/2/2023	Cloudy/ Sunny	13:30	3.60		1.00	18.40	18.40	18.4	8.13	8.13	8.1	33.48	33.48	33.5	86.00	85.40	85.7	7.40	7.34	7.4	2.00	2.00	2.0	3.80	3.8
			13:35	3.60			1.00	18.40	18.40	8.13	8.13	8.1	33.48	33.48	33.5	86.00	85.40	85.7	7.40	7.34	7.4	2.00	2.00	2.0	3.70	3.8
	8/2/2023	Cloudy/ Sunny	14:30	3.80		1.00	18.30	18.30	18.3	8.10	8.10	8.1	33.48	33.48	33.5	93.00	92.50	92.8	7.50	7.44	7.5	3.34	3.34	3.3	5.10	5.4
			14:35	3.80			1.00	18.30	18.30	8.10	8.10	8.1	33.48	33.48	33.5	93.00	92.50	92.8	7.50	7.44	7.5	3.34	3.34	3.3	5.60	5.4
	10/2/2023	Sunny	16:00	3.80		1.00	20.00	20.00	20.0	7.99	7.99	8.0	33.38	33.38	33.4	92.90	92.50	92.7	7.31	7.26	7.3	2.58	2.58	2.6	2.00	3.4
			16:05	3.80			1.00	20.00	20.00	7.99	7.99	8.0	33.38	33.38	33.4	92.90	92.50	92.7	7.31	7.26	7.3	2.58	2.58	2.6	4.70	3.4
	13/2/2023	Sunny	18:30	3.90		1.00	21.30	21.30	21.3	7.88	7.88	7.9	33.03	33.02	33.0	81.00	80.60	80.8	6.63	6.58	6.6	3.17	3.17	3.2	3.50	3.8
			18:35	3.90			1.00	21.30	21.30	7.88	7.88	7.9	33.03	33.02	33.0	81.00	80.60	80.8	6.63	6.58	6.6	3.17	3.17	3.2	3.50	3.8
	15/2/2023	Sunny	20:45	4.00		1.00	17.20	17.20	17.2	7.97	7.97	8.0	33.21	33.21	33.2	87.20	86.80	87.0	7.21	7.16	7.2	5.99	5.99	6.0	4.50	4.8
			20:50	4.00			1.00	17.20	17.20	7.97	7.97	8.0	33.21	33.21	33.2	87.20	86.80	87.0	7.21	7.16	7.2	5.99	5.99	6.0	5.10	4.8
	18/2/2023	Sunny/ Cloudy	11:45	3.90		1.00	18.60	18.60	18.6	7.69	7.69	7.7	33.48	33.48	33.5	84.40	84.00	84.2	7.04	7.00	7.0	5.72	5.72	5.7	4.20	4.4
			11:50	3.90			1.00	18.60	18.60	7.69	7.69	7.7	33.48	33.48	33.5	84.40	84.00	84.2	7.04	7.00	7.0	5.72	5.72	5.7	4.60	4.4
	20/2/2023	Sunny	13:30	3.90		1.00	19.20	19.20	19.2	7.89	7.89	7.9	33.76	33.76	33.8	86.70	86.40	86.6	6.97	6.92	6.9	5.06	5.06	5.1	5.20	5.4
			13:35	3.90			1.00	19.20	19.20	7.89	7.89	7.9	33.76	33.76	33.8	86.70	86.40	86.6	6.97	6.92	6.9	5.06	5.06	5.1	5.60	5.4
	22/2/2023	Sunny	14:45	3.90		1.00	18.70	18.70	18.7	7.93	7.93	7.9	33.85	33.85	33.9	85.20	84.80	85.0	7.00	6.97	7.0	6.98	6.97	7.0	6.60	6.8
			14:50	3.90			1.00	18.70	18.70	7.93	7.93	7.9	33.85	33.85	33.9	85.20	84.80	85.0	7.00	6.97	7.0	6.98	6.97	7.0	6.90	6.8
	24/2/2023	Sunny	16:00	3.90		1.00	19.80	19.80	19.8	7.88	7.88	7.9	33.80	33.80	33.8	85.40	85.00	85.2	6.81	6.75	6.8	3.60	3.59	3.6	6.10	6.0
			16:05	3.90			1.00	19.80	19.80	7.88	7.88	7.9	33.80	33.80	33.8	85.40	85.00	85.2	6.81	6.75	6.8	3.60	3.59	3.6	5.80	6.0
	27/2/2023	Sunny	19:00	3.90		1.00	17.70	17.70	17.7	7.86	7.86	7.9	33.79	33.79	33.8	89.30	89.00	89.2	7.30	7.26	7.3	4.72	4.72	4.7	4.90	4.7
			19:05	3.90			1.00	17.70	17.70	7.86	7.86	7.9	33.79	33.79	33.8	89.30	89.00	89.2	7.30	7.26	7.3	4.72	4.72	4.7	4.90	4.7

Remarks:

Water Quality Monitoring at Station W8 (Surface) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W8 Silvermine Bay (Open Water)	1/2/2023	Sunny	16:00	4.10	Surface	1.00	19.00	19.00	19.0	7.97	7.97	8.0	33.52	33.52	33.5	94.30	93.80	94.1	7.65	7.60	7.6	2.78	2.78	2.8	3.50	3.2
			16:05	4.10			1.00	19.00	19.00	7.97	7.97	8.0	33.52	33.52	33.5	94.30	93.80	94.1	7.65	7.60	7.6	2.78	2.78	2.9	4.00	3.5
	4/2/2023	Cloudy/ Rain	8:00	3.90		1.00	17.00	17.00	17.0	7.94	7.94	7.9	33.56	33.56	33.6	94.90	94.50	94.7	7.84	7.79	7.8	2.51	2.51	2.5	5.80	5.5
			8:05	3.90			1.00	17.00	17.00	7.94	7.94	7.9	33.56	33.56	33.6	94.90	94.50	94.7	7.84	7.79	7.8	2.51	2.51	2.5	5.10	5.5
	6/2/2023	Cloudy	8:30	3.80		1.00	17.60	17.60	17.6	7.94	7.94	7.9	33.40	33.40	33.4	86.70	86.30	86.5	7.41	7.38	7.4	2.78	2.78	2.8	4.80	5.6
			8:35	3.80			1.00	17.60	17.60	7.94	7.94	7.9	33.40	33.40	33.4	86.70	86.30	86.5	7.41	7.38	7.4	2.78	2.78	2.8	6.40	5.6
	8/2/2023	Cloudy	9:15	4.00		1.00	18.20	18.20	18.2	8.18	8.18	8.2	33.50	33.50	33.5	91.50	91.20	91.4	7.36	7.30	7.3	2.64	2.64	2.6	7.90	7.7
			9:20	4.00			1.00	18.20	18.20	8.18	8.18	8.2	33.50	33.50	33.5	91.50	91.20	91.4	7.36	7.30	7.3	2.64	2.64	2.6	7.50	7.7
	10/2/2023	Cloudy/ Sunny	10:15	4																						

Water Quality Monitoring at Station W8 (Bottom) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		Value		mg/L					
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average					
W8 Silvermine Bay (Open Water)	1/2/2023	Sunny	21:10	3.70	Bottom	2.70	18.40	18.40	18.4	8.35	8.35	8.4	33.58	33.58	33.6	93.60	93.20	93.4	7.94	7.89	7.9	1.67	1.67	1.7	3.00	3.1
			21:15	3.70		2.70	18.40	18.40		8.35	8.35		33.58	33.58		93.60	93.20		7.94	7.89		1.67	1.67		3.20	
	4/2/2023	Cloudy/ Rain	12:40	3.70		2.70	17.00	17.00	17.0	8.20	8.20	8.2	33.52	33.52	33.5	94.50	94.00	94.3	7.90	7.86	7.9	1.67	1.67	1.7	3.70	3.5
	6/2/2023	Cloudy/ Sunny	13:40	3.60		2.60	18.30	18.30	18.3	8.22	8.22	8.2	33.50	33.50	33.5	90.00	89.60	89.8	7.34	7.31	7.3	2.14	2.14	2.1	4.60	5.2
	8/2/2023	Cloudy/ Sunny	14:40	3.80		2.80	18.20	18.20	18.2	8.18	8.18	8.2	33.50	33.50	33.5	95.00	94.50	94.8	7.70	7.66	7.7	3.58	3.58	3.6	4.80	5.1
	8/2/2023	Cloudy/ Sunny	14:45	3.80		2.80	18.20	18.20		8.18	8.18		33.50	33.50		95.00	94.50		7.70	7.66		3.58	3.58		5.30	
	10/2/2023	Sunny	16:10	3.80		2.80	19.90	19.90	19.9	8.07	8.07	8.1	33.36	33.36	33.4	92.80	92.40	92.6	7.32	7.26	7.3	2.93	2.93	2.9	4.00	3.9
	10/2/2023	Sunny	16:15	3.80		2.80	19.90	19.90		8.07	8.07		33.36	33.36		92.80	92.40		7.32	7.26		2.93	2.93		3.80	
	13/2/2023	Sunny	18:40	3.90		2.90	20.90	20.90	20.9	7.94	7.94	7.9	33.13	33.13	33.1	83.60	83.10	83.4	6.60	6.55	6.6	4.12	4.12	4.1	5.80	6.5
	13/2/2023	Sunny	18:45	3.90		2.90	20.90	20.90		7.94	7.94		33.13	33.13		83.60	83.10		6.60	6.55		4.12	4.12		7.10	
	15/2/2023	Sunny	20:55	4.00		3.00	17.20	17.20	17.2	8.00	8.00	8.0	33.22	33.22	33.2	89.80	89.40	89.6	7.32	7.27	7.3	5.79	5.79	5.8	5.70	6.0
	15/2/2023	Sunny	21:00	4.00		3.00	17.20	17.20		8.00	8.00		33.22	33.22		89.80	89.40		7.32	7.27		5.79	5.79		6.20	
	18/2/2023	Sunny/ Cloudy	11:55	3.90		2.90	18.60	18.60	18.6	7.79	7.79	7.8	33.53	33.53	33.5	89.10	88.70	88.9	6.95	6.90	6.9	5.39	5.38	5.4	5.20	5.4
	18/2/2023	Sunny/ Cloudy	12:00	3.90		2.90	18.60	18.60		7.79	7.79		33.53	33.53		89.10	88.70		6.95	6.90		5.39	5.38		5.50	
	20/2/2023	Sunny	13:40	3.90		2.90	19.20	19.20	19.2	7.95	7.95	8.0	33.76	33.76	33.8	84.20	83.80	84.0	6.90	6.86	6.9	4.30	4.30	4.3	6.60	6.5
	20/2/2023	Sunny	13:45	3.90		2.90	19.20	19.20		7.95	7.95		33.76	33.76		84.20	83.80		6.90	6.86		4.30	4.30		6.30	
	22/2/2023	Sunny	14:55	3.90		2.90	18.80	18.80	18.8	7.98	7.98	8.0	33.84	33.84	33.8	84.30	83.70	84.0	6.93	6.83	6.9	6.97	6.97	7.0	5.60	5.8
	22/2/2023	Sunny	15:00	3.90		2.90	18.80	18.80		7.98	7.98		33.84	33.84		84.30	83.70		6.93	6.83		6.97	6.97		6.00	
	24/2/2023	Sunny	16:10	3.90		2.90	19.50	19.50	19.5	7.93	7.93	7.9	33.81	33.81	33.8	86.40	86.10	86.3	6.93	6.88	6.9	4.24	4.24	4.2	5.70	6.2
	24/2/2023	Sunny	16:15	3.90		2.90	19.50	19.50		7.93	7.93		33.81	33.81		86.40	86.10		6.93	6.88		4.24	4.24		6.60	
	27/2/2023	Sunny	19:15	3.90		2.90	17.70	17.70	17.7	7.39	7.91	7.7	33.80	33.80	33.8	88.90	88.50	88.7	7.29	7.25	7.3	4.27	4.27	4.3	3.80	4.0
	27/2/2023	Sunny	19:20	3.90		2.90	17.70	17.70		7.39	7.91		33.80	33.80		88.90	88.50		7.29	7.25		4.27	4.27		4.10	

Remarks:

Water Quality Monitoring at Station W8 (Bottom) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		Value		mg/L					
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average					
W8 Silvermine Bay (Open Water)	1/2/2023	Sunny	16:10	4.10	Bottom	3.10	18.80	18.80	18.8	8.08	8.08	8.1	33.57	33.57	33.6	97.50	97.10	97.3	7.92	7.87	7.9	2.64	2.64	2.6	2.50	3.0
	1/2/2023	Sunny	16:15	4.10		3.10	18.80	18.80		8.08	8.08		33.57	33.57		97.50	97.10		7.92	7.87		2.64	2.64		3.40	
	4/2/2023	Cloudy/ Rain	8:10	3.90		2.90	17.20	17.20	17.2	8.10	8.10	8.1	33.54	33.54	33.5	93.70	93.30	93.5	7.75	7.70	7.7	1.87	1.87	1.9	5.50	5.2
	4/2/2023	Cloudy/ Rain	8:15	3.90		2.90	17.20	17.20		8.10	8.10		33.54	33.54		93.70	93.30		7.75	7.70		1.87	1.87		4.90	
	6/2/2023	Cloudy	8:40	3.80		2.80	17.50	17.50	17.5	8.07	8.07	8.1	33.50	33.50	33.5	91.10	90.70	90.9	7.55	7.51	7.5	3.14	3.14	3.1	4.50	4.9
	6/2/2023	Cloudy	8:45	3.80		2.80	17.50	17.50		8.07	8.07		33.50	33.50		91.10	90.70		7.55	7.51		3.14	3.14		4.50	
	8/2/2023	Cloudy	9:25	4.00		3.00	18.20	18.20	18.2	7.98	7.98	8.0	33.50	33.50	33.5	85.00	84.70	84.9	7.27	7.21	7.2	4.37	4.37	4.4	8.20	8.4
	8/2/2023	Cloudy	9:30	4.00		3.00	18.20	18.20		7.98	7.98		33.50	33.50		85.00	84.70		7.27	7.21		4.37	4.37		8.50	
	10/2/2023	Cloudy/ Sunny	10:25	4.10		3.10	19.10	19.10	19.1	7.93	7.93	7.9	33.35	33.35	33.4	95.40	95.00	95.2	7.25	7.20	7.2	3.57	3.57	3.6	6.60	6.6
	10/2/2023	Cloudy/ Sunny	10:30	4.10		3.10	19.10	19.10		7.93	7.93		33.35	33.35		95.40	95.00		7.25	7.20		3.57	3.57		6.60	
	13/3/2023	Sunny	11:40	4.20		3.20	20.60	20.60	20.6	7.87	7.87	7.9	33.15	33.15	33.2	91.10	90.70	90.9	7.30	7.25	7.3	4.74	4.71	4.7	9.90	9.7
	13/3/2023	Sunny	11:45	4.20		3.20	20.60	20.60		7.87	7.87		33.15	33.15		91.10	90.70		7.30	7.25		4.74	4.71		9.50	
	15/2/2023	Sunny	13:25	4.20		3.20	18.00	18.00	18.0	7.96	7.96	8.0	33.17	33.17	33.2	91.10	90.60	90.9	7.30	7.24	7.3	6.35	6.35	6.4	6.80	7.0
	15/2/2023	Sunny	13:30	4.20		3.20	18.00	18.00</																		

Water Quality Monitoring at Station W1 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W1 Wang Tong River (Major tributary)	1/3/2023	Sunny	20:15 0.50	0.25	Middle	0.25	20.60	20.60	20.6	7.96	7.96	8.0	5.85	5.85	5.9	81.50	81.20	81.4	7.56	7.47	7.5	9.81	9.81	9.8	4.00	3.9
			20:20 0.50	0.25		0.25	20.60	20.60		7.96	7.96		5.85	5.85		81.50	81.20		7.56	7.47		9.81	9.81		3.70	
	4/3/2023	Sunny	11:00 0.50	0.25		0.25	20.20	20.20	20.2	6.85	6.85	6.9	7.84	7.84	7.8	81.60	81.00	81.3	8.10	7.90	8.0	7.49	7.49	7.5	6.60	6.5
			11:05 0.50	0.25		0.25	20.20	20.20		6.85	6.85		7.84	7.84		81.60	81.00		8.10	7.90		7.49	7.49		6.30	
	6/3/2023	Sunny	11:30 0.50	0.25		0.25	18.80	18.80	18.8	8.38	8.37	8.4	0.86	0.86	0.9	84.50	84.00	84.3	8.48	8.41	8.4	2.80	2.79	2.8	2.00	2.0
			11:35 0.50	0.25		0.25	18.80	18.80		8.38	8.37		0.86	0.86		84.50	84.00		8.48	8.41		2.80	2.79		2.00	
	8/3/2023	Sunny	11:45 0.50	0.25		0.25	21.20	21.20	21.2	8.02	8.02	8.0	5.10	5.10	5.1	79.80	79.00	79.4	7.65	7.61	7.6	7.99	7.99	8.0	5.10	5.0
			11:50 0.50	0.25		0.25	21.20	21.20		8.02	8.02		5.10	5.10		79.80	79.00		7.65	7.61		7.99	7.99		4.80	
	10/3/2023	Sunny	12:45 0.50	0.25		0.25	22.20	22.20	22.2	7.92	7.92	7.9	2.30	2.30	2.3	74.20	73.90	74.1	7.37	7.31	7.3	5.08	5.08	5.1	3.90	3.7
			12:50 0.50	0.25		0.25	22.20	22.20		7.92	7.92		2.30	2.30		74.20	73.90		7.37	7.31		5.08	5.08		3.40	
	13/3/2023	Sunny	14:45 0.50	0.25		0.25	20.10	20.10	20.1	7.99	7.99	8.0	0.97	0.97	1.0	74.30	74.00	74.2	7.35	7.28	7.3	5.82	5.82	5.8	7.80	7.6
			14:50 0.50	0.25		0.25	20.10	20.10		7.99	7.99		0.97	0.97		74.30	74.00		7.35	7.28		5.82	5.82		7.40	
	15/3/2023	Sunny	17:30 0.50	0.25		0.25	21.60	21.60	21.6	8.11	8.11	8.1	3.27	3.27	3.3	90.20	89.50	89.9	8.39	8.34	8.4	10.25	10.25	10.3	6.40	6.3
			17:35 0.50	0.25		0.25	21.60	21.60		8.11	8.11		3.27	3.27		90.20	89.50		8.39	8.34		10.25	10.25		6.10	
	18/3/2023	Sunny	9:45 0.50	0.25		0.25	22.80	22.80	22.8	7.36	7.36	7.4	6.31	6.31	6.3	76.90	76.20	76.6	6.83	6.79	6.8	5.22	5.22	5.2	3.60	3.7
			9:50 0.50	0.25		0.25	22.80	22.80		7.36	7.36		6.31	6.31		76.90	76.20		6.83	6.79		5.22	5.22		3.80	
	20/3/2023	Cloudy	11:00 0.50	0.25		0.25	21.90	21.90	21.9	7.33	7.33	7.3	4.81	4.81	4.8	80.70	80.00	80.4	6.50	6.42	6.5	5.62	5.62	5.6	5.40	5.7
			11:05 0.50	0.25		0.25	21.90	21.90		7.33	7.33		4.81	4.81		80.70	80.00		6.50	6.42		5.62	5.62		5.90	
	22/3/2023	Rainy	12:15 0.50	0.25		0.25	23.50	23.50	23.5	7.27	7.24	7.3	6.88	6.88	6.9	80.20	79.20	79.7	7.47	7.38	7.4	6.37	6.37	6.4	4.40	4.6
			12:20 0.50	0.25		0.25	23.50	23.50		7.27	7.24		6.88	6.88		80.20	79.20		7.47	7.38		6.37	6.37		4.70	
	24/3/2023	Sunny	13:00 0.50	0.25		0.25	24.60	24.60	24.6	7.36	7.36	7.4	2.68	2.68	2.7	84.40	83.70	84.1	7.77	7.69	7.7	7.70	7.70	7.7	6.20	6.0
			13:05 0.50	0.25		0.25	24.60	24.60		7.36	7.36		2.68	2.68		84.40	83.70		7.77	7.69		7.70	7.70		6.00	
	27/3/2023	Cloudy	15:15 0.50	0.25		0.25	19.60	19.60	19.6	7.24	7.24	7.2	5.54	5.54	5.5	78.30	77.80	78.1	7.56	7.46	7.5	6.88	6.85	6.9	3.60	3.9
			15:20 0.50	0.25		0.25	19.60	19.60		7.24	7.24		5.54	5.54		78.30	77.80		7.56	7.46		6.88	6.85		4.20	
	29/3/2023	Sunny	18:30 0.50	0.25		0.25	21.00	21.00	21.0	7.25	7.25	7.3	5.16	5.16	5.2	85.60	84.80	85.2	8.26	8.17	8.2	6.70	6.70	6.7	6.50	6.7
			18:35 0.50	0.25		0.25	21.00	21.00		7.25	7.25		5.16	5.16		85.60	84.80		8.26	8.17		6.70	6.70		6.90	
	31/3/2023	Sunny	20:15 0.50	0.25		0.25	20.60	20.60	20.6	7.31	7.31	7.3	2.10	2.10	2.1	76.60	75.70	76.2	6.76	6.69	6.7	6.55	6.55	6.6	4.20	3.9
			20:20 0.50	0.25		0.25	20.60	20.60		7.31	7.31		2.10	2.10		76.60	75.70		6.76	6.69		6.55	6.55		3.60	

Remarks:

Water Quality Monitoring at Station W1 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W1 Wang Tong River (Major tributary)	1/3/2023	Sunny	12:00 0.50	0.25	Middle	0.25	19.40	19.40	19.4	7.06	7.06	7.1	4.67	4.67	4.7	86.10	85.70	85.9	8.22	8.17	8.2	6.57	6.57	6.6	3.10	3.3
			12:05 0.50	0.25		0.25	19.40	19.40		7.06	7.06		4.67	4.67		86.10	85.70		8.22	8.17		6.57	6.57		3.50	
	4/3/2023	Sunny	15:15 0.50	0.25		0.25	21.10	21.10	21.1	8.25	8.25	8.3	10.65	10.64	10.6	82.00	81.40	81.7	7.40	7.36	7.4	7.09	7.09	7.1	5.70	5.9
			15:20 0.50	0.25		0.25	21.10	21.10		8.25	8.25		10.65	10.64		82.00	81.40		7.40	7.36		7.09	7.09		6.00	
	6/3/2023	Sunny	6:15 0.50	0.25		0.25	17.10	17.10	17.1	6.95	6.90	6.9	3.40	3.40	3.4	84.30	83.80	84.1	8.71	8.67	8.7	4.22	4.22	4.2	2.00	2.0
			6:20 0.50	0.25		0.25	17.10	17.10		6.95	6.90		3.40	3.40		84.30	83.80		8.71	8.67		4.22	4.22		2.00	
	8/3/2023	Sunny	6:45 0.50	0.25		0.25	18.90	18.90	18.9	6.94	6.94	6.9	6.11	6.11	6.1	80.50	80.20	80.4	7.98	7.90	7.9	4.61	4.61	4.6	2.90	3.1
			6:50 0.50	0.25		0.25	18.90	18.90		6.94	6.94		6.11	6.11		80.50	80.20		7.98	7.90		4.61	4.61		3.20	
	10/3/2023	Sunny	7:30 0.50	0.25		0.25	20.70	20.70	20.7	7.02	7.02	7.0	2.													

Water Quality Monitoring at Station W2 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature			pH			Salinity			DO Saturation			DO			Turbidity			SS			
							°C			-			ppt			%			mg/L			mg/L			NTU		mg/L	
							m	Value	Average	m	Value	Average	m	Value	Average	m	Value	Average	m	Value	Average	m	Value	Average	m	Value	Average	
W2 Wang Tong River (Major tributary)	1/3/2023	Sunny	20:30	0.50	Middle	0.25	20.60	20.60	20.6	7.81	7.81	7.8	5.76	5.76	5.8	81.20	80.00	80.6	7.56	7.48	7.5	9.75	9.74	9.7	5.50	5.7		
			20:35	0.50		0.25	20.60	20.60		7.81	7.81		5.76	5.76		81.20	80.00		7.56	7.48		9.75	9.74		5.80	5.7		
	4/3/2023	Sunny	11:15	0.50		0.25	20.40	20.40	20.4	7.15	7.15	7.2	7.19	7.19	7.2	77.70	77.40	77.6	7.19	7.12	7.2	4.72	4.72	4.7	4.80	5.0		
			11:20	0.50		0.25	20.40	20.40		7.15	7.15		7.19	7.19		77.70	77.40		7.19	7.12		4.72	4.72		5.20			
	6/3/2023	Sunny	11:45	0.50		0.25	19.70	19.70	19.7	7.76	7.76	7.8	7.69	7.69	7.7	82.90	82.20	82.6	7.37	7.30	7.3	4.72	4.72	4.7	2.10	2.3		
			11:50	0.50		0.25	19.70	19.70		7.76	7.76		7.69	7.69		82.90	82.20		7.37	7.30		4.72	4.72		2.40			
	8/3/2023	Sunny	12:00	0.50		0.25	22.40	22.40	22.4	7.83	7.83	7.8	5.88	5.88	5.9	77.40	76.80	77.1	7.01	6.93	7.0	7.60	7.60	7.6	5.60	5.5		
			12:05	0.50		0.25	22.40	22.40		7.83	7.83		5.88	5.88		77.40	76.80		7.01	6.93		7.60	7.60		5.60			
	10/3/2023	Sunny	13:00	0.50		0.25	23.10	23.10	23.1	7.69	7.69	7.7	4.98	4.98	5.0	76.70	76.00	76.4	7.04	6.99	7.0	10.35	10.35	10.4	7.40	7.3		
			13:05	0.50		0.25	23.10	23.10		7.69	7.69		4.98	4.98		76.70	76.00		7.04	6.99		10.35	10.35		7.10			
	13/3/2023	Sunny	15:00	0.50		0.25	20.60	20.60	20.6	7.94	7.94	7.9	1.90	1.90	1.9	78.90	78.20	78.6	7.82	7.76	7.8	5.71	5.70	5.7	5.00	4.9		
			15:05	0.50		0.25	20.60	20.60		7.94	7.94		1.90	1.90		78.90	78.20		7.82	7.76		5.71	5.70		4.80			
	15/3/2023	Sunny	17:45	0.50		0.25	22.20	22.20	22.2	7.71	7.71	7.7	11.74	11.74	11.7	78.70	78.10	78.4	7.14	7.07	7.1	12.85	12.85	12.9	9.00	9.2		
			17:50	0.50		0.25	22.20	22.20		7.71	7.71		11.74	11.74		78.70	78.10		7.14	7.07		12.85	12.85		9.40			
	18/3/2023	Sunny	10:00	0.50		0.25	23.60	23.60	23.6	7.36	7.36	7.4	16.52	16.52	16.5	74.10	73.00	73.6	6.21	6.10	6.2	9.63	9.63	9.6	6.40	6.6		
			10:05	0.50		0.25	23.60	23.60		7.36	7.36		16.52	16.52		74.10	73.00		6.21	6.10		9.63	9.63		6.70			
	20/3/2023	Cloudy	11:15	0.50		0.25	22.50	22.50	22.5	7.26	7.26	7.3	13.27	13.27	13.3	74.10	73.50	73.8	6.00	5.92	6.0	9.31	9.31	9.3	6.50	6.4		
			11:20	0.50		0.25	22.50	22.50		7.26	7.26		13.27	13.27		74.10	73.50		6.00	5.92		9.31	9.31		6.20			
	22/3/2023	Rainy	12:30	0.50		0.25	23.60	23.60	23.6	7.36	7.36	7.4	10.45	10.45	10.5	76.20	75.50	75.9	6.01	5.94	6.0	9.10	9.10	9.1	9.20	9.4		
			12:35	0.50		0.25	23.60	23.60		7.36	7.36		10.45	10.45		76.20	75.50		6.01	5.94		9.10	9.10		9.50			
	24/3/2023	Sunny	13:15	0.50		0.25	25.30	25.30	25.3	7.26	7.26	7.3	6.88	6.88	6.9	72.40	71.90	72.2	6.28	6.20	6.2	11.37	11.37	11.4	7.20	7.5		
			13:20	0.50		0.25	25.30	25.30		7.26	7.26		6.88	6.88		72.40	71.90		6.28	6.20		11.37	11.37		7.80			
	27/3/2023	Cloudy	15:30	0.50		0.25	19.30	19.30	19.3	7.24	7.24	7.2	6.54	6.54	6.5	77.00	76.60	76.8	7.40	7.31	7.4	7.19	7.19	7.2	3.60			
			15:35	0.50		0.25	19.30	19.30		7.24	7.24		6.54	6.54		77.00	76.60		7.40	7.31		7.19	7.19		3.60			
	29/3/2023	Sunny	18:45	0.50		0.25	20.80	20.80	20.8	7.37	7.37	7.4	3.23	3.33	3.3	75.10	74.90	75.0	7.26	7.14	7.2	6.11	6.11	6.1	6.60	6.5		
			18:50	0.50		0.25	20.80	20.80		7.37	7.37		3.23	3.33		75.10	74.90		7.26	7.14		6.11	6.11		6.40			
	31/3/2023	Sunny	20:30	0.50		0.25	20.30	20.30	20.3	7.33	7.33	7.3	2.52	2.52	2.5	77.30	76.90	77.1	7.59	7.51	7.6	6.83	6.83	6.8	4.60	4.9		
			20:35	0.50		0.25	20.30	20.30		7.33	7.33		2.52	2.52		77.30	76.90		7.59	7.51		6.83	6.83		5.20			

Remarks:

Water Quality Monitoring at Station W2 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature			pH			Salinity			DO Saturation			DO			Turbidity			SS			
							°C			-			ppt			%			mg/L			mg/L			NTU		mg/L	
							m	Value	Average	m	Value	Average	m	Value	Average	m	Value	Average	m	Value	Average	m	Value	Average	m	Value	Average	
W2 Wang Tong River (Major tributary)	1/3/2023	Sunny	12:15	0.50	Middle	0.25	20.20	20.20	20.2	7.13	7.13	7.1	4.37	4.37	4.4	84.50	84.10	84.3	7.99	7.95	8.0	6.61	6.61	6.6	3.20	3.1		
			12:20	0.50		0.25	20.20	20.20		7.13	7.13		4.37	4.37		84.50	84.10		7.99	7.95		6.61	6.61		2.90			
	4/3/2023	Sunny	15:30	0.50		0.25	20.90	20.90	20.9	8.08	8.08	8.1	11.27	11.27	11.3	85.70	85.30	85.5	7.60	7.53	7.6	7.59	7.59	7.6	7.20	7.1		
			15:35	0.50		0.25	20.90	20.90		8.08	8.08		11.27	11.27		85.70	85.30		7.60	7.53		7.59	7.59		6.90			
	6/3/2023	Sunny	6:30	0.50		0.25	17.20	17.20	17.2	7.06	7.06	7.1	7.35	7.35	7.4	86.30	85.80	86.1	8.11	8.06	8.1	4.62	4.62	4.6	2.30	2.2		
			6:35	0.50		0.25	19.00	19.00	19.0	7.08	7.08	7.1	7.04	7.04	7.0	80.70	80.40	80.6	7.66	7.62	7.6	5.62	5.62	5.6	3.50			
	8/3/2023	Sunny	7:00	0.50		0.25	19.00	19.00		7.08	7.08		7.04	7.04		80.70	80.40		7.66	7.62		5.62	5.62		3.50			
			7:05	0.50		0.25	21.50	21.50	21.5	7.15	7.15	7.2	3.94	3.94	3.9	76.70	76.00	76.4	7.11	7.07	7.1	6.73	6.73	6.7	4.80	4.6		
	10/3/2023	Sunny	7:45	0.50		0.25	21.50	21.50</td																				

Water Quality Monitoring at Station W4 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature			pH		Salinity			DO Saturation			DO			Turbidity			SS		
							°C		-	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	mg/L	NTU	Value	Average	Value	Average	
							m	Value	Average	m	Value	Average	ppt	Value	Average	%	Value	Average	Value	Average	Value	Average	Value	Average	mg/L	
W4 Wang Tong River (Minor tributary to Tai Wai Yuen)	1/3/2023	Sunny	20:45 0.50	0.25 0.50	Middle	0.25	20.50	20.50	20.5	7.76	7.78	7.8	5.07	5.07	5.1	85.10	84.80	85.0	8.10	8.05	8.1	9.67	9.67	9.7	6.30	6.5
			20:50 0.50	0.25 0.50		0.25	20.50	20.50		7.78	7.78		5.07	5.07		85.10	84.80		8.10	8.05		9.67	9.67		6.70	
	4/3/2023	Sunny	11:30 0.50	0.25 0.50		0.25	20.70	20.70	20.7	7.12	7.12	7.1	13.13	13.13	13.1	76.10	75.80	76.0	7.12	6.98	7.1	6.00	5.99	6.0	2.90	2.9
			11:35 0.50	0.25 0.50		0.25	20.70	20.70		7.12	7.12		13.13	13.13		76.10	75.80		7.12	6.98		6.00	5.99		2.80	
	6/3/2023	Sunny	12:00 0.50	0.25 0.50		0.25	20.80	20.80	20.8	7.63	7.63	7.6	16.49	16.49	16.5	79.60	79.20	79.4	6.89	6.83	6.9	4.61	4.61	4.6	2.00	2.0
			12:05 0.50	0.25 0.50		0.25	20.80	20.80		7.63	7.63		16.49	16.49		79.60	79.20		6.89	6.83		4.61	4.61		2.00	
	8/3/2023	Sunny	12:15 0.50	0.25 0.50		0.25	22.90	22.90	22.9	7.66	7.66	7.7	11.02	11.02	11.0	73.70	73.10	73.4	6.98	6.94	7.0	6.54	6.54	6.5	3.60	3.4
			12:20 0.50	0.25 0.50		0.25	22.90	22.90		7.66	7.66		11.02	11.02		73.70	73.10		6.98	6.94		6.54	6.54		3.20	
	10/3/2023	Sunny	13:15 0.50	0.25 0.50		0.25	23.80	23.80	23.8	7.77	7.77	7.8	7.58	7.58	7.6	75.20	74.60	74.9	6.90	6.82	6.9	9.50	9.50	9.5	4.00	4.2
			13:20 0.50	0.25 0.50		0.25	23.80	23.80		7.77	7.77		7.58	7.58		75.20	74.60		6.90	6.82		9.50	9.50		4.40	
	13/3/2023	Sunny	15:15 0.50	0.25 0.50		0.25	20.70	20.70	20.7	7.69	7.69	7.7	2.29	2.29	2.3	73.90	73.00	73.5	6.62	6.58	6.6	6.38	6.38	6.4	6.30	6.5
			15:20 0.50	0.25 0.50		0.25	20.70	20.70		7.69	7.69		2.29	2.29		73.90	73.00		6.62	6.58		6.38	6.38		6.70	
	15/3/2023	Sunny	18:00 0.50	0.25 0.50		0.25	22.10	22.10	22.1	7.83	7.83	7.8	12.53	12.53	12.5	78.10	77.60	77.9	7.19	7.10	7.1	12.37	12.37	12.4	6.80	7.0
			18:05 0.50	0.25 0.50		0.25	22.10	22.10		7.83	7.83		12.53	12.53		78.10	77.60		7.19	7.10		12.37	12.37		7.20	
	18/3/2023	Sunny	10:15 0.50	0.25 0.50		0.25	23.70	23.70	23.7	7.46	7.46	7.5	17.27	17.27	17.3	71.90	71.00	71.5	6.18	6.08	6.1	6.49	6.49	6.5	3.60	3.8
			10:20 0.50	0.25 0.50		0.25	23.70	23.70		7.46	7.46		17.27	17.27		71.90	71.00		6.18	6.08		6.49	6.49		4.00	
	20/3/2023	Cloudy	11:30 0.50	0.25 0.50		0.25	22.50	22.50	22.5	7.31	7.31	7.3	17.08	17.08	17.1	70.30	69.50	69.9	6.16	6.06	6.1	9.23	9.23	9.2	4.60	4.8
			11:35 0.50	0.25 0.50		0.25	22.50	22.50		7.31	7.31		17.08	17.08		70.30	69.50		6.16	6.06		9.23	9.23		5.00	
	22/3/2023	Rainy	12:45 0.50	0.25 0.50		0.25	23.80	23.80	23.8	7.42	7.42	7.4	12.23	12.23	12.2	72.20	71.60	71.9	6.40	6.30	6.4	7.99	7.99	8.0	5.00	4.8
			12:50 0.50	0.25 0.50		0.25	23.80	23.80		7.42	7.42		12.23	12.23		72.20	71.60		6.40	6.30		7.99	7.99		4.60	
	24/3/2023	Sunny	13:30 0.50	0.25 0.50		0.25	25.60	25.60	25.6	7.45	7.45	7.5	9.29	9.29	9.3	80.40	79.3	44.2	7.03	6.94	7.0	7.72	7.72	7.7	3.00	2.9
			13:35 0.50	0.25 0.50		0.25	25.60	25.60		7.45	7.45		9.29	9.29		80.40	79.3		7.03	6.94		7.72	7.72		3.00	
	27/3/2023	Cloudy	15:45 0.50	0.25 0.50		0.25	19.00	19.00	19.0	7.29	7.29	7.3	6.70	6.70	6.7	72.60	71.50	72.1	6.88	6.76	6.8	7.66	7.66	7.7	5.00	4.8
			15:50 0.50	0.25 0.50		0.25	19.00	19.00		7.29	7.29		6.70	6.70		72.60	71.50		6.88	6.76		7.66	7.66		4.50	
	29/3/2023	Sunny	19:00 0.50	0.25 0.50		0.25	20.90	20.90	20.9	7.30	7.30	7.3	5.02	5.02	5.0	74.70	73.60	74.2	7.14	7.09	7.1	8.37	8.37	8.4	12.20	12.0
			19:05 0.50	0.25 0.50		0.25	20.90	20.90		7.30	7.30		5.02	5.02		74.70	73.60		7.14	7.09		8.37	8.37		11.80	
	31/3/2023	Sunny	20:45 0.50	0.25 0.50		0.25	20.40	20.40	20.4	7.31	7.31	7.3	3.97	3.97	4.0	75.70	75.00	75.4	6.56	6.52	6.5	8.49	8.49	8.5	4.60	4.9
			20:50 0.50	0.25 0.50		0.25	20.40	20.40		7.31	7.31		3.97	3.97		75.70	75.00		6.56	6.52		8.49	8.49		5.20	

Remarks:

Water Quality Monitoring at Station W4 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature			pH		Salinity			DO Saturation			DO			Turbidity			SS		
							°C		-	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	mg/L
							m	Value	Average	m	Value	Average	ppt	Value	Average	%	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
W4 Wang Tong River (Minor tributary to Tai Wai Yuen)	1/3/2023	Sunny	12:30 0.50	0.25 0.50	Middle	0.25	21.10	21.10	21.1	7.00	7.00	7.0	10.23	10.23	10.2	79.50	79.00	79.3	7.35	7.32	7.3	7.07	7.06	7.1	2.60	2.7
			12:35 0.50	0.25 0.50		0.25	21.10	21.10		7.00	7.00		10.23	10.23		79.50	79.00		7.35	7.32		7.07	7.06		2.80	
	4/3/2023	Sunny	15:45 0.50	0.25 0.50		0.25	21.30	21.30	21.3	8.08	8.08	8.1	10.24	10.24	10.2	81.20	80.70	81.0	7.24	7.19	7.2	6.86	6.85	6.9	6.00	5.8
			15:50 0.50	0.25 0.50		0.25	21.30	21.30		8.08	8.08		10.24	10.24		81.20	80.70		7.24	7.19		6.86	6.85		5.60	
	6/3/2023	Sunny	6:45 0.50	0.25 0.50		0.25	17.40	17.40	17.4	7.13	7.13	7.1	10.87	10.87	10.9	83.50	83.10	83.3	7.95	7.90	7.9	4.86	4.86	4.9	2.20	2.3
			6:50 0.50	0.25 0.50		0.25	17.40	17.40		7.13	7.13		10.87	10.87		83.50	83.10		7.95	7.90		4.86	4.86		2.40	
	8/3/2023	Sunny	7:15 0.50	0.25 0.50		0.25	19.10	1																		

Water Quality Monitoring at Station W5 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature			pH		Salinity			DO Saturation		DO		Turbidity		SS					
							°C		-	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	mg/L	NTU	Value	Average			
							m	Value	Average	m	Value	Average	ppt	Value	Average	%	Value	Average	mg/L	Value	Value	Average	mg/L			
W5 Silvermine Bay (Near Silvermine Bay Beach)	1/3/2023	Sunny	21:00	0.50	Middle	0.25	20.80	20.80	20.8	7.65	7.65	7.7	6.83	6.83	6.8	81.50	81.10	81.3	7.80	7.75	7.8	9.30	9.30	9.3	9.70	9.7
			21:05	0.50		0.25	20.80	20.80		7.65	7.65		6.83	6.83		81.50	81.10		7.80	7.75		9.30	9.30		9.70	
	4/3/2023	Sunny	11:45	0.50		0.25	20.90	20.90	20.9	7.25	7.25	7.3	14.40	14.40	14.4	76.50	76.00	76.3	7.20	6.99	7.1	5.26	5.25	5.3	3.20	3.0
			11:50	0.50		0.25	20.90	20.90		7.25	7.25		14.40	14.40		76.50	76.00		7.20	6.99		5.26	5.25		2.80	
	6/3/2023	Sunny	12:15	0.50		0.25	21.60	21.60	21.6	7.65	7.65	7.7	21.94	21.94	21.9	75.80	75.00	75.4	6.45	6.40	6.4	7.00	7.00	7.0	5.20	5.4
			12:20	0.50		0.25	21.60	21.60		7.65	7.65		21.94	21.94		75.80	75.00		6.45	6.40		7.00	7.00		5.50	
	8/3/2023	Sunny	12:30	0.50		0.25	23.40	23.40	23.4	7.68	7.68	7.7	17.57	17.57	17.6	72.10	71.40	71.8	6.78	6.70	6.7	8.25	8.25	8.3	4.30	4.5
			12:35	0.50		0.25	23.40	23.40		7.68	7.68		17.57	17.57		72.10	71.40		6.78	6.70		8.25	8.25		4.60	
	10/3/2023	Sunny	13:30	0.50		0.25	24.10	24.10	24.1	7.87	7.87	7.9	9.25	9.25	9.3	83.00	82.10	82.6	7.14	7.04	7.1	9.31	9.31	9.3	3.90	3.8
			13:35	0.50		0.25	24.10	24.10		7.87	7.87		9.25	9.25		83.00	82.10		7.14	7.04		9.31	9.31		3.60	
	13/3/2023	Sunny	15:30	0.50		0.25	20.90	20.90	20.9	7.60	7.60	7.6	4.27	4.27	4.3	78.00	77.30	77.7	7.20	7.12	7.2	7.98	7.98	8.0	5.80	5.9
			15:35	0.50		0.25	20.90	20.90		7.60	7.60		4.27	4.27		78.00	77.30		7.20	7.12		7.98	7.98		6.00	
	15/3/2023	Sunny	18:15	0.50		0.25	22.20	22.20	22.2	7.81	7.81	7.8	15.40	15.39	15.4	76.50	76.10	76.3	7.14	7.08	7.1	9.22	9.22	9.2	7.80	8.0
			18:20	0.50		0.25	22.20	22.20		7.81	7.81		15.40	15.39		76.50	76.10		7.14	7.08		9.22	9.22		8.10	
	18/3/2023	Sunny	10:30	0.50		0.25	23.90	23.90	23.9	7.49	7.49	7.5	15.83	15.83	15.8	75.20	74.20	74.7	6.30	6.24	6.3	6.71	6.71	6.7	5.80	5.7
			10:35	0.50		0.25	23.90	23.90		7.49	7.49		15.83	15.83		75.20	74.20		6.30	6.24		6.71	6.71		5.50	
	20/3/2023	Cloudy	11:45	0.50		0.25	22.70	22.70	22.7	7.37	7.37	7.4	18.10	18.10	18.1	75.30	74.50	74.9	6.39	6.31	6.4	7.94	7.94	7.9	3.40	3.7
			11:50	0.50		0.25	22.70	22.70		7.37	7.37		18.10	18.10		75.30	74.50		6.39	6.31		7.94	7.94		3.90	
	22/3/2023	Rainy	13:00	0.50		0.25	23.70	23.70	23.7	7.47	7.47	7.5	16.64	16.64	16.6	72.60	71.80	72.2	6.14	6.07	6.1	7.42	7.42	7.4	3.30	3.2
			13:05	0.50		0.25	23.70	23.70		7.47	7.47		16.64	16.64		72.60	71.80		6.14	6.07		7.42	7.42		3.00	
	24/3/2023	Sunny	13:45	0.50		0.25	25.80	25.80	25.8	7.52	7.52	7.5	11.49	11.49	11.5	75.90	75.10	75.5	6.78	6.70	6.7	7.49	7.49	7.5	2.60	2.8
			13:50	0.50		0.25	25.80	25.80		7.52	7.52		11.49	11.49		75.90	75.10		6.78	6.70		7.49	7.49		2.98	
	27/3/2023	Cloudy	16:00	0.50		0.25	19.40	19.40	19.4	7.22	7.22	7.2	20.20	20.20	20.2	71.90	70.80	71.4	6.19	6.10	6.1	9.50	9.50	9.5	3.40	3.2
			16:05	0.50		0.25	19.40	19.40		7.22	7.22		20.20	20.20		71.90	70.80		6.19	6.10		9.50	9.50		3.00	
	29/3/2023	Sunny	19:15	0.50		0.25	20.90	20.90	20.9	7.32	7.32	7.3	7.50	7.50	7.5	80.00	79.40	79.7	7.20	7.11	7.2	9.07	9.07	9.1	7.00	7.3
			19:20	0.50		0.25	20.90	20.90		7.32	7.32		7.50	7.50		80.00	79.40		7.20	7.11		9.07	9.07		7.00	
	31/3/2023	Sunny	21:00	0.50		0.25	20.50	20.50	20.5	7.26	7.26	7.3	8.01	8.01	8.0	75.40	74.90	75.2	7.03	6.95	7.0	9.78	9.79	9.8	5.00	4.7
			21:05	0.50		0.25	20.50	20.50		7.26	7.26		8.01	8.01		75.40	74.90		7.03	6.95		9.78	9.79		9.8	4.30

Remarks:

Water Quality Monitoring at Station W5 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature			pH		Salinity			DO Saturation		DO		Turbidity		SS					
							°C		-	Value	Average	Value	Average	Value	Average	%	Value	Average	Value	Average	mg/L	NTU	Value	Average		
							m	Value	Average	m	Value	Average	ppt	Value	Average	%	Value	Average	Value	Average	mg/L	Value	Value	Average	mg/L	
W5 Silvermine Bay (Near Silvermine Bay Beach)	1/3/2023	Sunny	12:45	0.50	Middle	0.25	21.60	21.60	21.6	7.06	7.06	7.1	16.21	16.21	16.2	79.20	78.80	79.0	7.00	6.95	7.0	10.11	10.11	10.1	2.40	2.5
			12:50	0.50		0.25	21.60	21.60		7.06	7.06		16.21	16.21		79.20	78.80		7.00	6.95		10.11	10.11		2.60	
	4/3/2023	Sunny	16:00	0.50		0.25	21.30	21.30	21.3	8.02	8.02	8.0	12.47	12.47	12.5	82.10	81.40	81.8	7.39	7.29	7.3	5.67	5.67	5.7	3.60	3.4
			16:05	0.50		0.25	21.30	21.30		8.02	8.02		12.47	12.47		82.10	81.40		7.39	7.29		5.67	5.67		3.20	
	6/3/2023	Sunny	7:00	0.50		0.25	17.30	17.30	17.3	7.26	7.26	7.3	10.30	10.30	10.3	83.60	83.00	83.3	8.12	8.07	8.1	4.36	4.36	4.4	2.00	2.0
			7:05	0.50		0.25	17.30	17.30		7.26	7.26		10.30	10.30		83.60	83.00		8.12	8.07		4.36	4.36		2.00	
	8/3/2023	Sunny	7:30	0.50		0.25	19.00	19.00	19.0	7.46	7.46	7.5	4.01	4.01	4.0	79.40	79.00	79.2	7.82	7.75	7.8	6.23	6.23	6.2	3.20	3.5
			7:35	0.50		0.25	19.00	19.00		7.46	7.46		4.01	4.01		79.40	79.00		7.82	7.75		6.23	6.23		3.70	
	10/3/2023	Sunny	8:15	0.50		0.25	23.30	23.30	23.3	7.33																

Water Quality Monitoring at Station W6 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Level	Temperature		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L								
						°C		-		Value		Value		Value		Value		Value								
						m	Value	Average	m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W6 Silvermine Bay (Near Silvermine Bay Beach)	1/3/2023	Sunny	21:15	1.90	Middle	0.95	19.80	19.80	19.8	7.46	7.46	7.5	32.72	32.72	32.7	87.00	86.50	86.8	7.04	6.98	7.0	4.11	4.11	4.1	2.80	2.9
			21:20	1.90		0.95	19.80	19.80		7.46	7.46	7.5	32.72	32.72		87.00	86.50		7.04	6.98		4.11	4.11		2.90	
	4/3/2023	Sunny	12:00	1.80		0.90	20.50	20.50	20.5	7.52	7.52	7.5	33.36	33.36	33.4	80.20	79.70	80.0	6.80	6.72	6.8	6.52	6.50	6.5	10.00	9.8
			12:05	1.80		0.90	20.50	20.50		7.52	7.52		33.36	33.36		80.20	79.70		6.80	6.72		6.52	6.50		9.60	
	6/3/2023	Sunny	12:30	1.70		0.85	20.80	20.80	20.8	7.77	7.77	7.8	33.56	33.56	33.6	73.60	73.10	73.4	6.56	6.50	6.5	6.84	6.84	6.8	8.80	8.6
			12:35	1.70		0.85	20.80	20.80		7.77	7.77		33.56	33.56		73.60	73.10		6.56	6.50		6.84	6.84		8.40	
	8/3/2023	Sunny	12:45	1.70		0.85	21.90	21.90	21.9	7.88	7.88	7.9	33.32	33.32	33.3	78.70	78.00	78.4	6.61	6.54	6.6	5.22	5.22	5.2	6.60	6.7
			12:50	1.70		0.85	21.90	21.90		7.88	7.88		33.32	33.32		78.70	78.00		6.61	6.54		5.22	5.22		6.60	
	10/3/2023	Sunny	13:45	1.60		0.80	23.40	23.40	23.4	7.86	7.86	7.9	33.10	33.10	33.1	80.20	79.40	79.8	6.09	6.00	6.0	5.36	5.36	5.4	6.00	6.2
			13:50	1.60		0.80	23.40	23.40		7.86	7.86		33.10	33.10		80.20	79.40		6.09	6.00		5.36	5.36		6.40	
	13/3/2023	Sunny	15:45	1.80		0.90	21.00	21.00	21.0	7.64	7.64	7.6	32.40	32.40	32.4	82.30	81.70	82.0	6.89	6.78	6.8	5.10	5.10	5.1	8.00	8.3
			15:50	1.80		0.90	21.00	21.00		7.64	7.64		32.40	32.40		82.30	81.70		6.89	6.78		5.10	5.10		8.50	
	15/3/2023	Sunny	18:30	1.90		0.95	21.40	21.40	21.4	7.83	7.83	7.8	32.77	32.77	32.8	81.10	80.40	80.8	6.42	6.35	6.4	6.33	6.33	6.3	8.10	8.4
			18:35	1.90		0.95	21.40	21.40		7.83	7.83		32.77	32.77		81.10	80.40		6.42	6.35		6.33	6.33		8.60	
	18/3/2023	Sunny	11:00	1.80		0.90	22.60	22.60	22.6	7.75	7.75	7.8	32.87	32.87	32.9	82.40	81.90	82.2	7.00	6.91	7.0	4.66	4.66	4.7	4.80	4.9
			11:05	1.80		0.90	22.60	22.60		7.75	7.75		32.87	32.87		82.40	81.90		7.00	6.91		4.66	4.66		5.00	
	20/3/2023	Cloudy	12:00	1.80		0.90	21.80	21.80	21.8	7.76	7.76	7.8	32.62	32.62	32.6	79.80	79.40	79.6	6.60	6.55	6.6	3.26	3.25	3.3	4.90	4.7
			12:05	1.80		0.90	21.80	21.80		7.76	7.76		32.62	32.62		79.80	79.40		6.60	6.55		3.26	3.25		4.50	
	22/3/2023	Rainy	13:15	1.80		0.90	22.80	22.80	22.8	7.66	7.66	7.7	31.99	31.99	32.0	81.20	80.40	80.8	6.20	6.17	6.2	6.06	6.06	6.1	8.70	8.9
			13:20	1.80		0.90	22.80	22.80		7.66	7.66		31.99	31.99		81.20	80.40		6.20	6.17		6.06	6.06		9.00	
	24/3/2023	Sunny	14:00	1.80		0.90	24.70	24.70	24.7	7.63	7.63	7.6	32.04	32.04	32.0	81.00	80.40	80.7	6.50	6.41	6.5	4.28	4.28	4.3	4.40	4.2
			14:05	1.80		0.90	24.70	24.70		7.63	7.63		32.04	32.04		81.00	80.40		6.50	6.41		4.28	4.28		4.40	
	27/3/2023	Cloudy	16:15	1.80		0.90	20.00	20.00	20.0	7.54	7.54	7.5	31.26	31.26	31.3	73.90	73.30	73.6	6.18	6.10	6.1	8.98	8.98	9.0	5.70	5.6
			16:20	1.80		0.90	20.00	20.00		7.54	7.54		31.26	31.26		73.90	73.30		6.18	6.10		8.98	8.98		5.40	
	29/3/2023	Sunny	19:30	1.80		0.90	20.80	20.80	20.8	7.56	7.56	7.6	31.13	31.13	31.1	80.80	80.10	80.5	6.81	6.70	6.8	7.84	7.84	7.8	5.80	6.0
			19:35	1.80		0.90	20.80	20.80		7.56	7.56		31.13	31.13		80.80	80.10		6.81	6.70		7.84	7.84		5.80	
	31/3/2023	Sunny	21:15	1.80		0.90	20.60	20.60	20.6	7.46	7.46	7.5	31.68	31.68	31.7	77.40	76.80	77.1	6.38	6.30	6.3	5.49	5.49	5.5	2.70	2.9
			21:20	1.80		0.90	20.60	20.60		7.46	7.46		31.68	31.68		77.40	76.80		6.38	6.30		5.49	5.49		3.10	

Remarks:

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth m	Sampling Level	Temperature		pH		Salinity ppt		DO Saturation %		DO mg/L		Turbidity NTU		SS mg/L								
						°C		-		Value		Value		Value		Value		Value								
						m	Value	Average	m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W6 Silvermine Bay (Near Silvermine Bay Beach)	1/3/2023	Sunny	13:00	2.10	Middle	1.05	20.00	20.00	20.0	7.50	7.50	7.5	33.24	33.24	33.2	84.30	84.00	84.2	6.91	6.85	6.9	4.84	4.84	4.8	6.90	6.7
			13:05	2.10		1.05	20.00	20.00		7.50	7.50		33.24	33.24		84.30	84.00		6.91	6.85		4.84	4.84		6.40	
	4/3/2023	Sunny	16:15	2.10		1.05	20.70	20.70	20.7	7.96	7.96	8.0	33.10	33.10	33.1	81.50	81.20	81.4	6.53	6.50	6.5	7.23	7.23	7.2	9.40	9.5
			16:20	2.10		1.05	20.70	20.70		7.96	7.96		33.10	33.10		81.50	81.20		6.53	6.50		7.23	7.23		9.60	
	6/3/2023	Sunny	7:15	1.90		0.95	18.60	18.60	18.6	7.49	7.49	7.5	33.32	33.32	33.3	84.10	83.50	83.8	7.03	6.97	7.0	6.79	6.78	6.8	9.40	9.6
			7:20	1.90		0.95	18.60	18.60		7.49	7.49		33.32	33.32		84.10	83.50		7.03	6.97		6.79	6.78		9.70	
	8/3/2023	Sunny	7:45	1.80		0.90	20.20	20.20	20.2	7.42	7.42	7.4	32.94	32.94	32.9											

Water Quality Monitoring at Station W7 (Middle) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS						
							°C		-		ppt		%		mg/L		NTU		mg/L						
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average						
W7 Silvermine Bay (Open Water)	1/3/2023	Sunny	21:30	2.90	Middle	1.45	19.70	19.70	19.7	7.71	7.71	33.62	33.62	33.6	84.20	83.90	84.1	6.98	6.93	7.0	3.61	3.61	3.6	3.80	4.0
			21:35	2.90		1.45	19.70	19.70		7.71	7.71	33.62	33.62		84.20	83.90		6.98	6.93		3.61	3.61		4.20	
	4/3/2023	Sunny	12:15	2.80		1.40	19.90	19.90	19.9	7.63	7.63	33.85	33.85	33.9	81.10	80.40	80.8	6.72	6.67	6.7	3.84	3.84	3.8	8.10	7.9
			12:20	2.80		1.40	19.90	19.90		7.63	7.63	33.85	33.85		81.10	80.40		6.72	6.67		3.84	3.84		7.70	
	6/3/2023	Sunny	12:45	2.70		1.35	20.50	20.50	20.5	7.88	7.88	33.90	33.90	33.9	82.10	81.70	81.9	6.72	6.68	6.7	6.22	6.22	6.2	7.30	7.1
			12:50	2.70		1.35	20.50	20.50		7.88	7.88	33.90	33.90		82.10	81.70		6.72	6.68		6.22	6.22		6.90	
	8/3/2023	Sunny	13:00	2.70		1.35	21.20	21.20	21.2	7.94	7.94	33.74	33.74	33.7	88.70	88.20	88.5	6.50	6.42	6.5	4.11	4.11	4.1	6.20	6.4
			13:05	2.70		1.35	21.20	21.20		7.94	7.94	33.74	33.74		88.70	88.20		6.50	6.42		4.11	4.11		6.60	
	10/3/2023	Sunny	14:00	2.60		1.30	22.30	22.30	22.3	7.97	7.97	33.72	33.72	33.7	79.30	78.60	79.0	6.55	6.46	6.5	5.05	5.05	5.1	4.40	4.6
			14:05	2.60		1.30	22.30	22.30		7.97	7.97	33.72	33.72		79.30	78.60		6.55	6.46		5.05	5.05		4.80	
	13/3/2023	Sunny	16:00	2.80		1.40	20.70	20.70	20.7	7.82	7.82	33.36	33.36	33.4	83.00	82.60	82.8	6.61	6.58	6.6	4.61	4.61	4.6	5.20	5.4
			16:05	2.80		1.40	20.70	20.70		7.82	7.82	33.36	33.36		83.00	82.60		6.61	6.58		4.61	4.61		5.50	
	15/3/2023	Sunny	18:45	2.90		1.45	21.30	21.30	21.3	7.88	7.88	33.61	33.61	33.5	78.10	77.40	77.8	6.37	6.29	6.3	5.76	5.75	5.8	8.90	8.7
			18:50	2.90		1.45	21.30	21.30		7.88	7.88	33.61	33.61		78.10	77.40		6.37	6.29		5.76	5.75		8.50	
	18/3/2023	Sunny	11:15	2.80		1.40	22.40	22.40	22.4	7.91	7.91	33.51	33.51	33.5	80.70	80.00	80.4	6.65	6.59	6.6	4.99	4.99	5.0	8.10	8.3
			11:20	2.80		1.40	22.40	22.40		7.91	7.91	33.51	33.51		80.70	80.00		6.65	6.59		4.99	4.99		8.40	
	20/3/2023	Cloudy	12:15	2.80		1.40	22.00	22.00	22.0	7.93	7.93	33.48	33.48	33.5	83.70	82.90	83.3	7.18	7.10	7.1	3.97	3.97	4.0	5.70	5.6
			12:20	2.80		1.40	22.00	22.00		7.93	7.93	33.48	33.48		83.70	82.90		7.18	7.10		3.97	3.97		5.40	
	22/3/2023	Rainy	13:30	2.80		1.40	22.70	22.70	22.7	7.87	7.87	33.40	33.40	33.4	78.80	78.10	78.5	6.38	6.32	6.4	4.35	4.35	4.4	4.30	4.1
			13:35	2.80		1.40	22.70	22.70		7.87	7.87	33.40	33.40		78.80	78.10		6.38	6.32		4.35	4.35		3.90	
	24/3/2023	Sunny	14:15	2.80		1.40	24.40	24.40	24.4	7.78	7.78	33.16	33.16	33.2	85.00	84.10	84.6	6.55	6.48	6.5	4.39	4.39	4.4	11.20	11.0
			14:20	2.80		1.40	24.40	24.40		7.78	7.78	33.16	33.16		85.00	84.10		6.55	6.48		4.39	4.39		10.80	
	27/3/2023	Cloudy	16:30	2.80		1.40	20.00	20.00	20.0	7.70	7.70	31.66	31.66	31.7	80.40	79.80	80.1	6.80	6.66	6.7	9.78	9.77	9.8	5.90	6.1
			16:35	2.80		1.40	20.00	20.00		7.70	7.70	31.66	31.66		80.40	79.80		6.80	6.66		9.78	9.77		6.20	
	29/3/2023	Sunny	19:45	2.80		1.40	21.00	21.00	21.0	7.67	7.67	32.10	32.10	32.1	78.40	77.70	78.1	6.55	6.49	6.5	5.98	5.98	6.0	4.40	4.7
			19:50	2.80		1.40	21.00	21.00		7.67	7.67	32.10	32.10		78.40	77.70		6.55	6.49		5.98	5.98		4.40	
	31/3/2023	Sunny	21:30	2.80		1.40	20.70	20.70	20.7	7.84	7.84	32.85	32.85	32.9	84.50	83.90	84.2	6.32	6.21	6.3	4.11	4.11	4.1	3.70	3.5
			21:35	2.80		1.40	20.70	20.70		7.84	7.84	32.85	32.85		84.50	83.90		6.32	6.21		4.11	4.11		3.20	

Remarks:

Water Quality Monitoring at Station W7 (Middle) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average					
W7 Silvermine Bay (Open Water)	1/3/2023	Sunny	13:15	3.10	Middle	1.55	19.20	19.20	19.2	7.65	7.65	33.80	33.80	33.8	90.00	89.60	89.8	7.02	6.97	7.0	3.33	3.33	3.3	4.00	4.2	
			13:20	3.10		1.55	19.20	19.20		7.65	7.65	33.80	33.80		90.00	89.60		7.02	6.97		3.33	3.33		4.40		
	4/3/2023	Sunny	16:30	3.10		1.55	20.00	20.00	20.0	8.07	8.07	8.1	33.79	33.79	33.8	90.20	89.70	90.0	6.72	6.68	6.7	5.22	5.22	5.2	7.10	6.9
			16:35	3.10		1.55	20.00	20.00		8.07	8.07	33.79	33.79		90.20	89.70		6.72	6.68		5.22	5.22		6.70		
	6/3/2023	Sunny	7:30	2.90		1.45	18.90	18.90	18.9	7.63	7.63	33.82	33.82	33.8	80.10	79.20	79.7	6.75	6.67	6.7	5.36	5.36	5.4	5.00	5.1	
			7:35	2.90		1.45	18.90	18.90		7.63	7.63	33.82	33.82		80.10	79.20		6.75	6.67		5.36	5.36		5.10		
	8/3/2023	Sunny	8:00	2.80		1.40	20.30	20.30	20.3	7.71	7.71	33.73	33.73	33.7	80.50	79.90	80.2	6.83	6.73	6.8	5.32	5.32	5.3	8.80	8.6	
			8:05	2.80		1.40	20.30	20.30		7.71	7.71	33.73	33.73		80.50											

Water Quality Monitoring at Station W8 (Surface) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W8 Silvermine Bay (Open Water)	1/3/2023	Sunny	21:45	3.90	Surface	1.00	19.70	19.70	19.7	7.81	7.81	33.71	33.71	33.7	81.50	81.10	81.3	6.88	6.78	6.8	2.31	2.31	2.3	4.50	4.3	
			21:50	3.90		1.00	19.70	19.70		7.81	7.81	33.71	33.71		81.50	81.10		6.88	6.78		2.31	2.31		4.10	4.3	
	4/3/2023	Sunny	12:30	3.80		1.00	20.00	20.00	20.0	7.71	7.71	7.7	33.82	33.82	33.8	83.00	82.50	82.8	6.87	6.80	6.8	3.00	3.00	3.0	6.90	6.7
			12:35	3.80		1.00	20.00	20.00		7.71	7.71		33.82	33.82		83.00	82.50		6.87	6.80		3.00	3.00		6.40	
	6/3/2023	Sunny	13:00	3.70		1.00	20.30	20.30	20.3	7.91	7.91	7.9	33.91	33.91	33.9	80.90	80.20	80.6	7.14	7.06	7.1	4.72	4.72	4.7	6.70	6.8
			13:05	3.70		1.00	20.30	20.30		7.91	7.91		33.91	33.91		80.90	80.20		7.14	7.06		4.72	4.72		6.90	
	8/3/2023	Sunny	13:15	3.70		1.00	21.20	21.20	21.2	8.00	8.00	8.0	33.76	33.76	33.8	79.80	79.10	79.5	6.62	6.55	6.6	3.73	3.72	3.7	6.10	5.9
			13:20	3.70		1.00	21.20	21.20		8.00	8.00		33.76	33.76		79.80	79.10		6.62	6.55		3.73	3.72		6.10	
	10/3/2023	Sunny	14:15	3.60		1.00	22.30	22.30	22.3	8.02	8.02	8.0	33.66	33.66	33.7	86.00	85.50	85.8	6.97	6.87	6.9	4.04	4.04	4.0	4.10	4.3
			14:20	3.60		1.00	22.30	22.30		8.02	8.02		33.66	33.66		86.00	85.50		6.97	6.87		4.04	4.04		4.40	
	13/3/2023	Sunny	16:15	3.80		1.00	20.70	20.70	20.7	7.90	7.90	7.9	33.40	33.40	33.4	81.00	80.50	80.8	6.52	6.47	6.5	4.35	4.35	4.4	6.20	6.4
			16:20	3.80		1.00	20.70	20.70		7.90	7.90		33.40	33.40		81.00	80.50		6.52	6.47		4.35	4.35		6.50	
	15/3/2023	Sunny	19:00	3.90		1.00	21.20	21.20	21.2	7.93	7.93	7.9	33.30	33.30	33.3	77.70	77.10	77.4	6.50	6.45	6.5	4.05	4.05	4.1	5.10	5.2
			19:05	3.90		1.00	21.20	21.20		7.93	7.93		33.30	33.30		77.70	77.10		6.50	6.45		4.05	4.05		5.30	
	18/3/2023	Sunny	11:30	3.80		1.00	22.40	22.40	22.4	7.99	7.99	8.0	33.51	33.51	33.5	81.70	80.80	81.3	6.89	6.79	6.8	2.64	2.64	2.6	4.50	4.3
			11:35	3.80		1.00	22.40	22.40		7.99	7.99		33.51	33.51		81.70	80.80		6.89	6.79		2.64	2.64		4.00	
	20/3/2023	Cloudy	12:30	3.80		1.00	21.80	21.80	21.8	8.02	8.02	8.0	33.57	33.57	33.6	83.10	82.60	82.9	6.53	6.49	6.5	2.78	2.78	2.8	3.60	3.8
			12:35	3.80		1.00	21.80	21.80		8.02	8.02		33.57	33.57		83.10	82.60		6.53	6.49		2.78	2.78		4.00	
	22/3/2023	Rainy	13:45	3.80		1.00	22.70	22.70	22.7	7.95	7.95	8.0	33.40	33.40	33.4	79.70	79.00	79.4	6.30	6.21	6.3	2.81	2.81	2.8	2.80	2.9
			13:50	3.80		1.00	22.70	22.70		7.95	7.95		33.40	33.40		79.70	79.00		6.30	6.21		2.81	2.81		3.00	
	24/3/2023	Sunny	14:30	3.80		1.00	24.30	24.30	24.3	7.87	7.87	7.9	33.18	33.18	33.2	76.70	76.10	76.4	6.29	6.23	6.3	3.11	3.11	3.1	4.00	4.1
			14:35	3.80		1.00	24.30	24.30		7.87	7.87		33.18	33.18		76.70	76.10		6.29	6.23		3.11	3.11		4.20	
	27/3/2023	Cloudy	16:45	3.80		1.00	20.00	20.00	20.0	7.76	7.76	7.8	32.30	32.30	32.2	81.00	80.20	80.6	6.42	6.37	6.4	7.07	7.07	7.1	6.10	6.3
			16:50	3.80		1.00	20.00	20.00		7.76	7.76		32.30	32.30		81.00	80.20		6.42	6.37		7.07	7.07		6.50	
	29/3/2023	Sunny	20:00	3.80		1.00	20.90	20.90	20.9	7.76	7.76	7.8	31.54	31.54	31.5	83.00	82.10	82.6	6.70	6.60	6.7	7.57	7.57	7.6	7.30	7.5
			20:05	3.80		1.00	20.90	20.90		7.76	7.76		31.54	31.54		83.00	82.10		6.70	6.60		7.57	7.57		7.60	
	31/3/2023	Sunny	21:45	3.80	Surface	1.00	20.70	20.70	20.7	7.76	7.76	7.8	32.80	32.80	32.8	80.70	79.70	80.2	6.51	6.48	6.5	4.05	4.05	4.1	4.40	4.7
			21:50	3.80		1.00	20.70	20.70		7.76	7.76		32.80	32.80		80.70	79.70		6.51	6.48		4.05	4.05		4.90	

Remarks:

Water Quality Monitoring at Station W8 (Surface) - Flood Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W8 Silvermine Bay (Open Water)	1/3/2023	Sunny	13:30	4.10	Surface	1.00	19.30	19.30	19.3	7.74	7.74	7.7	33.72	33.72	33.7	85.10	84.70	84.9	6.90	6.87	6.9	3.04	3.04	3.0	2.80	2.8
			13:35	4.10		1.00	19.30	19.30		7.74	7.74		33.72	33.72		85.10	84.70		6.90	6.87		3.04	3.04		2.80	
	4/3/2023	Sunny	16:45	4.10		1.00	20.10	20.10	20.1	8.10	8.10	8.1	33.64	33.64	33.8	83.60	82.90	83.3	7.15	6.97	7.1	4.39	4.39	4.4	6.40	6.2
			16:50	4.10		1.00	20.10	20.10		8.10	8.10		33.64	33.64		83.60	82.90		7.15	6.97		4.39	4.39		6.00	
	6/3/2023	Sunny	7:45	3.90		1.00	18.80	18.80	18.8	7.75	7.75	7.8	33.89	33.89	33.9	87.00	86.70	86.9	6.88	6.84	6.9	4.36	4.36	4.4	6.80	7.0
			7:50	3.90		1.00	18.80	18.80		7.75	7.75		33.89	33.89		87.00	86.70		6.88	6.84		4.36	4.36		7.20	
	8/3/2023	Sunny	8:15	3.80		1.00	20.40	20.40	20.4	7.81	7.81	7.8	33.78	33.78	33.8	83.00	82.30	82.7	6.90	6.83	6.9	4.37	4.37	4.4	8.00	7.9
			8:20	3.80		1.00	20.40	20.40		7.81	7.81		33.78	33.78		83.00	82.30		6.90	6.83		4.37	4.37		7.80	
	10/3/2023	Sunny	9:00	3.90		1.00	21.10	21.10	21.1	7.85	7.85	7.9	33.68	33.68	33.7	82.10	81.60	81.9	6.83	6.78	6.8	3.46	3.46	3.5	3.70	3.9
	</td																									



Water Quality Monitoring at Station W8 (Bottom) - Ebb Tide

Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W8 Silvermine Bay (Open Water)	1/3/2023	Sunny	21:55	3.90	Bottom	2.90	19.40	19.40	19.4	7.87	7.87	7.9	33.74	33.74	33.7	85.10	84.60	84.9	7.02	6.97	7.0	3.66	3.66	3.7	3.50	3.3
			22:00	3.90		2.90	19.40	19.40		7.87	7.87		33.74	33.74		85.10	84.60		7.02	6.97		3.66	3.66		3.10	
	4/3/2023	Sunny	12:40	3.80		2.80	20.10	20.10	20.1	7.76	7.76	7.8	33.81	33.81	33.8	83.80	83.10	83.5	6.69	6.63	6.7	3.12	3.12	3.1	8.60	8.8
			12:45	3.80		2.80	20.10	20.10		7.76	7.76		33.81	33.81		83.80	83.10		6.69	6.63		3.12	3.12		8.90	
	6/3/2023	Sunny	13:10	3.70		2.70	20.60	20.60	20.6	7.92	7.92	7.9	33.91	33.91	33.9	87.00	86.40	86.7	6.55	6.49	6.5	3.93	3.93	3.9	5.80	5.5
			13:15	3.70		2.70	20.60	20.60		7.92	7.92		33.91	33.91		87.00	86.40		6.55	6.49		3.93	3.93		5.20	
	8/3/2023	Sunny	13:25	3.70		2.70	21.10	21.10	21.1	8.03	8.03	8.0	33.79	33.79	33.8	78.70	78.00	78.4	6.44	6.38	6.4	4.33	4.33	4.3	7.20	7.4
			13:30	3.70		2.70	21.10	21.10		8.03	8.03		33.79	33.79		78.70	78.00		6.44	6.38		4.33	4.33		7.60	
	10/3/2023	Sunny	14:25	3.60		2.60	22.30	22.30	22.3	8.05	8.05	8.1	33.66	33.66	33.7	80.70	80.00	80.4	6.60	6.54	6.6	3.68	3.68	3.7	4.60	4.8
			14:30	3.60		2.60	22.30	22.30		8.05	8.05		33.66	33.66		80.70	80.00		6.60	6.54		3.68	3.68		5.00	
	13/3/2023	Sunny	16:25	3.80		2.80	20.70	20.70	20.7	7.94	7.94	7.9	33.38	33.38	33.4	81.90	80.70	81.3	6.37	6.33	6.4	4.22	4.22	4.2	5.60	5.9
			16:30	3.80		2.80	20.70	20.70		7.94	7.94		33.38	33.38		81.90	80.70		6.37	6.33		4.22	4.22		6.10	
	15/3/2023	Sunny	19:10	3.90		2.90	21.00	21.10	21.1	7.93	7.93	7.9	33.31	33.31	33.3	79.70	79.20	79.5	6.88	6.80	6.8	3.46	3.46	3.5	6.70	6.6
			19:15	3.90		2.90	21.00	21.10		7.93	7.93		33.31	33.31		79.70	79.20		6.88	6.80		3.46	3.46		6.40	
	18/3/2023	Sunny	11:40	3.80		2.80	22.40	22.40	22.4	8.03	8.03	8.0	33.52	33.52	33.5	84.60	83.80	84.2	6.71	6.61	6.7	3.07	3.07	3.1	3.40	2.8
			11:45	3.80		2.80	22.40	22.40		8.03	8.03		33.52	33.52		84.60	83.80		6.71	6.61		3.07	3.07		2.10	
	20/3/2023	Cloudy	12:40	3.80		2.80	21.70	21.70	21.7	8.10	8.10	8.1	33.50	33.50	33.5	80.00	79.40	79.7	7.00	6.90	7.0	3.02	3.02	3.0	4.30	4.4
			12:45	3.80		2.80	21.70	21.70		8.10	8.10		33.50	33.50		80.00	79.40		7.00	6.90		3.02	3.02		4.50	
	22/3/2023	Rainy	13:55	3.80		2.80	22.50	22.50	22.5	7.98	7.98	8.0	33.45	33.45	33.5	77.60	77.00	77.3	6.16	6.08	6.1	4.14	4.13	4.1	4.60	4.4
			14:00	3.80		2.80	22.50	22.50		7.98	7.98		33.45	33.45		77.60	77.00		6.16	6.08		4.14	4.13		4.20	
	24/3/2023	Sunny	14:40	3.80		2.80	24.10	24.10	24.1	7.91	7.91	7.9	33.28	33.28	33.3	79.00	78.50	78.8	6.32	6.27	6.3	3.33	3.33	3.3	6.60	6.7
			14:45	3.80		2.80	24.10	24.10		7.91	7.91		33.28	33.28		79.00	78.50		6.32	6.27		3.33	3.33		6.80	
	27/3/2023	Cloudy	16:55	3.80		2.80	20.10	20.10	20.1	7.82	7.82	7.8	32.32	32.32	32.3	77.00	76.20	76.6	7.00	6.91	7.0	6.13	6.13	6.1	3.60	3.8
			17:00	3.80		2.80	20.10	20.10		7.82	7.82		32.32	32.32		77.00	76.20		7.00	6.91		6.13	6.13		4.00	
	29/3/2023	Sunny	20:10	3.80		2.80	21.00	21.00	21.0	7.82	7.82	7.8	32.13	32.13	32.1	78.50	77.70	78.1	6.06	6.54	6.3	5.27	5.37	5.3	6.20	6.4
			20:15	3.80		2.80	21.00	21.00		7.82	7.82		32.13	32.13		78.50	77.70		6.06	6.54		5.27	5.37		6.60	
	31/3/2023	Sunny	21:55	3.80		2.80	20.70	20.78	20.8	7.89	7.89	7.9	32.84	32.84	32.8	76.80	76.10	76.5	6.65	6.56	6.6	4.35	4.35	4.4	4.90	5.1
			22:00	3.80		2.80	20.80	20.78		7.89	7.89		32.84	32.84		76.80	76.10		6.65	6.56		4.35	4.35		5.30	


Remarks:

Water Quality Monitoring at Station W8 (Bottom) - Flood Tide


Station Reference	Sampling Date	Weather	Sampling Time	Water Depth	Sampling Level	Sampling Depth	Temperature		pH		Salinity		DO Saturation		DO		Turbidity		SS							
							°C		-		ppt		%		mg/L		NTU		mg/L							
							m	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average							
W8 Silvermine Bay (Open Water)	1/3/2023	Sunny	13:40	4.10	Bottom	3.10	19.20	19.20	19.2	7.80	7.80	7.8	33.74	33.74	33.7	79.50	79.10	79.3	6.92	6.88	6.9	3.35	3.35	3.4	3.70	3.6
			13:45	4.10		3.10	19.20	19.20		7.80	7.80		33.74	33.74		79.50	79.10		6.92	6.88		3.35	3.35		3.40	
	4/3/2023	Sunny	17:00	4.10		3.10	19.90	19.90	19.9	8.13	8.13	8.1	33.81	33.81	33.8	83.50	82.60	83.1	6.80	6.75	6.8	4.36	4.36	4.4	9.00	8.8
			17:05	4.10		3.10	19.90	19.90		8.13	8.13		33.81	33.81		83.50	82.60		6.80	6.75		4.36	4.36		8.60	
	6/3/2023	Sunny	7:55	3.90		2.90	18.90	18.90	18.9	7.78	7.78	7.8	33.89	33.89	33.9	86.70	86.10	86.4	7.30	7.23	7.3	4.08	4.08	4.1	6.60	6.3
			8:00	3.90		2.90	18.90	18.90		7.79	7.79		33.89	33.89		86.70	86.10		7.30	7.23		4.08	4.08		6.00	
	8/3/2023	Sunny	8:25	3.80		2.80	20.40	20.40	20.4	7.86	7.86	7.9	33.78	33.78	33.8	83.80	83.30	83.6	6.79	6.70	6.7	3.70	3.70	3.7	7.20	7.1
			8:30	3.80		2.80	20.40	20.40		7.86	7.86		33.78	33.78		83.80	83.30		6.79	6.70		3.70	3.70		6.90	
	10/3/2023	Sunny	9:10	3.90		2.90	20.90	20.90	20.9	7.89	7.89	7.9	33.68	33.68	33.7	82.50	81.80	82.2	6.88	6.79	6.8</					

Graphic Presentation of WQM Result


Station W1 (Middle) - DO



Station W1 (Middle) - Turbidity




Station W1 (Middle) - Suspended Solid




Graphic Presentation of WQM Result


Station W2 (Middle) - DO






Station W2 (Middle) - Turbidity




Station W2 (Middle) - Suspended Solid




Graphic Presentation of WQM Result**Station W4 (Middle) - DO****Station W4 (Middle) - Turbidity****Station W4 (Middle) - Suspended Solid**

Graphic Presentation of WQM Result


Station W5 (Middle) - DO









Station W5 (Middle) - Turbidity






Station W5 (Middle) - Suspended Solid




Graphic Presentation of WQM Result**Station W6 (Middle) - DO****Station W6 (Middle) - Turbidity****Station W6 (Middle) - Suspended Solid**

Graphic Presentation of WQM Result**Station W7 (Middle) - DO****Station W7 (Middle) - Turbidity****Station W7 (Middle) - Suspended Solid**


Graphic Presentation of WQM Result**Station W8 (Surface) - DO****Station W8 (Surface) - Turbidity****Station W8 (Surface) - Suspended Solid**

Graphic Presentation of WQM Result


Station W8 (Bottom) - DO



Station W8 (Bottom) - Turbidity



Station W8 (Bottom) - Suspended Solid





Appendix 6.1

Event Action Plans

Appendix 6.1 Event and Action Plan

Event and Action Plan for Construction Air Quality

EVENT	ACTION			
	ET	IEC	ER	CONTRACTOR
ACTION LEVEL				
1. Exceedance for one sample	1. Inform IEC, ER and Contractor; 2. Identify source, investigate the causes of exceedance and propose remedial measures; 3. Repeat measurement to confirm finding.	1. Check monitoring data submitted by ET; 2. Check Contractor's working method.	1. Notify Contractor.	1. Rectify any unacceptable practice; 2. Amend working methods if appropriate.
2. Exceedance for two or more consecutive samples	1. Inform IEC, ER and Contractor; 2. Identify source; 3. Advise the ER on the effectiveness of the proposed remedial measures; 4. Repeat measurements to confirm findings; 5. Increase monitoring frequency to daily; 6. Discuss with IEC, ER and Contractor on remedial actions required; 7. If exceedance continues, arrange meeting with IEC and ER; 8. If exceedance stops, cease additional monitoring.	1. Check monitoring data submitted by ET; 2. Check Contractor's working method; 3. Discuss with ET and Contractor on possible remedial measures; 4. Advise the ET/ER on the effectiveness of the proposed remedial measures; 5. Supervise Implementation of remedial measures.	1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. Ensure remedial measures properly implemented.	1. Submit proposals for remedial to ER and IEC within 3 working days of notification; 2. Implement the agreed proposals; 3. Amend proposal if appropriate.

Event and Action Plan for Construction Air Quality

EVENT	ACTION			
	ET	IEC	ER	CONTRACTOR
LIMIT LEVEL				
1.Exceedance for one sample	<ul style="list-style-type: none"> 1. Inform IEC, ER, Contractor and EPD; 2. Identify source, investigate the causes of exceedance and propose remedial measures; 3. Repeat measurement to confirm finding; 4. Increase monitoring frequency to daily; 5. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results. 	<ul style="list-style-type: none"> 1. Check monitoring data submitted by ET; 2. Check Contractor's working method; 3. Discuss with ET and Contractor on possible remedial measures; 4. Advise the ER on the effectiveness of the proposed remedial measures; 5. Supervise implementation of remedial measures. 	<ul style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. Ensure remedial measures properly implemented. 	<ul style="list-style-type: none"> 1. Take immediate action to avoid further exceedance; 2. Discuss with ET and IEC on remedial actions 3. Submit proposals for remedial actions to IEC within 3 working days of notification; 4. Implement the agreed proposals; 5. Amend proposal if appropriate.
2.Exceedance for two or more consecutive samples	<ul style="list-style-type: none"> 1. Notify IEC, ER, Contractor and EPD; 2. Identify source; 3. Repeat measurement to confirm findings; 4. Increase monitoring frequency to daily; 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented; 6. Arrange meeting with IEC and ER and Contractor to discuss the remedial actions to be taken; 7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results; 8. If exceedance stops, cease additional monitoring. 	<ul style="list-style-type: none"> 1. Check monitoring data submitted by ET; 2. Check Contractor's working method; 3. Discuss amongst ER, ET, and Contractor on the potential remedial actions; 4. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly; 5. Supervise the implementation of remedial measures. 	<ul style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. In consultation with the IEC, agree with the Contractor on the remedial measures to be implemented; 4. Ensure remedial measures properly implemented; 5. If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to terminate that portion of work until the exceedance ceases. 	<ul style="list-style-type: none"> 1. Take immediate action to avoid further exceedance; 2. Discuss with ET and IEC on remedial actions 3. Submit proposals for remedial actions to ER and IEC within 3 working days of notification; 4. Implement the agreed proposals; 5. Resubmit proposals if problem still not under control; 6. Stop the relevant portion of works as determined by the ER until the exceedance ceases.

Event and Action Plan for Construction Noise

EVENT	ACTION			
	ET	IEC	ER	CONTRACTOR
Action Level	<ul style="list-style-type: none"> 1. Notify IEC, ER and Contractor of exceedance; 2. Identify source 3. Investigate the causes of exceedance and propose remedial measures; 4. Report the results of investigation to the IEC, ER and Contractor; 5. Discuss with the IEC, ER and Contractor and formulate remedial measures; 6. Increase monitoring frequency to check mitigation effectiveness. 	<ul style="list-style-type: none"> 1. Review the analysed results submitted by the ET; 2. Review the proposed remedial measures by the Contractor and advise the ER accordingly; 3. Supervise the implementation of remedial measures. 	<ul style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. Require Contractor to propose remedial measures for the analysed noise problem; 4. Ensure remedial measures are properly implemented 	<ul style="list-style-type: none"> 1. Submit noise mitigation proposals to ER with copy to ET and IEC; 2. Implement noise mitigation proposals.
Limit Level	<ul style="list-style-type: none"> 1. Inform IEC, ER, EPD and Contractor; 2. Identify source; 3. Repeat measurements to confirm findings; 4. Increase monitoring frequency; 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented; 6. Inform IEC, ER and EPD the causes and actions taken for the exceedances; 7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results; 8. If exceedance stops, cease additional monitoring. 	<ul style="list-style-type: none"> 1. Discuss amongst ER, ET, and Contractor on the potential remedial actions; 2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly; 3. Supervise the implementation of remedial measures. 	<ul style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. Require Contractor to propose remedial measures for the analysed noise problem; 4. Ensure remedial measures are properly implemented; 5. If exceedance continues, investigate what portion of the work is responsible and instruct the Contractor to terminate that portion of work until the exceedance ceases. 	<ul style="list-style-type: none"> 1. Take immediate action to avoid further exceedance; 2. Submit proposals for remedial actions to ER with copy to ET and IEC within 3 working days of notification; 3. Implement the agreed proposals; 4. Resubmit proposals if problem still not under control; 5. Terminate the relevant portion of works as determined by the ER until the exceedance ceases.

Event and Action Plan for Water Quality

EVENT	ACTION			
	ET Leader	IEC	ER	Contractor
ACTION LEVEL				
Action level being exceeded by one sampling day	<ul style="list-style-type: none"> 1. Repeat in situ measurement on next day of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor and ER; 4. Check monitoring data, all plant, equipment and Contractor's working methods. 	<ul style="list-style-type: none"> 1. Check monitoring data submitted by ET and Contractor's working methods. 	<ul style="list-style-type: none"> 1. Confirm receipt of notification of non-compliance in writing; 2. Notify Contractor. 	<ul style="list-style-type: none"> 1. Inform the ER and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Amend working methods if appropriate.
Action level being exceeded by two or more consecutive sampling days	<ul style="list-style-type: none"> 1. Repeat measurement on next day of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor, ER and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, ER and Contractor; 6. Ensure mitigation measures are implemented; 7. Increase the monitoring frequency to daily until no exceedance of Action level. 	<ul style="list-style-type: none"> 1. Check monitoring data submitted by ET and Contractor's working method; 2. Discuss with ET and Contractor on possible remedial actions; 3. Review the proposed mitigation measures submitted by Contractor and advise the ER accordingly; 4. Supervise the implementation of mitigation measures. 	<ul style="list-style-type: none"> 1. Discuss with IEC on the proposed mitigation measures; 2. Ensure mitigation measures are properly implemented; 3. Assess the effectiveness of the implemented mitigation measures. 	<ul style="list-style-type: none"> 1. Inform the ER and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment and consider changes of working methods; 4. Submit proposal of additional mitigation measures to ER within 3 working days of notification and discuss with ET, IEC and ER; 5. Implement the agreed mitigation measures.

Event and Action Plan for Water Quality

EVENT	ACTION			
	ET Leader	IEC	ER	Contractor
LIMIT LEVEL				
Limit level being exceeded by one sampling day	<ol style="list-style-type: none"> 1. Repeat measurement on next day of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor, ER and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, ER and Contractor. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET and Contractor's working method; 2. Discuss with ET and Contractor on possible remedial actions; 3. Review the proposed mitigation measures submitted by Contractor and advise the ER accordingly. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Discuss with IEC, ET and Contractor on the proposed mitigation measures; 3. Request Contractor to review the working methods. 	<ol style="list-style-type: none"> 1. Inform the ER and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment and consider changes of working methods; 4. Submit proposal of mitigation measures to ER within 3 working days of notification and discuss with ET, IEC and ER.
Limit level being exceeded by two or more consecutive sampling days	<ol style="list-style-type: none"> 1. Repeat measurement on next day of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor, ER and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, ER and Contractor; 6. Ensure mitigation measures are implemented; 7. Increase the monitoring frequency to daily until no exceedance of Limit level for two consecutive days. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET and Contractor's working method; 2. Discuss with ET and Contractor on possible remedial actions; 3. Review the Contractor's mitigation measures whenever necessary to assure their effectiveness and advise the ER accordingly; 4. Supervise the implementation of mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC, ET and Contractor on the proposed mitigation measures; 2. Request Contractor to critically review the working methods; 3. Make agreement on the mitigation measures to be implemented; 4. Ensure mitigation measures are properly implemented; 5. Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of the construction activities until no exceedance of Limit level. 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance; 2. Submit proposal of mitigation measures to ER within 3 working days of notification and discuss with ET, IEC and ER; 3. Implement the agreed mitigation measures; 4. Resubmit proposals of mitigation measures if problem still not under control; 5. As directed by the Supervising Officer, to slow down or to stop all or part of the construction activities until no exceedance of Limit level.



Appendix 6.2

Summary for Notification of Exceedance

Ref. No.	Date	Time	Location	Parameter	Value	Unit	Level exceeded	Follow-up action
X_W070	3/1/2023	Mid-flood Mid-ebb	W1 Middle W6 Middle	SS SS	9.6 12.9	mg/L mg/L	Action: 8.9 mg/L (95%-tile) Action: 12.6 mg/L (95%-tile)	Cause of Exceedance: ET's conclusions and recommendations for mitigation: Contractor's actions to implement the mitigation: Action required under EAP: Action taken under EAP: Comments/Remarks: Localized fluctuation around baseline SS range; no river channel blockage was observed Exceedance not related to project, advised contractor to maintain on-going water mitigation measures and cofferdam condition Construction activities were checked; Cofferdam was checked and no linkage or discharge of polluted water was observed 1. Repeat measurement on next day of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor and ER; 4. Check monitoring data, all plant, equipment and Contractor's working methods. 2, 3 & 4 (1 - N/A due to not related project works) No exceedance recorded in the next monitoring event

Ref. No.	Date	Time	Location	Parameter	Value	Unit	Level exceeded	Follow-up action
X_W071	8/2/2023	Mid-flood	W1 Middle	SS	9.1	mg/L	Action: 8.9 mg/L (95%-tile)	<p>Cause of Exceedance: ET's conclusions and recommendations for mitigation: Contractor's actions to implement the mitigation:</p> <p>Action required under EAP:</p> <p>Action taken under EAP: Comments/Remarks</p> <p>No exceedance recorded in the next monitoring event</p> <p>Localized fluctuation around baseline SS range; no river channel blockage was observed Exceedance not related to project, advised contractor to maintain on-going water mitigation measures and cofferdam condition Construction activities were checked; Cofferdam was checked and no linkage or discharge of polluted water was observed 1. Repeat measurement on next day of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor and ER; 4. Check monitoring data, all plant, equipment and Contractor's working methods. 2, 3 & 4 (1 - N/A due to not related project works)</p>
X_W072	13/2/2023	Mid-flood	W2 Middle	Turb SS	14.8 13.9	NTU mg/L	Action: 14.4 NTU (95%-tile) Action: 13.0 mg/L (95%-tile)	<p>Cause of Exceedance: ET's conclusions and recommendations for mitigation: Contractor's actions to implement the mitigation:</p> <p>Action required under EAP:</p> <p>Action taken under EAP: Comments/Remarks</p> <p>No exceedance recorded in the next monitoring event</p> <p>Localized fluctuation around baseline Turb and SS range; no river channel blockage was observed Exceedance not related to project, advised contractor to maintain on-going water mitigation measures and cofferdam condition Construction activities were checked; Cofferdam was checked and no linkage or discharge of polluted water was observed 1. Repeat measurement on next day of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor and ER; 4. Check monitoring data, all plant, equipment and Contractor's working methods. 2, 3 & 4 (1 - N/A due to not related project works)</p>
X_W073	15/2/2023	Mid-flood	W4 Middle	Turb SS	12.0 10.2	NTU mg/L	Action: 11.2 NTU (95%-tile) Action: 9.1 mg/L (95%-tile)	<p>Cause of Exceedance: ET's conclusions and recommendations for mitigation: Contractor's actions to implement the mitigation:</p> <p>Action required under EAP:</p> <p>Action taken under EAP: Comments/Remarks</p> <p>No exceedance recorded in the next monitoring event</p> <p>Localized fluctuation around baseline Turb and SS range; no river channel blockage was observed Exceedance not related to project, advised contractor to maintain on-going water mitigation measures and cofferdam condition Construction activities were checked; Cofferdam was checked and no linkage or discharge of polluted water was observed 1. Repeat measurement on next day of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor and ER; 4. Check monitoring data, all plant, equipment and Contractor's working methods. 2, 3 & 4 (1 - N/A due to not related project works)</p>

Ref. No.	Date	Time	Location	Parameter	Value	Unit	Level exceeded	Follow-up action
X_W074	15/3/2023	Mid-flood	W2 Middle	SS	24.0	mg/L	Limit: 11.3 mg/L (99%-tile)	<p>Cause of Exceedance: Extreme fluctuation water level may stir up the sediment of the river and cause the exceedances; no river channel blockage was observed</p> <p>ET's conclusions and recommendations for mitigation: Exceedance not related to project, advised contractor to maintain on-going water mitigation measures and bridge deck condition</p> <p>Contractor's actions to implement the mitigation: Construction activities were checked;</p> <p>Action required under EAP: Bridge deck was checked and no linkage or discharge of polluted water was observed</p> <ul style="list-style-type: none"> 1. Repeat measurement on next day of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor, ER and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, ER and Contractor. <p>Action taken under EAP: 2, 3 & 4 (1 & 5 - N/A due to not related project works)</p> <p>Comments/Remarks: No exceedance recorded in the next monitoring event</p>



Appendix 8.1

Complaint Log



Environmental Complaints Log

Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Outcome	Status
-	-	-	-	-	-	-